

Simport[®]

Since 1975 *Scientific inc.*

A family owned  Canadian company


Contributing to the Evolution of
Disposable Laboratory Plasticware
for over 43 Years

Simport



www.simport.com

NEW PRODUCTS and many more!



**A**

Amplate™ Mat	112-113, 115-116
Amplate™ Roller	95, 119, 154
Analysers Cups	12

B

Bags, Sterile	162-167
Bar Coding Facilities	96
Base Molds	47
Beakers, Disposable	11
Bioblock™ Deep Well Plates	78, 90-95
Biopsy Bags	52
Biopsy Foam Pads	52
Biotube™ System	86-88
Block Mailer	52
Blood Dilution Vials	159
Board Base	58
Bottles, Urine	6-9
Boxes, Storage	104-105, 125, 139, 150-151

C

Cabinets, Cassette	26-29, 33-36, 43, 47
Caps for Culture Tubes	138, 141, 145
Capinsert™	20, 62, 108, 138, 142
Capsules, Tissue	53
Cassettes, Tissue	25-47
Cassette Cover, Metal	25
Cassette Thermal Printing Foil	55
Cassettes for printers	29, 39-47
Cell Spreader	23
Centrifuge adaptaters, Universal	142
Centrifuge Tubes	156
Centrifuge Tubes (micro)	123-125, 127-137
Centrifuge Tube Racks	82
ClikBlock™	78-85
Cliklock™ Microcentrifuge Tubes	123-125
Closures for Culture Tubes	145-146
Cluster Tubes	86-89
Combi-Box™	118
Combi-Rack™	118
Contact Plate	22
Containers, Specimen	11, 21, 65
CoreDish®	66-68
Cryogenic Vials	98-103, 106-107
Cryosette™	48-49
Cryostore™ Storage Boxes	104-105
Cryovial® Tubes and Acc.	96-101, 106
Cups, Analyzer / Fibrin	12
Cultubes™	147
Culture Tubes	142, 144, 146-147
Cytology Funnels	70-75
CytoSep Cyto Funnels	70-75

D

Deep Well Plates	90-95
Dishes, Petri	22
Dissection	58-59
DrainRack™	56-57
Dishes, Weighing	10
DispoCut™	59
DissecTable™	58
Dissecting Boards	58-59
Droplette® Pipets	76-77

E

E-Z Load™ Stacks	37
EasyDip™	60
EconoTube™	123
EcoTainer™	5
Embedding Rings	53
Embedding Cassettes	25-46

F

Fibrin Cups	12
FitsAll™ Caps	146
Foam Pads	52
Funnels	70-75
Funnels, Cytology	70-75

H

HistoCoder™	54
Histosette® Cassettes	26-29, 36, 43
HistoTainer™	64-65
Hitachi Analyzer Cups	12

I

Ino-loop™ Inoculating Loops	23
-----------------------------------	----

K

KoolPlate Cooling Tray™	53
-------------------------------	----

L

LockMailer™	62
Loops, Inoculating	23
Low Surface Tension Microcentrifuge Tubes	124

M

Macrosette® Cassette	47
Marker Pen	55
Micrewtube®	126-137
Microsette™ Cassettes	30
Microcentrifuge Tubes	121-124, 125-137
Microcentrifuge Tube Rack	125
Micromesh™	32, 39-40, 45
Microscope Slide Folder	69
Microscope Slide Mailer	62-63
Microscope Slide Storage	56-57
Microscope Slide Tray	69
Microtubes	126-137
Microtube Racks	139
MultiRack™	161

O

OneHand™ Rack	139
---------------------	-----

P

Paraffin Block Mailer	52
PCRack™	120
PCR Tube Racks	120
PCR Sealing Mat	121
PCR Reaction Plates	112-116
PCR Reaction Strips	110-111
PCR Reaction Tubes	108-109
PCR Sealing Film & Foil	121
PCR Storage Boxes	120
Petri Dishes	22
Pierce-It™ Caps	146
Pipets, Transfert	76-77
Plates, Deep Well	90-95
Plates, PCR	112-116
Printing Facilities	103



Q

QuickLoad™ Cassettes	25
QuickLoad™ Sleeves	36, 40-42
QuickLoad™ Stacks	43-47
Q-Swad™	157

R

Racks for Centrifuge Tubes	82
Racks for Microcentrifuge Tubes	125
Racks for PCR Tubes	120, 142
Racks, Thermal Conductive.	78-85
Rings, Embedding	53
Roller for Sealing Plates	95, 121, 154
RotorCycler™	117
Rotor-Gene™ Q PCR Consumables	119

S

Sample Cups	12
Sample Tubes	140-141
Sample Tube Storage Boxes	141
Sampling Bags	162-167
SaniSponge	164
SaniStick	165
Scintillation Vials	157
Screw Caps with Septum	137
SecurRack™	160
SecureSeal™ Sealing Film and Foil	95, 119
SecurTainer™	18-20
Septum Screw Caps	137, 151
Septum Seals	153
SeraNest™	12
SlideFile™	56-57
SlideFolder™	69
Slide Mailling	62-63
Slide Staining	60-61
Slide Storage	56-57
SlideTray™	69
Slimsette™	33, 41, 45-46
SnapTwist® Micrewtube®	130
Specimen Collection Tube, Urinalysis	156
Specimen Containers	12-21
Specimen Containers, Formalin Prefilled	64-68

Snap Cap Containers	11, 21
SnapTwist® Scintillation Vials	159
SpecTainer™	14-17
Spreader, Cell	23
SputEm™ Collection Kit	13
StainTray™	61
Sterile bags	160-165
Stoppers for Culture Tubes	145
Storage Box for Microcentrifuge Tubes	125, 160
Storage Box for Micrewtubes®	139
Storage Boxes for Cryovial® Tubes	104-105
Storage Cabinets	55
StoreBox™ Storage Boxes for Sample Tubes	148-149
Stylus, Diamond	55
Swabs	157
Swingsette™	34-35, 42, 46

T

Tamper Evident	16, 21, 64, 129, 157
Thermal Conductive Racks	78-85
Thermal Printing Foil	55
Tissue Capsules	53
Tissue Cassettes	22-42
Transfer Pipets	76-77
Transport Tubes	156-157
Tricorn™ Beakers	11
T-Sue™	50-51
Tubes Culture	23, 144, 146-147
Tubes Microcentrifuge	123-125, 127-137
Tubes Racks	81-85, 158-159
Tubes Racks Biotube™	86-88
Tubes Sample	12, 21, 140-141, 148-149
Tubes Sterile	16-17, 21, 147, 158
Twenty-four Hour Urine Collection Bottles	7

U

UniMailer™	63
UniRack™	120, 160
Uniset™	31, 44
Urinalysis Specimen Collection Tube	156
Urine Bottles	5-7
Urine Specimen Containers	5-9
Urine Collection Bottle	5-7
Urine Collection System / Tube	158
Uriflex™	8-9
Urisafe®	6
Uritainer™	7

V

Vacucap™	145
Vials	157

W

Water Sampling kit	164
Water Specimen Container	164
WeeTube™	150-151
Weighing Dishes	10
WorkStation Rack for Cryovial® and Micrewtube®	108
Write-on™ Marker Pen	55



Cat. #	Page(s)	Cat. #	Page(s)	Cat. #	Page(s)	Cat. #	Page(s)
B							
B350	5-7	M480	25	M900	60	T329	95, 119, 152
B351	8-9	M480SL	25	M905	60	T330	121-124, 140-141
B352	11	M480T	25	M906	60	T330-75	124-125
B360	7	M481	25	M918	61	T331	123
B700	11	M482	36	M919	61	T332	132
B720	12	M482SL	37	M920	61	T334	132
B721	12	M483	36	M921	61	T335	132
		M483SL	37	M922	61	T336	133
		M485	29	M950	62	T338	133
C							
C200	13	M485SL	36	M956	48-49	T339	133
C566	14-16	M486	29	M957	125, 142	T340	138
C567	14-15, 17	M486SL	36	M957 BK	125, 141	T340TP	129
C570	12	M490	26	M960	64	T341	136
C571	21	M491	26	M961	65	T341TP	129
C572	21	M492	28	M963	73	T342	130
C575	18	M492T	43	M964	71	T343	130
C576	19	M493	28	M965	71-73	T345	20, 62, 138
C577	20	M493T	43	M966	75	T347	137
C580	21	M495	55	M967	74	T350	139
C581	21	M498	27	M968	75	T360	139
		M499	27	M970	66-68	T361	137
		M502	30	M972	54	T365	140
D							
D210	22	M503	30	M975	68	T366	141
D250	10	M505	31	M976	68	T384	117
D251	10	M505T	44	P			
D252	10	M506	31	P200	76-77	T400	142
		M506T	44			T401	143
		M507	32			T402	143
F							
F490	11	M507SL	40			T403	144
		M507T	45			T404	143
		M508	32	S207	157	T405	145
		M509	34	S220	157	T406	145
L200	23	M509SL	41	S500	118, 158	T407	144
L300	23	M509T	45	S501	160	T408	156
		M510	34	S510	158	T410	156
L							
		M510SL	41	S600	159	T415	145
		M510T	46	S610	159	T416	145
M385	38	M511	34	S700	80-85	T417	23, 144
M385T	38	M512	47			T420	156
M386	38	M513	42			T425	144
M386T	38	M515	34	T100	87	T426	144
M405	38	M516	34	T101	88-89	T450	125, 141
M406	38	M517	35	T105	88-89	T470	150-151
M405T	38	M517SL	42	T110	91-95	T471	152
M406T	38	M517T	46	T301	102	T471	152
M407	39	M518	35	T307	155	T500	146
M407T	39	M518SL	42	T308	100	T501	147
M409	38	M518T	46	T309	97	T502	147
M409T	38	M590	55	T310	101	T504	151
M410	38	M618	58	T311	103	T505	152
M410T	38	M620	58	T312	106	T514	148-149
M460	53	M625	58	T313	106	T525	150-151
M470	53	M630	59	T314	102-103	T550	154
M471	53	M700-50	56	T315	106	T552	154
M472	54	M700-100	57	T319	117	T552TP	155
M473	50, 51	M710-50	56	T320	156	T553	154
M473P	51	M710-100	57	T321	112		
M474	47	M750-20	69	T322	113	V	
M475	47	M755-20	69	T323	112-115	V130	157
M476	52	M795	55	T324	116		
M477	52	M800	63	T325	108-109		
M478	52			T327	118		
M479	53			T328	118		



INTRODUCING THE NEXT GENERATION OF 24-HR URINE COLLECTION CONTAINERS

EcoTainer 24™

*Biodegradable is now available for the laboratory.
Make it your choice and protect your environment.*



B350ECO

24-Hr Urine collection container

The Simport® EcoTainer 24™ will biodegrade to become some of the soil's organic components in less than 7 years, instead of up to 400 years when using conventional plastics.

The Simport® URISAFE®, one of the most innovative 24-HR Urine Containers on the market today, is now available in a new version:

The EcoTainer 24™, a rapidly degradable URISAFE® Container. Plastics take hundreds of years to degrade naturally in the environment. The Simport® EcoTainer 24™ will biodegrade to become some of the soil's organic components in less than 7 years in constant contact with the soil instead of up to 400 years when using conventional plastics. The only condition that is necessary for the EcoTainer 24™ to biodegrade is constant contact with other degrading material.


No heat, physical stress, oxygen or sunlight necessary. The EcoTainer 24™ has the ability to break down safely and quickly, by biological means, into the raw materials of nature and disappear into the environment.

Image of high-density polyethylene surface after 12 months soil burial

- Does not contain heavy metals
- No negative effect to its physical properties
- No heat, light or mechanical stress needed for product breakdown
- No toxic residue
- Fully degradable within 7 years aerobically or anaerobically



Non biodegradable surface



Surface of the EcoTainer 24™

Uniquely designed to be the most user friendly



- 1 The unique snap valve pour spout is easily popped open and offers dripless pouring
- 2 Specially designed leakproof screw cap with liner for safer transport
- 3 Large centrally located handle for good balance and ease of manipulation
- 4 Place container in upright position and sample volume can be read in 100 ml increments

The unique snap valve pour spout:

- Controlled flow rate for better handling of poured volumes
- Reduced risks of aerosol contamination when pouring
- Eliminates splashing and exposure to hazardous body fluids

Low form design:

- Convenient refrigerator storage with less wasted space
- Anatomically designed for ease of patient use
- Large 80 mm screw lid

Chemical and physical resistance

- Can be subjected to freezing, thawing and EtO gas sterilization without causing changes in materials or physical appearance
- Metal free and resistant to hydrochloric acid
- Can be gamma sterilized

Cat. #	Vol. (Liters)	Dimensions (cm)	Qty/Cs
B350ECO	3	11.5 x 24.5 x 16.0 H	40



URISAFE®

Uniquely designed to be the most user friendly

24-HR URINE COLLECTION CONTAINER

Container made of high-density polyethylene

Cap made of polypropylene



On the 4 liter model, urine can be poured into a tube by simply tilting the container forward without having to lift it.



B350-4L

The innovative cap:

- Snap valve pouring spout incorporated
- Leakproof: a cap liner ensures safe sample transport

The unique snap valve pour spout:

- Easily popped open or pushed shut
- Offers dripless pouring
- Controlled flow rate for better handling of poured volumes
- Reduced risks of aerosol contamination when pouring
- Eliminates splashing and exposure to hazardous body fluids

Low form design:

- Convenient refrigerator storage with less wasted space
- Anatomically designed for ease of patient use

Large central handle:

- Can be gripped comfortably with three fingers
- Permits pouring off of samples with ease and reduces fatigue

Chemically resistant:

- Metal, latex, zinc and fluorescence free
- Resistant to hydrochloric acid
- Can be subjected to freezing, thawing and EtO gas sterilisation without causing changes in materials or physical appearance

Graduated vertically and horizontally:

- Graduations are easy to read
- Place container upright and read in 100 ml increments
- Can be gamma sterilized

URISAFE® Features

- 1 The unique snap valve pour spout is easily popped open and offers dripless pouring
- 2 Specially designed leakproof screw cap with liner for safer transport
- 3 Large centrally located handle for good balance and ease of manipulation
- 4 Metal free and resistant to hydrochloric acid
- 5 Sample volumes can be read in 100 ml increments

The URISAFE® Urine Collection Containers are USER FRIENDLY to both patients and laboratory personnel. Two sizes are available: 3 and 4 liters.

Cat. #	Vol. (Liters)	Dimensions (cm)	Qty/Cs
B350	3	11.5 x 24.5 x 16.0 H	40
B350-4L	4	11.5 x 24.5 x 20.1 H	30



URITAINER™

24-HR URINE COLLECTION CONTAINER

Container made of high-density polyethylene
Cap made of polypropylene

This more conventional style urine bottle is available in 2 sizes: 2.5 L and 3.5 L. However, it incorporates some of the great features of the URISAFE® 24-Hr Urine Collection Container.

Cat. #	Vol. (Liters)	Dimensions (cm)	Qty/Cs
B360-25	2.5	13.3 x 13.3 x 23.2 H	40
B360-35	3.5	13.3 x 13.3 x 29.5 H	24

The innovative cap:

- Snap valve pouring spout incorporated
- Leakproof: a cap liner ensures safe sample transport

The unique snap valve pour spout:

- Easily popped open or pushed shut
- Offers dripless pouring
- Controlled flow rate for better handling of poured volumes
- Reduced risks of aerosol contamination when pouring
- Eliminates splashing and exposure to hazardous body fluids

Large central handle:

- Can be gripped comfortably
- Permits pouring off of samples with ease and reduces fatigue

Chemically resistant:

- Metal and latex free
- Zinc and fluorescence free
- Resistant to hydrochloric acid
- Can be subjected to freezing, thawing and EtO gas sterilisation without causing changes in materials or physical appearance



B360-35

B360-25

URITAINER™ Features

- 1 The unique snap valve pour spout is easily popped open and offers dripless pouring
- 2 Specially designed leakproof screw cap with liner for safer transport
- 3 Metal free and resistant to hydrochloric acid
- 4 Large handle can be gripped comfortably
- 5 Volume level read in 50 ml increments



On all models, the unique snap valve pour spout is easily popped open and offers dripless pouring.



Large handle can be gripped comfortably

Labels for URISAFE® & URITAINER™ Containers

Three optional labels are offered

- Patient identification label
- Patient instruction label
- Caution label

Cat. #	Description	Qty/Roll	Qty/Pk
B350-4	Patient identification label	100	1000
B350-5	Patient instruction label	100	1000
B350-6	Caution label	100	1000

PATIENT AND TEST INFORMATION FOR 24-HOUR URINE COLLECTION

Patient Name: _____

Ref. #: _____

Test Required: _____

Preservative Added: _____

of Bottles Used: _____

Total Volume Collected: _____

Collection Starting Times: Hour _____ Date _____

Collection Ending Times: Hour _____ Date _____

B350-4

Patient Instructions for Collecting a 24-Hour Urine Specimen

Important: To insure accurate test results, please follow these instructions carefully.

- Ask your laboratory whether or not you should refrigerate this bottle during the collection period.
- At the hour you choose to start the collection period, urinate into a toilet and flush as usual.
- Record the starting time and date in the space provided below.
- For the next 24 hours, collect all your urine in this bottle.
- Be sure to urinate just when the 24 hour collection period ends and include this urine in the bottle.
- Record the ending time and date in the space provided below.
- Promptly bring the bottle back to the laboratory.

Collection Starting Time: Hour _____ Date _____

Collection Ending Time: Hour _____ Date _____

B350-5

CAUTION!

This bottle contains a strong preservative chemical.
Do not breathe vapor. Do not spill or get on skin.

B350-6



UriFlex™ 24-hour urine collection bag

Exterior made of PET interior made of PE

Easy to store the collection bag is flat when empty.

When in use, the free-standing design stays upright and is stable, requiring minimal space in a refrigerator.

Drastically reduce transportation and storage cost

Dimensions: - Empty: 33 cm x 26.5 cm H.
- Full (approximate) : 29 cm x 16 cm x 25 cm H.

- 50 mm wide opening
- Tare weight of 64 g (\pm 1 g)
- No graduations, liquid volume must be determined by weight


Cat. #	Description	Vol. (L)	Qty/Cs
B351-4	UriFlex™ bag	4	30
B351-4FU	Funnel		30



B351-4FU



A very discreet way to use and carry your sample



Rotating
pour spout

Polypropylene closure and
Polyethylene spout

50 mm wide opening

Dripless pouring with
controlled flow

**Reduces the amount of
waste when compared
to rigid containers**

Collection bag with 4 liters capacity

The bag is made of UV resistant
materials, which makes it
appropriate for testing
light-sensitive analytes

Strong, thick co-extruded
laminated plastic film that will
not rip, tear or wrinkle even
under heavy weight or stress.

Gusset bottom panel allows
the bag to stay in self-standing
position when full

Large handle



Anatomically contoured funnel
is ideal for people with health
conditions or impairments

24 HR URINE COLLECTION PATIENT INFORMATION RECOLECCIÓN DE ORINA 24 HORAS REGISTRO DE PACIENTE	
PATIENT NAME — NOMBRE PACIENTE	
REFERENCE # — # REFERENCIA	DATE OF BIRTH — FECHA DE NACIMIENTO
PRESERVATIVE ADDED — CONSERVANTE AÑADIDO	
TOTAL VOLUME COLLECTED — VOLUMEN FINAL	
COLLECTION START TIME — FECHA DE INICIO	
HOUR — HORA	DATE — FECHA
COLLECTION END TIME / FECHA DE FINALIZACIÓN	
HOUR — HORA	DATE — FECHA

Simport
Scientific Inc.

Patent applied for

Since 1975

A family owned Canadian company



www.simport.com

Cat # B351-4

Tare Weight : 64 g

Patient identification area



Antistatic Weighing Dishes



D250

Antistatic Weighing Dishes

Made of antistatic polystyrene

Simport® Weighing Dishes will resist diluted acids, aqueous solutions, alcohols and bases. They are ideal for many applications such as weighing, dispensing or storing. They are safe, contaminant-free, biologically inert economical containers for weighing liquid or powdered samples in the laboratory. Flat bottom ensures perfect stability on countertops. They have a smooth surface providing accurate pour-outs with minimal sample loss and facilitating weighing of static-affected samples. Simport® dishes can also be used as quick freeze trays for sample material, discard trays for broken ampoules, or mixing trays for small batches. Will withstand temperatures up to 80 °C.

Cat.#	Volume (ml)	Color	Dimensions (mm)	Qty/Pk	Qty/Cs
D250-1	10	White	40 x 40 x 8 H	500	4000
D250-2	100	White	78 x 78 x 25 H	250	500
D250-3	300	White	127 x 127 x 25 H	250	500



D251

Antistatic Pour Boats

Made of antistatic polystyrene

These 3 sizes of pour boats are specially made to facilitate dispensing of powdered and liquid materials. Smooth, uniform and economical, the molded material used is thicker than conventional weighing dishes. Can be used safely to weigh static-affected materials. Will withstand temperatures up to 80 °C.

Cat.#	Volume (ml)	Dimensions (mm)	Qty/Pk	Qty/Cs
D251-1	12	50 x 37 x 8 H	250	2000
D251-2	140	128 x 76 x 25 H	—	250
D251-3	270	180 x 117 x 25 H	—	250



D252

Antistatic Hexagonal Weighing Dishes

Made of antistatic polystyrene

Excellent for handling solids or liquids during weighing. Easily bent into pouring spouts, the dishes enable non-spill transfer. Molded hexagonal design provides greater balance protection and safety. Will not react with most substances. Suitable for weighing of static-affected samples. The dishes are stackable for easy storage. Will withstand temperatures up to 80 °C.

Cat.#	Volume (ml)	Top I.D. (mm)	Base I.D. (mm)	Height (mm)	Qty/Pk	Qty/Cs
D252-1	9	35	25	10	500	4000
D252-2	58	70	47	20	250	500
D252-3	203	115	85	22	250	500
D252-4	355	130	95	30	250	500



B352

Specimen Bottle

Made of polypropylene

Features a dip-stick well for small volume testing and a pour spout for dripless pouring. Its square base makes it very stable. Can be autoclaved. Also useful as a drosophila stock bottle.

Graduated from 0 to 170 ml and from 0 to 6 oz.

Snap cap supplied separately (see B352-1).

Cat. #	Vol. (ml)	Size (mm)	Neck dia.	Qty/Cs
B352	170	55 x 55 x 102 H	34 mm	500

B352-1

Snap Cap for B352 Specimen Bottle

Made of polyethylene

Cat. #	Size Dia.	Qty/Cs
B352-1	46 mm	2000



B700

TRICORN™ Beakers

Made of polypropylene

Tricorn™ beakers provide three dripless pouring spouts. Tough, unbreakable and suitable for use with commonly used acids, alkalies and solvents. Autoclavable.


Cat. #	Vol. (ml)	Graduations (ml)	Size (mm)	Qty/Pk	Qty/Cs
B700-50	50	5	49 x 57 H	25	100
B700-100	100	10	58 x 72 H	25	100
B700-250	250	10	76 x 90 H	25	100
B700-400	400	20	85 x 108 H	25	100
B700-800	800	50	107 x 133 H	25	100
B700-1L	1000	50	115 x 145 H	25	100



A sturdy translucent reusable beaker that can be autoclaved, yet inexpensive enough to be disposable.



Dripless pouring spout offers more security.



If they fall, they will not break like glass beakers do.



F490

Disposable Funnel

Made of either polystyrene or polypropylene

Both sizes are tapered at a 60° angle with inside fluting.

Cat. #	Material	Top I.D. (mm)	Height (mm)	Stem Length (mm)	Stem Opening (mm)	For use with Paper dia. (cm)	Qty/Cs
F490-1	Polystyrene	57	69	27	5.3	11	100
F490-2	Polystyrene	64	76	27	5.0	12.5	100
F490-3	Polypropylene	56	69	27	5.1	11	100
F490-4	Polypropylene	63	75	27	5.0	12.5	100



B720-13 & 16 SeraNest™ Sample Cups

Made of polystyrene

These sample cups will hold perfectly on top of blood collection tubes. Just pour the blood sample into a SeraNest™ and its low shoulder will hold securely on the tube. No need to relabel. Two sizes available.

B720-8 Analyzer Cups for Hitachi Systems

Made of polystyrene

B720-40 Fibrin Cups

Made of polyethylene

Precision molded for constant volume and uniform heat transfer.

Cat. #	Dia.	Volume	Qty/Bag	Qty/Cs
B720-8	12.7 mm	2 ml	1000	10,000
B720-13	13.9 mm	1 ml	1000	5000
B720-16	16.7 mm	2 ml	1000	5000
B720-40	11.5 mm	1.3 ml	1000	10,000



B721-1 Roche Cobas Sample Tube 2.5 ml

Made of polystyrene

This tube is used with the Roche Cobas Analyzer. It has perfect clarity for easy viewing of contents. This graduated false bottom tube has a capacity of 2.5 ml and will accept barcode labels.



For caps, see series T404-3

Cat. #	Volume	Qty/Bag	Qty/Cs
B721-1	2.5 ml	1000	2000



C570-12

Non Sterile Disposable Specimen Container

Polypropylene Container - Polyethylene Screw Cap

Graduated. Heavy-duty thick wall construction of both container and lid ensures a positive leakproof seal time after time. The drip ring on the container reduces the chances of contamination.

Wide base design for stable reliable use. Molded-in graduations up to 128 ml / 4 oz. Supplied non sterile and packaged in bags of 100 stacked by 10's. Yellow caps packed separately in bags of 100.

Cat. #	Packaging	Qty/Cs
C570-12	Bag / 100	500





C200G SputEm™ Sputum Collection System

Made of polypropylene

The ideal way to collect, carry and process biological samples. The unit features a base which already incorporates a removable sterile 50 ml graduated polypropylene conical tube that can withstand centrifugation up to 5000 RPM, or 3000 x g.

Available in a light green color, three narrow vertical windows allow the contents of the tube to be discreetly seen. A wide base ensures great stability and prevents tipping of the unit. The large collection funnel is made in such a way that specimens fall directly into the graduated centrifuge tube and do not contaminate the outside threads. The centrifuge tube screw cap is being kept sterile at all times under the snap cap on top of the funnel.

A patient label is already affixed on top of the unit and can easily be transferred to the tube before leaving for the laboratory. The base can be used as a support during transit. Each unit is sterile and individually wrapped.



Cat. #	Color	Qty/Cs
C200G	Green	72

BEFORE COLLECTION

- Remove from package.
 - Fill in patient label.
- Lift the hinged lid.
 - Avoid touching inside of funnel.
 - Close lid after each use.

AFTER COLLECTION

- Remove snap cap to expose sputum tube threaded cap.
- Remove funnel top and invert over tube.
- Squeeze middle part of Sputum Collection System and screw tube into threaded cap.
 - Discard funnel top.
- Remove patient label.
 - Place patient label on side of tube.
- Place tube back in its base and send to lab.

A picture is worth a thousand words. A sample, a thousand pictures...

You might look at a picture and read the words under it a thousand times, nothing beats having the product in your own hands for evaluation. Simport® is proud to offer you the most comprehensive sample program ever developed in the industry. Just by asking, you can get free of charge a sample of any Simport® product along with a specially designed card describing all the features, benefits and ordering information.

Simport





The SpecTainer™ and SecureTainer™ Collections

If you **TRULY** care about your sample, let us help you **PROTECT** its integrity!

Simport® has discovered a solution to this problem and we are proud to announce the arrival of our SpecTainer™ and SecureTainer™ series. We offer you the most diverse choice of secure and reliable containers from 20 to 120 ml, including a unique ECO-friendly model biodegrading within 7 years instead of 4 centuries. Urine containers are also available in a sterile and non sterile version. And let's not forget our two unique versions of tamper evident designs ensuring your peace of mind during transport and storage.

The SpecTainer™ and SecureTainer™ Collections offer one of the most innovative and effective specimen containers on the market today. If you have ever purchased Urine or Specimen Containers in the past, you know that the packaging leaves much to be desired. The content that goes in, especially liquid samples, is very prone to leakage around the lid. This can lead to spills and messes in your trays, lab counters and all other transportation systems used. A better screw cap had to be designed.





C566 & C567 Eco-Friendly SpecTainer™ Urine Container

Container made of polypropylene / Closure made of polyethylene

The Simport® Eco-Friendly SpecTainer™, one of the most innovative specimen containers on the market today, is now available in a new version: The Eco-Friendly SpecTainer™, a rapidly degradable Specimen Container. Plastics take hundreds of years to degrade naturally in the environment. The only condition that is necessary for the Eco-Friendly SpecTainer™ to biodegrade is constant contact with other degrading material. No heat, physical stress, oxygen or sunlight necessary. The Eco-Friendly SpecTainer™ has the ability to break down safely and quickly, by biological means, into the raw materials of nature and disappear into the environment.

- Does not contain heavy metals
- No negative effect to its physical properties
- No heat, light or mechanical stress needed for product breakdown
- No toxic residue
- Fully degradable within 7 years, aerobically or anaerobically


95 kPa
TESTED




MORE
ECO-FRIENDLY



Image of high-density surface after 12 months soil burial



Non biodegradable surface



Surface of the Eco-Friendly
SpecTainer™

The Simport® SpecTainer 24™ will biodegrade to become some of the soil's organic components in less than 7 years in constant contact with the soil instead of up to 400 years when using conventional plastics.



For color coding purposes, use a Capinsert™ on top of the closure. (see T345 Series).

Name/Nom/Nombre: _____

Date/Fecha: _____ Time/Hora/Hora: _____

Specimen/Espécimen: _____

www.simport.com

Label has space for patient identification

Cat. #	Vol. (ml)	Type	Cap Color	Closure	Qty/Pk	Qty/Cs
C566-60DOECO	60	Non Sterile	Gold	Tamper Evident	100	500
C566-90DOECO	90	Non Sterile	Gold	Tamper Evident	100	400
C566-120DOECO	120	Non Sterile	Gold	Tamper Evident	100	300
C566-60AQSECO	60	Sterile	Aqua	Tamper Evident	100	500
C566-90AQSECO	90	Sterile	Aqua	Tamper Evident	100	400
C566-120AQSECO	120	Sterile	Aqua	Tamper Evident	100	300
C567-60DOECO	60	Non Sterile	Gold	Conventional	100	500
C567-90DOECO	90	Non Sterile	Gold	Conventional	100	400
C567-120DOECO	120	Non Sterile	Gold	Conventional	100	300
C567-60AQSECO	60	Sterile	Aqua	Conventional	100	500
C567-90AQSECO	90	Sterile	Aqua	Conventional	100	400
C567-120AQSECO	120	Sterile	Aqua	Conventional	100	300



If you **TRULY** care about your sample,
let us help you **PROTECT** its integrity!



C566

The TAMPER EVIDENT SpecTainer™ I Urine Container

Container made of polypropylene / Closure made of polyethylene



For applications needing the utmost security where sample integrity is of high importance. A great feature of the SpecTainer™ is that it incorporates a unique tamper evident screw cap ensuring peace of mind during transport or storage situations where someone might have tampered with the specimen.

Both containers and caps are manufactured without the use of plasticisers or mold release agents. All material used is free from latex. Containers are 95 kPa compliant. Available in three sizes: 60, 90 and 120 ml. The 60 ml size is not graduated. The sterile container protects its sterility with a tamper evident seal.

Anatomy of the SpecTainer™ I



1. Insertion of a Capinert™ allows color 1 coded identification of contents
2. Molded ridges around lid make it easy to open and close
3. Tamper evident sealing ring for better sample protection
4. Specially designed notches to ensure a perfect tamper evident seal
5. Warning label has space for patient identification
6. Ridges around base offer a better grip during opening and closing



Screw cap on until a clicking noise is heard. This is when the plastic ring is firmly seated and locked over the container threads. When removing the tamper evident screw cap for the first time, the perforation is severed, thereby ensuring easy recognition that the container has been opened.



For color coding purposes, use a Capinert™ on top of the closure. (see T345 Series).

Cat. #	Vol. (ml)	Type	Cap Color	Closure	Qty/Pk	Qty/Cs
C566-60Y	60	Non Sterile	Yellow	Tamper Evident	100	500
C566-90Y	90	Non Sterile	Yellow	Tamper Evident	100	400
C566-120Y	120	Non Sterile	Yellow	Tamper Evident	100	300
C566-60CYS	60	Sterile	Cyan	Tamper Evident	100	500
C566-90CYS	90	Sterile	Cyan	Tamper Evident	100	400
C566-120CYS	120	Sterile	Cyan	Tamper Evident	100	300



C567

The SpecTainer™ II Urine Container

Container made of polypropylene / Closure made of polyethylene

This model uses a conventional leakproof screw cap. It is designed for collection, transport and storage of specimens, the polypropylene containers are safe to use even in adverse conditions. Containers are uniquely stackable, shatter resistant and are manufactured from virgin high-clarity polypropylene. They are designed with a straight side format. Available in three sizes: 60, 90 and 120 ml. The 60 ml size is not graduated.

FOR
IVD
USE

CE

95 kPa
TESTED

Barcode printing available.
Contact Simport® for more details.

Anatomy of the SpecTainer™ II

1. Insertion of a Capinsert™ allows color coded identification of contents
2. Molded ridges around lid make it easy to open and close
3. Leakproof screw cap with a unique integrated leak-resistant seal
4. Warning label has space for patient identification
5. Ridges around base offer a better grip during opening and closing



Containers are easily and safely stackable.



For color coding purposes, use a Capinsert™ on top of the closure. (see T345 Series).



Tamper evident labels are placed on all sterile containers. Sterility is assured if unbroken.

Cat. #	Vol. (ml)	Type	Cap Color	Closure	Qty/Pk	Qty/Cs
C567-60Y	60	Non Sterile	Yellow	Conventional	100	500
C567-90Y	90	Non Sterile	Yellow	Conventional	100	400
C567-120Y	120	Non Sterile	Yellow	Conventional	100	300
C567-60CYS	60	Sterile	Cyan	Conventional	100	500
C567-90CYS	90	Sterile	Cyan	Conventional	100	400
C567-120CYS	120	Sterile	Cyan	Conventional	100	300



If you **TRULY** care about your sample,
let us help you **PROTECT** its integrity!



C575

SecurTainer™ I TAMPER EVIDENT Specimen Containers

Container made of polypropylene / Closure made of polyethylene

Especially designed for collection, transport and storage of specimens, Simport® offers shatter resistant polypropylene containers, eliminating most problems of leakage and evaporation. Containers are stackable, shatter resistant and are manufactured from virgin polypropylene. The magenta lids are ribbed for easy opening when hands are wet or gloved. The jars are stackable for easy, safe storage and almost transparent to allow specimens to be viewed without opening. These straight sided containers are manufactured from virgin polypropylene with a unique integrated leak-resistant seal.

The uniqueness of the SecurTainer™ is that it incorporates a unique tamper evident screw cap ensuring your peace of mind during transport or storage situations where someone might have manipulated the specimen without your prior knowledge. Can also be used without using the tamper evident locking mechanism.

Both containers and caps are manufactured without the use of plasticisers or mold release agents. Material used in manufacturing is free from latex. All containers are 95 kPa compliant. Available in many sizes from 20 to 120 ml. Non sterile. Containers and caps packaged separately in bags of 100. Functional temperature range: -90 °C to +100 °C.

FOR
IVD
USE



**95 kPa
TESTED**



Cat. #	Volume	Qty/Pk	Qty/Cs
C575-20MA	20 ml	100	500
C575-40MA	40 ml	100	500
C575-60MA	60 ml	100	500
C575-90MA	90 ml	100	400
C575-120MA	120 ml	100	300



For color coding purposes, use a Capinsert™ on top of the closure. (see T345 Series).

How to use a SecurTainer™ I



Place sample in container.



Push up tab on side of vial.



Screw on Tamper evident cap completely.



When opening the vial, the tamper evident ring will detach itself from the cap.



The SecurTainer™ can also be used without the tamper evident feature.



If you **TRULY** care about your sample,
let us help you **PROTECT** its integrity!



C576

SecurTainer™ II TAMPER EVIDENT Specimen Containers

Container made of polypropylene / Closure made of polyethylene

This model uses a different tamper evident concept when compared to the C575 Series. No locking tab is necessary when the tamper evident feature is used. Simply screw the cap on the container and the tamper evident sealing ring is automatically locked in place. When unscrewed, the ring is detached from the cap, showing clearly that the container was opened.

Also designed for collection, transport and storage of specimens, the polypropylene containers are safe to use even in adverse conditions. Containers are stackable, shatter resistant and are manufactured from virgin, polypropylene. Available in sizes from 20 to 120 ml. Non sterile containers and caps packaged separately in bags of 100. Functional temperature range: -90 °C to +100 °C.



Cat. #	Volume	Qty/Pk	Qty/Cs
C576-20MA	20 ml	100	500
C576-40MA	40 ml	100	500
C576-60MA	60 ml	100	500
C576-90MA	90 ml	100	400
C576-120MA	120 ml	100	300



Screw cap on until a clicking noise is heard. This is when the plastic ring is firmly seated and locked over the container threads. When removing the tamper evident screw cap for the first time, the perforation is severed, thereby ensuring easy recognition that the container has been opened.



For color coding purposes, use a Capinsert™ on top of the closure. (see T345 Series).



C577

SecurTainer™ III Specimen Containers

Container made of polypropylene / Closure made of polyethylene

Chemically resistant and shatterproof, The SecurTainer™ III Specimen Containers are supplied with a leakproof screw cap, particularly important when transporting hazardous material. Ideal for transport and storage of urine, sputum and most liquids or particulate samples.

Containers are stackable, shatter resistant and are manufactured from virgin, high-clarity polypropylene. Available in many sizes from 20 to 120 ml. Containers and caps packaged separately in bags of 100. Non sterile. Functional temperature range: -90 °C to +100 °C.

Cat. #	Volume	Qty/Pk	Qty/Cs
C577-20W	20 ml	100	500
C577-40W	40 ml	100	500
C577-60W	60 ml	100	500
C577-90W	90 ml	100	400
C577-120W	120 ml	100	300

Anatomy of the SecurTainer™ III

1. Insertion of a Capinsert™ allows color coded identification of contents.
2. Molded ridges around lid make it easy to open and close.
3. Ridges around base offer a better grip during opening and closing.



T345

Color Coding Capinsert™

Made of polypropylene

The Capinsert™ is used to color code a multitude of Simport® products according to your specific needs. It is inserted on top of the closure and has a write-on frosted area for sample identification.



Cat. #	Color	Qty/Bag
T345B	Blue	500
T345GY	Gray	500
T345G	Green	500
T345L	Lilac	500
T345O	Orange	500
T345P	Pink	500
T345R	Red	500
T345V	Violet	500
T345W	White	500
T345Y	Yellow	500
T345AS	Assorted*	500

* Blue, lilac, red, yellow and white

**C571 & C572****30 and 50 ml Sample Tubes**

Tube made of polypropylene / Cap made of polyethylene

Conical bottom tubes with self-standing base graduated from 10 to 30 ml and 10 to 50 ml respectively, in 5 ml increments. Chemically resistant and shatterproof, they are supplied with a leakproof screw cap, particularly important when transporting hazardous material. Ideal for transport and storage of urine, sputum and most liquids or particulate samples. Molded-in graduations make them easy to read. Available sterile or non sterile. The caps for Series C572 accept T345 Capinserts. Functional temperature range: -90 °C to +121 °C.

30 ml tube dimensions: 25.3 mm dia x 111 mm length.

50 ml tube dimensions: 30 mm dia x 115 mm length.



Cat. #	Type	Volume (ml)	Color	Qty/Bag	Qty/Cs
C571-1	Sterile	50	Green	25	500
C571-2	Non sterile	50	Yellow	100	500
C572-1	Sterile	30	White	25	500
C572-2	Non sterile	30	White	100	500



For color coding purposes, use a Capinsert™ on top of the closure. Ten different colors are available. (see T345 Series).

C580 Specimen Containers with Snap Cap

Cap and Containers are made of polypropylene

These disposable containers made of polypropylene, are ideal for collection and storage of fluids, powders, solids, pathology specimens and hazardous samples. Lids are tight fitting.

They resist temperatures from -20 °C to + 80 °C

Cat. #	(ml/oz)	Opening (mm)	Height (mm)	Qty/Cs
C580-3	300/10	111	45	100
C580-4	500/17	111	75	100
C580-5	1000/34	111	140	100



TAMPER EVIDENT

**C581****Tamper Evident Specimen Containers**

Cap and closure are made of polypropylene

These disposable Containers are ideal for collection, transport and storage of fluids, powders, solids, pathology specimens and hazardous samples. Tight-fitting lids prevent leaks and odors. They incorporate a tamperproof lid which is opened by first removing tab on side of lid, then by lifting the cover. They resist temperatures from -20 °C to + 80 °C. The two larger sizes are supplied with a plastic handle for easy carrying.



Cat. #	(ml/oz)	Opening (mm)	Height (mm)	Qty/Cs
C581-300	300/10	111	45	100
C581-500	500/17	111	75	100
C581-1L	1000/34	111	140	100
C581-2600	2600/87	200	124	25
C581-5700	5700/193	225	195	10

The 2600 and 5700 ml sizes are provided with a plastic handle to facilitate handling

Tamper Evident



D210 Sterile Petri Dishes

Made of polystyrene

Simport® Petri dishes are available in a variety of shapes and sizes for use in routine procedures and with automated equipment. Economical, optically clear dishes are precision-molded from biomedical grade polystyrene so cultures are clearly visible without distortion. Dishes are packaged in heavy-wall polyethylene sleeves.

Not for tissue culture application.

Cat. #	Model (mm)	Actual Dim. (mm)	Vol. (ml)	Qty/Sleeve	Qty/Cs
D210-7	100 x 20	90 x 20	100	20	500
D210-7WL	100 x 20	90 x 20	100	20	500
D210-8	100 x 25	90 x 25	125	20	500
D210-8R	100 x 25	90 x 25	125	20	500
D210-13	60 x 15	55 x 13	28	20	500
D210-14	50 x 9	50 x 9	12	20	500
D210-15	35 x 10	35 x 10	9	20	500

D210-7 Commonly referred to as a 100 mm x 20 mm dish


For unimpaired observation of specimen growth with raised straight ridge around top for stable stacking.

D210-7WL Commonly referred to as a 100 mm x 20 mm dish

This dish has three venting ribs into the underside of the lid to prevent condensation build-up.

D210-8 Commonly referred to as a 100 mm x 25 mm dish

Accommodates deeper fills for longer culture periods. Used for fungal cultures, plant propagation. This dish has three venting ribs into the underside of the lid to prevent condensation build-up.



D210-8R Commonly referred to as a 100 mm x 25 mm dish

Similar to D210-8 but with non-vented lid having a raised straight ridge around top for stable stacking.

D210-13 Commonly referred to as a 60 mm x 15 mm dish

For use whenever a small quantity of culture is desirable. For unimpaired observation of specimen growth with raised straight ridge around top for stable stacking. This dish has three venting ribs on the edge of the dish to prevent condensation build-up.

D210-14 Commonly referred to as a 50 mm x 9 mm dish

Box type dish, for classroom studies, water studies, culturing of mycobacteria, aerosol testing, membrane filter and immunodiffusion techniques. Tight lid prevents sample dehydration.

D210-15 Commonly referred to as a 35 mm x 10 mm dish



Selected for small quantities of culture media. For unimpaired observation of specimen growth with raised straight ridge around top for stable stacking. This dish has three venting ribs into the underside of the lid to prevent condensation build-up.

D210-16 Square Petri Dish with Grid

Made of polystyrene

Free from optical distortion and sterile. These dishes are ideal for phage typing, susceptibility testing, plate counts, and probe assays. Each 13 mm grid is marked numerically in one direction and alphabetically in the other. This dish has four venting ribs into the underside of the lid to prevent condensation build-up.

Cat. #	Model (mm)	Actual Dim. (mm)	Vol. (ml)	Qty/Sleeve	Qty/Cs
D210-16	100 x 15	90 x 15	110	10	500



D210-17 Contact Plate

Made of polystyrene

These dishes are free from optical distortion and are sterile. The grid is 10 x 10 mm with numbered and lettered squares to facilitate counting and to locate colonies. The D210-17D model is designed with a convex bottom in order to save on culture medium.

Cat. #	Actual Dim. (mm)	Vol. (ml)	Qty/Sleeve	Qty/Cs
D210-17	60 x 15	20	20	500
D210-17D	60 x 15	15	20	500



D210-18 Absorbent Pad Petri Dishes

Made of polystyrene

These 50 x 9 mm sterile petri dishes with absorbent pads are ideal for culturing micro-organisms on either agar or broth based media. Designed to accommodate 47 mm diameter membrane filters. These dishes are stackable and have squared off edges on both the top and bottom which provide convenient grips for one handed opening. The snug fitting top ensures that neither the absorbent pad nor the agar media will dry out during incubation. A frosted area on top of lid permits labeling.

Cat. #	Actual Dim. (mm)	Style	Qty/Sleeve	Qty/Cs
D210-18A	50 x 9	Without Pads	20	500
D210-18B	50 x 9	With Pads	20	500



L200

INO-LOOP™ Inoculating Loops and Needles


Made of high impact polystyrene

Loops and needles are smooth and flexible to facilitate uniform streaking without damaging the gel surface. Needles are straight and suitable for removal of specimens of single colonies. Packed sterile in safe, tamperproof, zip-lock resealable bags.

Disposable inoculating loops and needles do not require flaming and thus eliminate the risk of infection due to aerosol formation of pathogenic substances.

Cross contamination due to improper sterilization is eliminated. They can be used under hoods without danger, and are color-coded for ease of size identification. Certificate of conformity available upon request. Total length: 227 mm



PACKAGING (for Pk/10 & Pk/25)



Tamperproof tear off seal ensures sterile product integrity

Bag can be resealed as often as needed

Smooth loop surface provides uniform and gentle streaking.



Cat. #	Description	Color	Qty/Pk	Qty/Cs
L200-1	Loop 1µl	Blue	25	1000
L200-1A	Loop 1µl	Blue	10	1000
L200-11	Loop 1µl	Blue	1	250
L200-2	Loop 10µl	Yellow	25	1000
L200-2A	Loop 10µl	Yellow	10	1000
L200-21	Loop 10µl	Yellow	1	250
L200-3	Needle	White	25	1000
L200-3A	Needle	White	10	1000
L200-31	Needle	White	1	250

L300

Bacterial Cell Spreader

Made of high impact polystyrene

No flame sterilization needed. Designed for easy spreading of cells onto the surface of an agar plate. Supplied sterile in individual packs. Total length of handle: 176 mm. Width of spreader: 36 mm

Cat. #	Sterile	Color	Qty/Pk	Qty/Cs
L300	Yes	Green	1	100

T417


Culture Tubes 13 x 100 mm with Screw Cap

Tube made of polystyrene / Cap made of polyethylene

These 8 ml screw cap tubes are available either sterile or non sterile. A special tamper evident cap is offered for applications needing the utmost security where sample integrity is of high importance. Tubes are made of optically clear polystyrene and can be centrifuged up to 3000 x g. These are not treated for cell culture. Pyrogen Free.

**95 kPa
TESTED**

Cat. #	Sterile	Tamper Evident	Qty/Pk	Qty/Cs
T417-4	No	No	Bulk	1000
T417-4S	Yes	No	125	1000
T417-4TP	No	Yes	Bulk	1000



When opening the tamper evident tube, the ring will detach itself from the cap.



For color coding purposes, use a Capinsert™ on top of the closure.
(See T345 Series on page 20).

Histology Collection

ACCEPT NO IMITATION

Thanks to years of experience in precision plastic molding, Simport® offers you the widest choice of Histology Disposables on the market. By choosing Simport®, you will be sure to find a cassette especially suited to fill your specific needs when processing regular tissue samples, single and multiple biopsies and also large specimens. Most models can be used with automated labeling machines. Simport® also manufactures many products to assist you with transportation, storage and staining of slides.

Here is a brief list of available products:

- Biopsy Foam Pads
- Cassettes for Printers
- Cytology Funnels
- Disposable Base Molds
- Dissecting Boards
- Drain Racks
- Embedding Rings
- Microscope Slide Folder
- Microscope Slide Mailer
- Microscope Slide Staining Systems
- Microscope Slide Storage Boxes
- Microscope Slide Tray
- Modular Storage Drawers
- Prefilled Specimen Containers
- Tissue Capsules
- Tissue Cassettes with Metal Lid
- Tissue/Biopsy Cassettes with Plastic Lid





M480 Embedding Cassettes

Made of acetal



Disposable plastic tissue cassettes are suitable for holding and identifying tissue samples in processing, embedding, and sectioning procedures. The cassettes fit securely in microtome chuck adapters and are resistant to the chemical action of most histological solvents. These cassettes are designed to accept standard metal lids (cat.# M481) and will keep specimens in complete safety during processing. The slanted writing surface accepts markings easily, permitting sample identification throughout all stages of embedding and long afterwards when in archives. They are available in 11 colors. Each case contains 3 dispenser boxes of 500 cassettes.

Cat. #	Color	Qty/Cs
M480-2	White	1500
M480-3	Pink	1500
M480-4	Green	1500
M480-5	Yellow	1500
M480-6	Blue	1500
M480-7	Peach	1500
M480-8	Tan	1500
M480-9	Gray	1500
M480-10	Lilac	1500
M480-11	Orange	1500
M480-12	Aqua	1500



M481 Metal Lid for M480 Cassette

Cat. #	Description	Qty/Pk
M481	Metal Process Cover	25



M480SL & M480T Cassettes in QuickLoad™ Sleeves and Stacks


Made of acetal

The sleeved cassettes are especially made to be used with ThermoFisher printers. Cassettes with tape are to be used with Leica and Sakura Ink Jet printers. Molded from a special high density acetal polymer, they keep specimens safely submerged and are resistant to the chemical action of most solvents used in histology laboratories. The efficient flow-through slots maximize fluid exchange and ensure proper reagent drainage.

In Sleeves			In Stacks		
Cat. #	Color	Qty/Cs	Cat. #	Color	Qty/Cs
M480-2SL	White	750	M480-2T	White	2000
M480-3SL	Pink	750	M480-3T	Pink	2000
M480-4SL	Green	750	M480-4T	Green	2000
M480-5SL	Yellow	750	M480-5T	Yellow	2000
M480-6SL	Blue	750	M480-6T	Blue	2000
M480-7SL	Peach	750	M480-7T	Peach	2000
M480-8SL	Tan	750	M480-8T	Tan	2000
M480-9SL	Gray	750	M480-9T	Gray	2000
M480-10SL	Lilac	750	M480-10T	Lilac	2000
M480-11SL	Orange	750	M480-11T	Orange	2000
M480-12SL	Aqua	750	M480-12T	Aqua	2000

Fluo Pink, Fluo Green and Fluo Yellow are also available. Minimum quantities apply. Contact us for more details.






M490



M491

Anatomy of a HISTOSETTE® I




The snap off lid can be easily removed, slid forward and snapped into the locked position.

Because it has efficient flow-through slots, fluid exchange and proper drainage are maximized.

Larger unobstructed writing surface sloped at 30° angle.

Because it has a back mounted locking device, it will never open during processing.



M490 HISTOSETTE® I

Tissue Processing / Embedding Cassettes

Made of acetal

Disposable plastic cassettes hold tissue specimens during the embedding process, as well as in a storage file. Molded from a special high density polymer, these cassettes keep specimens safely submerged in liquid and are totally resistant to the chemical action of most histological solvents. The efficient flow-through slots maximize fluid exchange and ensure proper drainage. The one-piece integral lid eliminates the need for separate steel lids. Just snap apart and conveniently lock the lid into the base of the cassette. They can be opened or closed as required they can be open or closed and they always relock securely without danger of specimen loss. Anterior writing area at a 30° angle. Not suitable for automated printers.

Each case contains 3 dispenser boxes of 500 cassettes.



M491 HISTOSETTE® I

Biopsy Processing / Embedding Cassettes

Made of acetal


Disposable plastic cassettes similar to Series M490 but specially designed to hold biopsy specimens during the embedding process, as well as in a storage file. Anterior writing area at a 30° angle. Not suitable for automated printers.

Each case contains 3 dispenser boxes of 500 cassettes.

Tissue		
Cat. #	Color	Qty/Cs
M490-2	White	1500
M490-3	Pink	1500
M490-4	Green	1500
M490-5	Yellow	1500
M490-6	Blue	1500
M490-7	Peach	1500
M490-8	Tan	1500
M490-9	Gray	1500
M490-10	Lilac	1500
M490-11	Orange	1500
M490-12	Aqua	1500

Biopsy		
Cat. #	Color	Qty/Cs
M491-2	White	1500
M491-3	Pink	1500
M491-4	Green	1500
M491-5	Yellow	1500
M491-6	Blue	1500
M491-7	Peach	1500
M491-8	Tan	1500
M491-9	Gray	1500
M491-10	Lilac	1500
M491-11	Orange	1500
M491-12	Aqua	1500

Fluo Pink, Fluo Green and Fluo Yellow are also available. Minimum quantities apply. Contact us for more details.



M498 HISTOSETTE® I

Tissue Processing / Embedding Cassettes

Made of acetal

These cassettes are identical to Series M490 but the anterior writing area has a 45 ° instead of a 30 ° angle. The acute angle makes these cassettes more suitable to be used with some models of cassette labeling instruments.

These disposable plastic cassettes hold tissue specimens very efficiently during the embedding process, as well as in a storage file. Molded from acetal, these cassettes keep specimens safely submerged in liquid and are resistant to the chemical action of most histological solvents. The efficient flow-through slots maximize fluid exchange and ensure proper drainage. The one-piece integral lid eliminates the need for separate steel lids. Just snap apart and conveniently lock the lid into the base of the cassette. They can be opened or closed as required they can be open or closed and they always relock securely without danger of specimen loss. Each case contains 3 dispenser boxes of 500 cassettes.

M499 HISTOSETTE® I

Biopsy Processing / Embedding Cassettes

Made of acetal

This model of cassette is similar to Series M498 and is specially designed to hold biopsy specimens during the embedding process.

Each case contains 3 dispenser boxes of 500 cassettes.



Tissue		
Cat. #	Color	Qty/Cs
M498-2	White	1500
M498-3	Pink	1500
M498-4	Green	1500
M498-5	Yellow	1500
M498-6	Blue	1500
M498-7	Peach	1500
M498-8	Tan	1500
M498-9	Gray	1500
M498-10	Lilac	1500
M498-11	Orange	1500
M498-12	Aqua	1500

Biopsy		
Cat. #	Color	Qty/Cs
M499-2	White	1500
M499-3	Pink	1500
M499-4	Green	1500
M499-5	Yellow	1500
M499-6	Blue	1500
M499-7	Peach	1500
M499-8	Tan	1500
M499-9	Gray	1500
M499-10	Lilac	1500
M499-11	Orange	1500
M499-12	Aqua	1500

Fluo Pink, Fluo Green and Fluo Yellow are also available.
Minimum quantities apply. Contact us for more details.

How to use a HISTOSETTE® I




Separate cover by folding it forward and backward.



Identify in front or sides.



Insert sample.



Slide cover in place and lock it.



After processing, remove cover by pulling on back tab.



M492 HISTOSETTE® II

Tissue Processing / Embedding Cassettes

Made of acetal

Disposable plastic cassettes hold tissue specimens during processing and embedding, as well as in storage. Molded from a special high-density polymer, these patented cassettes keep specimens safely submerged in liquid and are resistant to the chemical action of most histological solvents. **The efficient flow-through slots maximize fluid exchange and ensure proper drainage.** The one-piece integral lid eliminates the need for separate steel lids. They can be opened and closed ***as often as necessary*** and will always relock securely without danger of specimen loss.

The anterior writing area is slanted at a 45 ° angle to make the cassette more suitable to be used with certain types of cassette labeling instruments. Available in 11 colors. Each case contains 3 dispenser boxes of 500 cassettes.



Compatible with
most cassette printers

Tissue		
Cat. #	Color	Qty/Cs
M492-2	White	1500
M492-3	Pink	1500
M492-4	Green	1500
M492-5	Yellow	1500
M492-6	Blue	1500
M492-7	Peach	1500
M492-8	Tan	1500
M492-9	Gray	1500
M492-10	Lilac	1500
M492-11	Orange	1500
M492-12	Aqua	1500

Biopsy		
Cat. #	Color	Qty/Cs
M493-2	White	1500
M493-3	Pink	1500
M493-4	Green	1500
M493-5	Yellow	1500
M493-6	Blue	1500
M493-7	Peach	1500
M493-8	Tan	1500
M493-9	Gray	1500
M493-10	Lilac	1500
M493-11	Orange	1500
M493-12	Aqua	1500


Fluo Pink, Fluo Green and Fluo Yellow are also available.
Minimum quantities apply. Contact us for more details.

M493 HISTOSETTE® II

Biopsy Processing / Embedding Cassettes

Made of acetal



Similar to M492 but specially designed to hold biopsy specimens during the embedding process, as well as in a storage cabinet. Anterior writing area is at a 45 ° angle to make the cassette more suitable to be used with certain types of cassette labeling instruments. Each case contains 3 dispenser boxes of 500 cassettes.



How to use a HISTOSETTE® II

Unique front hinge design allows single handed cassette manipulation.

Unobstructed front writing surface sloped at 45 ° makes the cassette compatible with most automated cassette labeling machines.



Back mounted locking device securely holds the lid in place and will never open during processing.

Efficient flow-through slots in lid and base maximize fluid exchange, thereby ensuring proper drainage.



M485 HISTOSETTE® II

Tissue Processing / Embedding Cassettes

Made of acetal

Most convenient for cassette labeling instruments since covers are already removed from cassettes and are packaged separately in the case. Disposable plastic cassettes hold tissue specimens during processing and embedding, as well as in storage. Molded from a special high-density polymer, these patented cassettes keep specimens safely submerged in liquid and are resistant to the chemical action of most histological solvents. **The efficient flow-through slots maximize fluid exchange and ensure proper drainage.**

The anterior writing area is slanted at a 45 ° angle to make the cassette more suitable to be used with certain types of cassette labeling instruments. Available in 11 colors. Each case contains 2 dispenser boxes of 500 cassettes and 1 dispenser box of 1000 covers.

Tissue		
Cat. #	Color	Qty/Cs
M485-2	White	1000
M485-3	Pink	1000
M485-4	Green	1000
M485-5	Yellow	1000
M485-6	Blue	1000
M485-7	Peach	1000
M485-8	Tan	1000
M485-9	Gray	1000
M485-10	Lilac	1000
M485-11	Orange	1000
M485-12	Aqua	1000


Biopsy		
Cat. #	Color	Qty/Cs
M486-2	White	1000
M486-3	Pink	1000
M486-4	Green	1000
M486-5	Yellow	1000
M486-6	Blue	1000
M486-7	Peach	1000
M486-8	Tan	1000
M486-9	Gray	1000
M486-10	Lilac	1000
M486-11	Orange	1000
M486-12	Aqua	1000

Cassettes and lids
packaged separately



Compatible with
all cassette printers

Fluo Pink, Fluo Green and Fluo Yellow are also available.
Minimum quantities apply. Contact us for more details.



M486 HISTOSETTE® II


Biopsy Processing / Embedding Cassettes

Made of acetal


Most convenient for cassette labeling instruments but specially designed to hold biopsy specimens during the embedding process, as well as in a storage file. The covers are already removed from cassettes and are packaged separately in the case.

Anterior writing area is at a 45 ° angle to make the cassette more suitable to be used with certain types of cassette labeling instruments. Each case contains 2 dispenser boxes of 500 cassettes and 1 dispenser box of 1000 covers.


How to use a HISTOSETTE® II




Identify sample on
either the front
labeling area.




Press on back tab to
open cover.




Insert sample.



Close cover and press
front of lid to lock it in place.



To open, lift tab at the
back of cassette with
forefinger while depressing
the center of lid with thumb.



To remove the cover,
pivot the lid forward
and it will disconnect
automatically.

**M502****MICROSETTE® I****Biopsy Processing / Embedding Cassettes**

Made of acetal

Biopsy pads are no longer necessary with these innovative disposable plastic biopsy cassettes with a large compartment measuring 25 x 30 mm. Perfect even with needle biopsies since mesh holes have a diameter of only 0.26 mm while still allowing for maximum fluid exchange and drainage. Molded from a special high density polymer, these patented cassettes keep specimens safely submerged in liquid and are resistant to most histological solvents. They can be opened and closed as often as necessary and they always relock securely without danger of specimen loss. Available in 11 colors. Anterior writing area is at a 45° angle to make the cassette more suitable to be used with certain types of cassette labeling instruments.


Each case contains four dispenser boxes of 250 cassettes with covers assembled.



Compatible with
most cassette printers


Anatomy of a MICROSETTE™ I

Back mounted locking device securely holds the lid in place and will never open during processing.



Cover and base have over 2000, 0.26 mm square openings to maximize fluid exchange and ensure proper drainage. Excellent fluid exchange through slots.

No biopsy pads necessary.



Air vents allowing more efficient filling with paraffin.

Biopsy Cassette with one compartment

Cat. #	Color	Qty/Cs
M502-2	White	1000
M502-3	Pink	1000
M502-4	Green	1000
M502-5	Yellow	1000
M502-6	Blue	1000
M502-7	Peach	1000
M502-8	Tan	1000
M502-9	Gray	1000
M502-10	Lilac	1000
M502-11	Orange	1000
M502-12	Aqua	1000

Biopsy Cassette with six compartments

Cat. #	Color	Qty/Cs
M503-2	White	1000
M503-3	Pink	1000
M503-4	Green	1000
M503-5	Yellow	1000
M503-6	Blue	1000
M503-7	Peach	1000
M503-8	Tan	1000
M503-9	Gray	1000
M503-10	Lilac	1000
M503-11	Orange	1000
M503-12	Aqua	1000

Fluo Pink, Fluo Green and Fluo Yellow are also available. Minimum quantities apply. Contact us for more details.


M503**MICROSETTE® I****Biopsy Processing / Embedding Cassettes**

Made of acetal

This model can hold up to six tissue specimens, each one placed in its own 7 x 12 mm (1/4 x 7/16 in.) compartment, numbered from 1 to 6. No biopsy pads necessary. Cover and base have over 2000 square openings to maximize fluid exchange and ensure proper drainage. Approximately 170 holes (each having a diameter of 0.26 mm) per compartment.

Each case contains four dispenser boxes of 250 cassettes with covers assembled.





M505 & M506 UNISSETTE® I

Biopsy & Tissue Processing / Embedding Cassettes

Made of acetal

Molded from a special high density polymer, these cassettes keep specimens safely submerged in liquid and are resistant to the chemical action of most histological solvents. The efficient flow-through slots maximize fluid exchange and ensure proper drainage. The one-piece integral lid eliminates the need for separate steel lids. The snap-latch and hinge-lock design of the UNISSETTE™ prevent early separation of base and lid and allow for one-hand operation. Lids can be opened and closed ***as required they can be open or closed and they always relock securely without danger of specimen loss.*** Anterior writing area is at a 35° angle.

M506 Series is similar to M505 but specially designed to hold biopsy specimens during the embedding process.

Available in 11 colors. Each case contains 3 dispenser boxes of 500 cassettes.

Tissue		
Cat. #	Color	Qty/Cs
M505-2	White	1500
M505-3	Pink	1500
M505-4	Green	1500
M505-5	Yellow	1500
M505-6	Blue	1500
M505-7	Peach	1500
M505-8	Tan	1500
M505-9	Gray	1500
M505-10	Lilac	1500
M505-11	Orange	1500
M505-12	Aqua	1500

Biopsy		
Cat. #	Color	Qty/Cs
M506-2	White	1500
M506-3	Pink	1500
M506-4	Green	1500
M506-5	Yellow	1500
M506-6	Blue	1500
M506-7	Peach	1500
M506-8	Tan	1500
M506-9	Gray	1500
M506-10	Lilac	1500
M506-11	Orange	1500
M506-12	Aqua	1500

FOR
IVD
USE



Compatible with
most cassette printers


Have you ever considered
The SLIMSETTE™ ?

See M509




Fluo Pink, Fluo Green and Fluo Yellow are also available.
Minimum quantities apply. Contact us for more details.

How to use a UNISSETTE™



The cover of the Unisette is attached to the back of the base in an open position.



To close, simply tilt cover forward, holding it by the front tab.



Push cover down until a click is heard.



To open, tilt cover backward. It will remain attached to the base and can be closed again.



M507 MICROMESH™

NO BIOPSY PADS REQUIRED

Biopsy Processing / Embedding Cassettes

Made of acetal

This version of the Micromesh™ offers 1676 square openings (0.38 mm) allowing for a greatly improved fluid exchange and drainage without having to use biopsy pads. Large anterior slots in both cassette and cover ensure that the Micromesh™ biopsy cassette will sink rapidly. A large square compartment measuring 27 mm is perfect even for needle biopsies. The cover does not protrude above the cassette, a great space saving feature allowing more cassettes to be stacked in automatic labeling machines and tissue processors.

Molded from a special high density polymer, these patented cassettes keep specimens safely submerged in liquid and are resistant to the chemical action of most histological solvents. They can be opened and closed ***as required they can be open or closed and they always relock securely without danger of specimen loss.*** Anterior writing area is at a 45 ° angle to make the cassette more suitable to be used with automated cassette printers. Available in 11 colors.

Each case contains four dispenser boxes of 250 cassettes with covers assembled.

FOR
IVD
USE



Compatible with
most cassette printers


Biopsy Cassette with one compartment

Cat. #	Color	Qty/Cs
M507-2	White	1000
M507-3	Pink	1000
M507-4	Green	1000
M507-5	Yellow	1000
M507-6	Blue	1000
M507-7	Peach	1000
M507-8	Tan	1000
M507-9	Gray	1000
M507-10	Lilac	1000
M507-11	Orange	1000
M507-12	Aqua	1000

Biopsy Cassette with four compartments

Cat. #	Color	Qty/Cs
M508-2	White	1000
M508-3	Pink	1000
M508-4	Green	1000
M508-5	Yellow	1000
M508-6	Blue	1000
M508-7	Peach	1000
M508-8	Tan	1000
M508-9	Gray	1000
M508-10	Lilac	1000
M508-11	Orange	1000
M508-12	Aqua	1000

Anatomy of MICROMESH™ Cassettes



A recessed cover is a great space saving feature, allowing more cassettes to be stacked in automatic labeling machines and storage drawers

Fluo Pink, Fluo Green and Fluo Yellow are also available. Minimum quantities apply. Contact us for more details.

M508 MICROMESH™

Biopsy Processing / Embedding Cassettes

Made of acetal

This model is similar to Series M507 but cassettes have four square compartments each measuring 13 mm. Cover and base have about 1676 square openings maximizing fluid exchange and ensuring proper drainage.

Each case contains four dispenser boxes of 250 cassettes with covers assembled.

With four compartments
each measuring 13 mm





M509 SLIMSETTE™

Tissue Processing / Embedding Cassettes

Made of acetal

The SLIMSETTE™, a new generation emerging in the Simport® Histology Family. More compact, easier to use and more efficient than ever. Similar to the design of the M507 model, it incorporates a unique recessed cover, a great space saving feature allowing more cassettes to be stacked in automatic labeling machines and in storage cabinets.

Molded from a special high density polymer, these cassettes keep specimens safely submerged in liquid and are resistant to the chemical action of most histological solvents. The SLIMSETTE™ ensures efficient fluid exchange and drainage thanks to 114 openings each measuring 1 x 5 mm. They can be opened and closed as required they can be open or closed and they always relock securely without danger of specimen loss. Large labeling areas for easy identification. The anterior writing area is slanted at a 45° angle. Available in 11 colors.

Each case contains 3 dispenser boxes of 500 cassettes with covers assembled.

Dimensions: 41 x 28.5 x 6 mm H (1½ x 1¼ x ¼ in. H)



Tissue Cassette with one compartment


Cat. #	Color	Qty/Cs
M509-2	White	1500
M509-3	Pink	1500
M509-4	Green	1500
M509-5	Yellow	1500
M509-6	Blue	1500
M509-7	Peach	1500
M509-8	Tan	1500
M509-9	Gray	1500
M509-10	Lilac	1500
M509-11	Orange	1500
M509-12	Aqua	1500

Biopsy Cassette with one compartment

Cat. #	Color	Qty/Cs
M510-2	White	1500
M510-3	Pink	1500
M510-4	Green	1500
M510-5	Yellow	1500
M510-6	Blue	1500
M510-7	Peach	1500
M510-8	Tan	1500
M510-9	Gray	1500
M510-10	Lilac	1500
M510-11	Orange	1500
M510-12	Aqua	1500

Tissue Cassette with four compartments

Cat. #	Color	Qty/Cs
M511-2	White	1500
M511-3	Pink	1500
M511-4	Green	1500
M511-5	Yellow	1500
M511-6	Blue	1500
M511-7	Peach	1500
M511-8	Tan	1500
M511-9	Gray	1500
M511-10	Lilac	1500
M511-11	Orange	1500
M511-12	Aqua	1500



M510 SLIMSETTE™

Biopsy Processing / Embedding Cassettes

Made of acetal

Similar to M509 but specially designed to hold biopsy specimens during the embedding process, as well as in a storage cabinet. Anterior writing area is at a 45° angle to make the cassette more suitable to be used with certain types of cassette labeling instruments. This biopsy model ensures efficient fluid exchange and drainage thanks to 392 openings



M511 SLIMSETTE™

Tissue Processing / Embedding Cassettes

Made of acetal

This model is similar to Series M509 but cassettes have four square compartments each measuring 13 mm. Cover and base have openings maximizing fluid exchange and ensuring proper drainage. Each case contains 3 dispenser boxes of 500 cassettes with covers assembled.



M515 SWINGSETTE™

Tissue Processing / Embedding Cassettes

Made of acetal

These disposable plastic cassettes hold tissue specimens during processing and embedding, as well as in storage. Molded from a special high-density polymer, they keep specimens safely submerged in liquid and are resistant to the chemical action of most histological solvents. The efficient flow-through slots maximize fluid exchange and ensure proper drainage.

This new model differs by the special hinge holding the base and cover together. This hinge allows cassettes to be opened and closed *as often as necessary*. The cover can be removed and re-inserted easily without danger of specimen loss.

Available in 11 colors.

Each case contains 3 dispenser boxes of 500 cassettes.



**A great alternative to
the Richard-Allan and
Surgipath Cassettes**

Anatomy of a SWINGSETTE™

Large tab for
convenient and easy
opening of lid

Secure locking
device holds the lid
in place during
processing

Unique hinge allows
opening and closing of
pre-installed lid as
often as needed

45° angle
writing area



Tissue		
Cat. #	Color	Qty/Cs
M515-2	White	1500
M515-3	Pink	1500
M515-4	Green	1500
M515-5	Yellow	1500
M515-6	Blue	1500
M515-7	Peach	1500
M515-8	Tan	1500
M515-9	Gray	1500
M515-10	Lilac	1500
M515-11	Orange	1500
M515-12	Aqua	1500

Biopsy		
Cat. #	Color	Qty/Cs
M516-2	White	1500
M516-3	Pink	1500
M516-4	Green	1500
M516-5	Yellow	1500
M516-6	Blue	1500
M516-7	Peach	1500
M516-8	Tan	1500
M516-9	Gray	1500
M516-10	Lilac	1500
M516-11	Orange	1500
M516-12	Aqua	1500

Fluo Pink, Fluo Green and Fluo Yellow are also available.
Minimum quantities apply. Contact us for more details.


M516 SWINGSETTE™

Biopsy Processing / Embedding Cassettes

Made of acetal

These biopsy cassettes are similar to series M515 but especially designed to hold biopsy specimens during the processing / embedding process as well as in storage cabinets.

Each case contains three dispenser boxes of 500 cassettes.





M517 SWINGSETTE™

Tissue Processing / Embedding Cassettes

Made of acetal

Most convenient for cassette labeling instruments since the covers are packaged separately in the case. These disposable plastic cassettes hold tissue specimens during processing and embedding, as well as in storage. Molded from a special high-density polymer, they keep specimens safely submerged in liquid and are resistant to the chemical action of most histological solvents. The efficient flow-through slots maximize fluid exchange and ensure proper drainage.

This model differs by the special hinge that holds the base and cover together. This hinge allows cassettes to be opened and closed as often as necessary. The cover can be removed and re-inserted easily without danger of specimen loss. Available in 11 colors.

Each case contains two dispenser boxes of 500 cassettes and one dispenser box of 1000 covers.

Tissue		
Cat. #	Color	Qty/Cs
M517-2	White	1000
M517-3	Pink	1000
M517-4	Green	1000
M517-5	Yellow	1000
M517-6	Blue	1000
M517-7	Peach	1000
M517-8	Tan	1000
M517-9	Gray	1000
M517-10	Lilac	1000
M517-11	Orange	1000
M517-12	Aqua	1000

Biopsy		
Cat. #	Color	Qty/Cs
M518-2	White	1000
M518-3	Pink	1000
M518-4	Green	1000
M518-5	Yellow	1000
M518-6	Blue	1000
M518-7	Peach	1000
M518-8	Tan	1000
M518-9	Gray	1000
M518-10	Lilac	1000
M518-11	Orange	1000
M518-12	Aqua	1000


Fluo Pink, Fluo Green and Fluo Yellow are also available.
Minimum quantities apply. Contact us for more details.



Cassettes and lids
packaged separately



Compatible with
all cassette printers



M518 SWINGSETTE™

Biopsy Processing / Embedding Cassettes

Made of acetal

Most convenient for cassette labeling instruments since the covers are packaged separately in the case. These biopsy cassettes are similar to the M517 Series but are especially designed to hold biopsy specimens during the processing / embedding process as well as in storage cabinets.

Each case contains two dispenser boxes of 500 cassettes and one box of 1000 covers.


Close-up of the hinge



M515-M516 Series
The cover is connected
to the base.



M517-M518 Series
The special hinge makes it easy to attach lid to base.





M485SL & M486SL HISTOSETTE® II

Cassettes in QuickLoad™ Sleeves

Made of acetal


Suitable for hoppers accepting plastic sleeves, these cassettes will load in cassette labeling instruments in one simple operation. Save time and money with these convenient sleeves of 75 unique Simport® cassettes. No more manual insertion, one cassette at a time. Just load the cassette sleeve in the hopper and you are ready for printing.

These specially designed cassettes belong to the world-wide known Simport® HISTOSETTE® II Series. Molded from a special high density polymer, these cassettes keep specimens safely submerged in liquid and are resistant to the chemical action of most histological solvents. The efficient flow-through slots maximize fluid exchange and ensure proper drainage.

Two types of cassettes are offered in order to suit your particular needs: a regular tissue cassette and a biopsy model designed to hold small biopsy samples securely during the embedding process. Anterior printing area is at a 45° angle, offering an unobstructed view of the writing surface and making the cassette perfectly suitable to be used with cassette labeling instruments.

The one-piece disposable plastic cover eliminates the need for reusable steel lids. It can be opened and closed as often as necessary and it always relocks without danger of specimen loss. Available in 11 colors.

Each case contains 10 sleeves and 750 covers.



Tissue

Cat. No	Color	Qty/Cs
M485-2SL	Blanc	750
M485-3SL	Rose	750
M485-4SL	Vert	750
M485-5SL	Jaune	750
M485-6SL	Bleu	750
M485-7SL	Pêche	750
M485-8SL	Tan	750
M485-9SL	Gris	750
M485-10SL	Lilas	750
M485-11SL	Orange	750
M485-12SL	Aqua	750

Biopsy

Cat. No	Color	Qty/Cs
M486-2SL	Blanc	750
M486-3SL	Rose	750
M486-4SL	Vert	750
M486-5SL	Jaune	750
M486-6SL	Bleu	750
M486-7SL	Pêche	750
M486-8SL	Tan	750
M486-9SL	Gris	750
M486-10SL	Lilas	750
M486-11SL	Orange	750
M486-12SL	Aqua	750



Fluo Pink, Fluo Green and Fluo Yellow are also available.
Minimum quantities apply. Contact us for more details.



M482 & M483 HISTOSETTE® II


Cassettes in E-Z Load™ Stacks

Made of acetal

This stack of cassettes allows you to load the Shur/Mark® Cassette Labeling Instruments in one simple operation. Save time and money with these convenient stacks of 50 unique Simport® cassettes. No more manual insertion, one cassette at a time. Just load the stack in the hopper, cut and remove the holding tie and you are ready for printing.

These specially designed cassettes belong to the world-wide known Simport® Histosette® II design. Molded from a special high density polymer, these cassettes keep specimens safely submerged in liquid and are totally resistant to the chemical action of most histological solvents. The efficient flow-through slots maximize fluid exchange and ensure proper drainage.

Two types of cassettes are offered in order to suit your particular needs: a regular tissue cassette and a biopsy model designed to hold small biopsy samples securely during the embedding process. Anterior printing area is at a 45° angle.



TISSUE CASSETTES (In stacks of 50)

Base Cat. #	Cover Cat. #	Color	Qty/Cs
M482-2SL	M482-2LI	Blanc	2000
M482-3SL	M482-3LI	Rose	2000
M482-4SL	M482-4LI	Vert	2000
M482-5SL	M482-5LI	Jaune	2000
M482-6SL	M482-6LI	Bleu	2000
M482-7SL	M482-7LI	Pêche	2000
M482-8SL	M482-8LI	Tan	2000
M482-9SL	M482-9LI	Gris	2000
M482-10SL	M482-10LI	Lilas	2000
M482-11SL	M482-11LI	Orange	2000
M482-12SL	M482-12LI	Aqua	2000

BIOPSY CASSETTES (In stacks of 50)

Base Cat. #	Cover Cat. #	Color	Qty/Cs
M483-2SL	M483-2LI	Blanc	2000
M483-3SL	M483-3LI	Rose	2000
M483-4SL	M483-4LI	Vert	2000
M483-5SL	M483-5LI	Jaune	2000
M483-6SL	M483-6LI	Bleu	2000
M483-7SL	M483-7LI	Pêche	2000
M483-8SL	M483-8LI	Tan	2000
M483-9SL	M483-9LI	Gris	2000
M483-10SL	M483-10LI	Lilas	2000
M483-11SL	M483-11LI	Orange	2000
M483-12SL	M483-12LI	Aqua	2000

Fluo Pink, Fluo Green and Fluo Yellow are also available.
Minimum quantities apply. Contact us for more details.



These cassettes can be used in this automatic labeling instrument.

Cassettes bases and lids are ordered separately




Cassettes for Primera® Printer

Made of acetal


Disposable plastic cassettes hold tissue specimens during processing and embedding, as well as in storage. Molded from a special high-density polymer, these cassettes keep specimens safely submerged in liquid and are resistant to the chemical action of most histological solvents. The efficient flow-through slots maximize fluid exchange and ensure proper drainage. As required they can be opened or closed and they always relock securely without danger of specimen loss. Available in 11 colors.

**Specially designed for
the automated and manual
Primera Cassette printers.**




QuickLoad™ Stacks for Robotic feed printer


HISTOSETTE® II



UNISETTE™ II



SLIMSETTE™ II




Automated feed printer 50 stacks per case Case 2000		Manual feed printer Individual Cassette 2 dispenser boxes of 500 cassettes and 1 dispenser box of 1000 covers / Case 1000		Color
TISSUE Product #	BIOPSY Product #	TISSUE Product #	BIOPSY Product #	
M385-2T	M386-2T	M385-2	M386-2	White
M385-3T	M386-3T	M385-3	M386-3	Pink
M385-4T	M386-4T	M385-4	M386-4	Green
M385-5T	M386-5T	M385-5	M386-5	Yellow
M385-6T	M386-6T	M385-6	M386-6	Blue
M385-7T	M386-7T	M385-7	M386-7	Peach
M385-8T	M386-8T	M385-8	M386-8	Tan
M385-9T	M386-9T	M385-9	M386-9	Gray
M385-10T	M386-10T	M385-10	M386-10	Lilac
M385-11T	M386-11T	M385-11	M386-11	Orange
M385-12T	M386-12T	M385-12	M386-12	Aqua

Automated feed printer 25 stacks per case Case 1000		Manual feed printer Individual Cassette 3 dispenser boxes of 500 cassettes / Case 1500		Color
TISSUE Product #	BIOPSY Product #	TISSUE Product #	BIOPSY Product #	
M405-2T	M406-2T	M405-2	M406-2	White
M405-3T	M406-3T	M405-3	M406-3	Pink
M405-4T	M406-4T	M405-4	M406-4	Green
M405-5T	M406-5T	M405-5	M406-5	Yellow
M405-6T	M406-6T	M405-6	M406-6	Blue
M405-7T	M406-7T	M405-7	M406-7	Peach
M405-8T	M406-8T	M405-8	M406-8	Tan
M405-9T	M406-9T	M405-9	M406-9	Gray
M405-10T	M406-10T	M405-10	M406-10	Lilac
M405-11T	M406-11T	M405-11	M406-11	Orange
M405-12T	M406-12T	M405-12	M406-12	Aqua

Automated feed printer 50 stacks per case Case 2000		Manual feed printer Individual Cassette 3 dispenser boxes of 500 cassettes / Case 1500		Color
TISSUE Product #	BIOPSY Product #	TISSUE Product #	BIOPSY Product #	
M409-2T	M410-2T	M409-2	M410-2	White
M409-3T	M410-3T	M409-3	M410-3	Pink
M409-4T	M410-4T	M409-4	M410-4	Green
M409-5T	M410-5T	M409-5	M410-5	Yellow
M409-6T	M410-6T	M409-6	M410-6	Blue
M409-7T	M410-7T	M409-7	M410-7	Peach
M409-8T	M410-8T	M409-8	M410-8	Tan
M409-9T	M410-9T	M409-9	M410-9	Gray
M409-10T	M410-10T	M409-10	M410-10	Lilac
M409-11T	M410-11T	M409-11	M410-11	Orange
M409-12T	M410-12T	M409-12	M410-12	Aqua



QuickLoad™ Stacks
for Robotic feed printer



M407 MICROMESH™ for Primera® Printer

Made of acetal

The MICROMESH™ offers 1676 square openings (0.38 mm) allowing for a greatly improved fluid exchange without having to use biopsy pads. Large anterior and posterior slots in both cassette and cover ensure that the MICROMESH™ Biopsy Cassette will sink rapidly. A large square compartment with a side measuring 27 mm is perfect even for needle biopsies. The cover does not protrude above the cassette, a great space saving feature.

Molded from a special high density polymer, these cassettes keep specimens safely submerged in liquid and are resistant to the chemical action of most histological solvents. The MICROMESH™ mesh ensures efficient fluid exchange and drainage. The one-piece integral lid eliminates the need for separate steel lids.

They can be opened and closed and always relock securely without danger of specimen loss. Anterior writing area is at a 45° angle.




Individual Cassette
for manual feed printer

Anatomy of Micromesh™ Cassettes

A recessed cover is a great space saving feature, allowing more cassettes to be stacked in automatic labeling machines and storage drawers

Cover pre-installed
on cassette



Large anterior and
posterior slots in both
cassette and cover
ensure that the
Micromesh™ biopsy
cassette will be
submerged rapidly

Anterior writing area
is at a 45° angle

M407/M407T MICROMESH™

Individual Cassette for
manual feed printer
4 dispenser boxes of 250 /
Case 1000

QuickLoad™ Stacks for
robotic feed printer
50 stacks per case /
case 2000

TISSUE Product #	BIOPSY Product #	Color
M407-2	M407-2T	White
M407-3	M407-3T	Pink
M407-4	M407-4T	Green
M407-5	M407-5T	Yellow
M407-6	M407-6T	Blue
M407-7	M407-7T	Peach
M407-8	M407-8T	Tan
M407-9	M407-9T	Gray
M407-10	M407-10T	Lilac
M407-11	M407-11T	Orange
M407-12	M407-12T	Aqua



M507SL MICROMESH™

Biopsy Cassettes in QuickLoad™ Sleeves

Made of acetal

Suitable for hoppers accepting plastic sleeves, these cassettes will load in cassette labeling instruments in one simple operation. Just load the 75-cassette QuickLoad™ sleeve in the hopper and you are ready for printing.

The Micromesh™ offers 0.38 mm square openings, and large anterior slots allowing for increased fluid exchange and faster sinking in liquids. No biopsy pads are necessary. These cassettes feature a recessed cover and a large square 27 mm compartment, perfect even for needle biopsies.

Molded from a special high density polymer, these cassettes keep specimens safely submerged in liquid and are resistant to the chemical action of histological solvents. The lid can be opened and closed *as often as necessary* and always relocks securely without danger of specimen loss. Anterior writing area is at a 45 ° angle to make the cassette more suitable to be used with automated cassette printers. Available in 11 colors. Each case contains 10 sleeves.

Lids are pre-mounted
on cassettes

NO BIOPSY PADS
REQUIRED

Biopsy

Cat. #	Color	Qty/Cs
M507-2SL	White	750
M507-3SL	Pink	750
M507-4SL	Green	750
M507-5SL	Yellow	750
M507-6SL	Blue	750
M507-7SL	Peach	750
M507-8SL	Tan	750
M507-9SL	Gray	750
M507-10SL	Lilac	750
M507-11SL	Orange	750
M507-12SL	Aqua	750




Fluo Pink, Fluo Green and Fluo Yellow are also available. Minimum quantities apply. Contact us for more details.




Compatible with
ThermoFisher
cassette printers

Anatomy of a MICROMESH™

A recessed cover is a great space saving feature, allowing more cassettes to be stacked in automatic labeling machines and storage drawers



Base and cover together have 1676 square openings (0.38 mm) allowing for a greatly improved fluid exchange



M509

Lid already installed
on cassette base



Compatible with
ThermoFisher
cassette printers

M509SL SLIMSETTE™

Tissue Cassettes in QuickLoad™ Sleeves

Made of acetal

The transparent sleeve allows viewing of cassettes in order to confirm there is no jam in the sleeve during the printing process.

This model is similar to the M507 cassette but is intended for tissue processing/embedding procedures. The efficient flow-through slots maximize fluid exchange and ensure proper drainage. Lids can be opened and closed as required they can be open or closed and they always relock securely without danger of specimen loss. When ready for the embedding process, covers can conveniently be snapped off and discarded.

Anterior writing area at a 45 ° angle. Available in 11 colors. Each case contains 10 sleeves of 75 cassettes.



Tissue		
Cat. #	Color	Qty/Cs
M509-2SL	White	750
M509-3SL	Pink	750
M509-4SL	Green	750
M509-5SL	Yellow	750
M509-6SL	Blue	750
M509-7SL	Peach	750
M509-8SL	Tan	750
M509-9SL	Gray	750
M509-10SL	Lilac	750
M509-11SL	Orange	750
M509-12SL	Aqua	750

Biopsy		
Cat. #	Color	Qty/Cs
M510-2SL	White	750
M510-3SL	Pink	750
M510-4SL	Green	750
M510-5SL	Yellow	750
M510-6SL	Blue	750
M510-7SL	Peach	750
M510-8SL	Tan	750
M510-9SL	Gray	750
M510-10SL	Lilac	750
M510-11SL	Orange	750
M510-12SL	Aqua	750

Fluo Pink, Fluo Green and Fluo Yellow are also available.
Minimum quantities apply. Contact us for more details.

M510SL SLIMSETTE™


Biopsy Cassettes in QuickLoad™ Sleeves

Made of acetal

Suitable for hoppers accepting plastic sleeves, these biopsy cassettes will load in cassette labeling instruments in one simple operation. Just load the 75-cassette QuickLoad™ sleeve in the hopper and you are ready for printing.

Molded from a special high density polymer, these cassettes keep specimens safely submerged in liquid and are totally resistant to the chemical action of most histological solvents. The lid can be opened and closed as often as necessary and always relocks securely without danger of specimen loss. Anterior writing area is at a 45° angle to make the cassette more suitable to be used with automated cassette printers. Available in 11 colors.

Cassettes are packaged in sleeves of 75. Each case contains 10 sleeves.



M510



M517SL SWINGSETTE™

Tissue Cassettes in QuickLoad™ Sleeves

Made of acetal

Suitable for hoppers accepting plastic sleeves, these tissue cassettes will load in cassette labeling instruments in one simple operation. Just load the 75-cassette QuickLoad™ sleeve in the hopper and you are ready for printing.

Molded from a special high density polymer, these cassettes keep specimens safely submerged in liquid and are resistant to the chemical action of histological solvents. The lid can be opened and closed *as often as necessary* and always relocks securely without danger of specimen loss. Anterior writing area is at a 45° angle to make the cassette more suitable to be used with automated cassette printers. Available in 11 colors.

Each case contains 10 sleeves of 75 cassettes and 10 bags of 75 lids.



Tissue		
Cat. #	Color	Qty/Cs
M517-2SL	White	750
M517-3SL	Pink	750
M517-4SL	Green	750
M517-5SL	Yellow	750
M517-6SL	Blue	750
M517-7SL	Peach	750
M517-8SL	Tan	750
M517-9SL	Gray	750
M517-10SL	Lilac	750
M517-11SL	Orange	750
M517-12SL	Aqua	750

Biopsy		
Cat. #	Color	Qty/Cs
M518-2SL	White	750
M518-3SL	Pink	750
M518-4SL	Green	750
M518-5SL	Yellow	750
M518-6SL	Blue	750
M518-7SL	Peach	750
M518-8SL	Tan	750
M518-9SL	Gray	750
M518-10SL	Lilac	750
M518-11SL	Orange	750
M518-12SL	Aqua	750

Fluo Pink, Fluo Green and Fluo Yellow are also available. Minimum quantities apply. Contact us for more details.



M518SL SWINGSETTE™


Biopsy Cassettes in QuickLoad™ Sleeves

Made of acetal

These disposable plastic cassettes hold biopsy specimens during processing and embedding, as well as in storage. Molded from a special high-density polymer, they keep specimens safely submerged in liquid and are resistant to the chemical action of histological solvents. The efficient flow-through slots maximize fluid exchange and ensure proper drainage.


This new model differs by the special hinge holding the base and cover together. This hinge allows cassettes to be opened and closed *as often as necessary*. The cover can be removed and re-inserted easily without danger of specimen loss. Available in 11 colors.

Each case contains 10 sleeves of 75 cassettes and 10 bags of 75 lids.



Have you ever considered
Our Paraffin Block Mailer?

See M477-6





M492T HISTOSETTE® II

Tissue Cassettes in QuickLoad™ Stacks

Made of acetal


Specially made to be used with Leica and Sakura Ink Jet printers. They keep specimens safely submerged and are resistant to the chemical action of most solvents used in histology laboratories. The efficient flow-through slots maximize fluid exchange and ensure proper reagent drainage. The one-piece disposable plastic cover is pre-installed on each cassette and eliminates the need for reusable steel lids. The cover can be opened and closed as often as necessary and will always relock, reducing the possibility of specimen loss.

Cassettes are packaged in stacks of 40. Each case contains 50 stacks for a total of 2000 cassettes. Choose from 11 standard colors. The anterior printing area is at a 45 ° angle and offers an unobstructed view of the writing surface.

Cat. #	Color	Qty/Cs
M492-2T	White	2000
M492-3T	Pink	2000
M492-4T	Green	2000
M492-5T	Yellow	2000
M492-6T	Blue	2000
M492-7T	Peach	2000
M492-8T	Tan	2000
M492-9T	Gray	2000
M492-10T	Lilac	2000
M492-11T	Orange	2000
M492-12T	Aqua	2000



Compatible with LEICA and SAKURA cassette labeling instruments



M493T HISTOSETTE® II

Biopsy Cassettes in QuickLoad™ Stacks

Made of acetal

Histosette II® Biopsy Cassettes are similar to M492 Tissue Cassettes but specially designed to hold biopsy specimens. They have an attached lid that opens from the back of the cassette. The closed lids can be opened many times, always relocking securely. The anterior printing area is at a 45 ° angle and offers an unobstructed view of the writing surface.

Cassettes are packaged in stacks of 40. Each case contains 50 stacks for a total of 2000 cassettes. Choose from 11 standard colors.

Cat. #	Color	Qty/Cs
M493-2T	White	2000
M493-3T	Pink	2000
M493-4T	Green	2000
M493-5T	Yellow	2000
M493-6T	Blue	2000
M493-7T	Peach	2000
M493-8T	Tan	2000
M493-9T	Gray	2000
M493-10T	Lilac	2000
M493-11T	Orange	2000
M493-12T	Aqua	2000



Cat. #	Color	Qty/Cs
M505-2T	White	1000
M505-3T	Pink	1000
M505-4T	Green	1000
M505-5T	Yellow	1000
M505-6T	Blue	1000
M505-7T	Peach	1000
M505-8T	Tan	1000
M505-9T	Gray	1000
M505-10T	Lilac	1000
M505-11T	Orange	1000
M505-12T	Aqua	1000

M505T UNISETTE™

Tissue Cassettes in QuickLoad™ Stacks

Made of acetal

Molded from a special high density acetal, these tissue cassettes keep specimens safely submerged in liquid and are resistant to the chemical action of most solvents used in histology laboratories. The efficient flow-through slots maximize fluid exchange and ensure proper drainage.

The one-piece snap-latch and hinge-lock design prevents early separation of base and lid and allows one-hand operation. Lids are attached in an open position for easy filling, but can be opened or closed *as often as necessary* and will always relock securely. The tab on the left front side makes opening easy. Lids are easily removed by pulling sideways. The anterior writing area is at a 35° angle. Cassettes are packaged in stacks of 40. Each case contains 25 stacks for a total of 1000 cassettes. Choose from 11 standard colors.

FOR
IVD
USE



Compatible with LEICA
and SAKURA cassette
labeling instruments

Cat. #	Color	Qty/Cs
M506-2T	White	1000
M506-3T	Pink	1000
M506-4T	Green	1000
M506-5T	Yellow	1000
M506-6T	Blue	1000
M506-7T	Peach	1000
M506-8T	Tan	1000
M506-9T	Gray	1000
M506-10T	Lilac	1000
M506-11T	Orange	1000
M506-12T	Aqua	1000

M506T UNISETTE™

Biopsy Cassettes in QuickLoad™ Stacks

Made of acetal

The UNISETTE™ Biopsy Cassettes, made of acetal, are specially designed to hold biopsy specimens. One millimeter openings maximize fluid exchange and ensure proper drainage. The anterior writing area is at a 35° angle. The lids are attached, but arrive open for easy filling. There is a tab for opening on the left front side of the cassette lid. Lids are easily removed and will always relock securely.

Cassettes are packaged in stacks of 40. Each case contains 25 stacks for a total of 1000 cassettes. Choose from 11 standard colors.

**M507T MICROMESH™****Biopsy Cassettes in QuickLoad™ Stacks**

Made of acetal

The MICROMESH™ offers 1676 square openings (0.38 mm) allowing for a greatly improved fluid exchange without having to use biopsy pads. Large anterior and posterior slots in both cassette and cover ensure that the MICROMESH™ Biopsy Cassette will sink rapidly. A large square compartment with a side measuring 27mm is perfect even for needle biopsies. The cover does not protrude above the cassette, a great space saving feature.

Molded from a special high density polymer, these patented cassettes keep specimens safely submerged in liquid and are resistant to the chemical action of most histological solvents. The MICROMESH™ mesh ensures efficient fluid exchange and drainage. The one-piece integral lid eliminates the need for separate steel lids. They can be opened and closed as required they can be open or closed and they always relock securely without danger of specimen loss. Anterior writing area is at a 45° angle to make the cassette more suitable to be used with automated cassette printers. Choose from 11 standard colors. Cassettes are packaged in stacks of 40. Each case contains 50 stacks for a total of 2000 cassettes.

Cat. #	Color	Qty/Cs
M507-2T	White	2000
M507-3T	Pink	2000
M507-4T	Green	2000
M507-5T	Yellow	2000
M507-6T	Blue	2000
M507-7T	Peach	2000
M507-8T	Tan	2000
M507-9T	Gray	2000
M507-10T	Lilac	2000
M507-11T	Orange	2000
M507-12T	Aqua	2000

FOR
IVD
USECompatible with LEICA
and SAKURA cassette
labeling instruments**M509T SLIMSETTE™****Tissue Cassettes in QuickLoad™ Stacks**

Made of acetal

To be used with Leica and Sakura Ink Jet printers. Molded from a special high density acetal, they keep specimens safely submerged and are resistant to the chemical action of most solvents used in histology laboratories. The efficient flow-through slots maximize fluid exchange and ensure proper reagent drainage. The cover does not protrude above the cassette, a great space saving feature.

The anterior printing area is at a 45 ° angle and offers an unobstructed view of the writing surface.

The one-piece disposable plastic cover is pre-installed on each cassette and eliminates the need for reusable steel lids. The cover can be opened and closed as often as necessary and will always relock, reducing the possibility of specimen loss. Cassettes are packaged in stacks of 40. Each case contains 50 stacks for a total of 2000 cassettes. Choose from 11 standard colors.

Cat. #	Color	Qty/Cs
M509-2T	White	2000
M509-3T	Pink	2000
M509-4T	Green	2000
M509-5T	Yellow	2000
M509-6T	Blue	2000
M509-7T	Peach	2000
M509-8T	Tan	2000
M509-9T	Gray	2000
M509-10T	Lilac	2000
M509-11T	Orange	2000
M509-12T	Aqua	2000



M510T SLIMSETTE™

Biopsy Cassettes in QuickLoad™ Stacks

Made of acetal

Slimsette™ Biopsy Cassettes are similar to M509 Tissue Cassettes but are specially designed to hold biopsy specimens. They have an attached lid that opens from the back of the cassette. The lids arrive closed but can be opened many times, always relocking securely. The anterior printing area is at a 45 ° angle and offers an unobstructed view of the writing surface.

Cassettes are packaged in stacks of 40. Each case contains 50 stacks for a total of 2000 cassettes. Choose from 11 standard colors.

Lid already installed
on cassette base



Cat. #	Color	Qty/Cs
M510-2T	White	2000
M510-3T	Pink	2000
M510-4T	Green	2000
M510-5T	Yellow	2000
M510-6T	Blue	2000
M510-7T	Peach	2000
M510-8T	Tan	2000
M510-9T	Gray	2000
M510-10T	Lilac	2000
M510-11T	Orange	2000
M510-12T	Aqua	2000



Compatible with LEICA
and SAKURA cassette
labeling instruments



M517T & M518T SWINGSETTE™

Tissue & Biopsy Cassettes in QuickLoad™ Stacks


Made of acetal

Our latest model suited for the Leica and Sakura labellers. These cassettes will also load in those cassette labeling instruments in one simple operation. Save time and money with these convenient stacks of 40 Simport® cassettes. Just load the cassette sleeve in the magazine and you are ready for printing.

These specially designed cassettes belong to the world-wide known Simport® Swingsette™ design. They differ by the special hinge that holds the base and cover together. This hinge allows the Swingsette™ to be opened and closed as often as necessary.

Two types of cassettes are offered in order to suit your particular needs: a regular tissue cassette and a biopsy model designed to hold small biopsy samples securely during the embedding process. Anterior printing area is at a 45 ° angle, offering an unobstructed view of the writing surface and making the cassette perfectly suitable to be used with cassette labeling instruments. Choose from 11 standard colors.

TISSUE		BIOPSY	
Cat. #	Cat. #	Color	Qty/Cs
M517-2T	M518-2T	White	2000
M517-3T	M518-3T	Pink	2000
M517-4T	M518-4T	Green	2000
M517-5T	M518-5T	Yellow	2000
M517-6T	M518-6T	Blue	2000
M517-7T	M518-7T	Peach	2000
M517-8T	M518-8T	Tan	2000
M517-9T	M518-9T	Gray	2000
M517-10T	M518-10T	Lilac	2000
M517-11T	M518-11T	Orange	2000
M517-12T	M518-12T	Aqua	2000

**M512 MACROSETTE®****Processing / Embedding Cassettes (with lid)**

Made of acetal

Disposable plastic cassettes designed to hold larger tissue specimens during the embedding process, as well as in a storage cabinet. Dimensions are exactly the same as the ones of a regular HISTOSETTE® cassette but the MACROSETTE® is twice as high (13 mm).

The one-piece integral lid eliminates the need for separate steel lids. It can be opened and closed *as often as necessary* and will always relock securely without danger of specimen loss. Large labeling areas are located on three sides of the cassettes for your convenience. Each case contains three dispenser boxes of 250 cassettes.

Dimensions: 40.1 x 28.5 x 13 mm H (1 9/16 x 1 1/8 x 1/2 in. H)

Cat. #	Color	Qty/Cs
M512	White	750

M475-10 Disposable Deep Base Mold

Made of PVC

Designed especially for M512 MACROSETTE®. Thanks to the specially formulated plastic material, it offers excellent thermal exchange. It has a smooth interior finish and rounded corners facilitating specimen removal.


Cat. #	Size (mm)	Vol	Qty/Cs
M475-10	37 x 24 x 10	5 ml	500

**M474 Base Molds**

Made of Stainless Steel

Sizes fit most cassettes. Superior thermal exchange. These molds are for all applications in specimen embedding with all styles of Embedding Rings and Cassettes. Manufactured from high-quality stainless steel for optimal thermal conductivity, the molds have a highly polished surface for easy paraffin block removal. Well corners are rounded for optimal paraffin ribboning.

Cat. #	Size (mm)	Qty/Pk
M474-1	7 x 7 x 5	12
M474-2	15 x 15 x 5	12
M474-3	24 x 24 x 5	12
M474-4	30 x 24 x 5	12
M474-5	37 x 24 x 5	12

**M475 Disposable Base Molds**

Made of PVC

Simport® disposable base molds offer ease and convenience of operation. They are inexpensive enough to be discarded after use, yet strong enough to be reused. Thanks to the specially formulated plastic material, they offer excellent thermal exchange. They have a smooth interior finish and rounded corners facilitating specimen removal. Also, they are available in the same variety of sizes as metal molds and can be used with the same styles or types of cassettes and embedding rings. Each case contains two dispenser boxes of 500 base molds.

Cat. #	Size (mm)	Qty/Cs
M475-1	7 x 7 x 5	1000
M475-2	15 x 15 x 5	1000
M475-3	24 x 24 x 5	1000
M475-4	30 x 24 x 5	1000
M475-5	37 x 24 x 5	1000

The CryoSette™ Frozen Tissue Storage Containers

M956 CryoSette™

Base made of acetal

Screw closure made of high-density polyethylene

- Offers sample specimen storage in upright chest freezers and vapor-phase Dewar flasks at -196°C^*
- 2D Barcoding available for efficient sample tracking
- Maintains the integrity of tissue samples
- Choice of two storage boxes
- 95 kPa tested

The Simport CryoSette™ is designed for frozen tissue collection, transport and storage. It can also be used for storing a multitude of other specimens in all laboratories. The robust design of the cryosette ensures that tissue morphology will be well preserved.

This 2.5 ml container features a wide-mouth opening and a high integrity screw closure. It is designed with a flat bottom and straight sides for easy tissue removal. The specific shape of the CryoSette™ allows its manipulation to be optimized, whether you are using gloves or not. The CryoSette™ efficiently stores tissue samples in -86°C ULT freezers or in the gas phase of liquid nitrogen in Dewar flasks at -196°C but not in LN_2 liquid phase.

The CryoSette™ screw closure and base are designed so they will not seize at low temperatures. Rapid visual 1 1/4 turn, even during repeated freeze / thaw cycles. Color-coded inserts are available in 5 colors.

The CryoSette™ offers two surfaces for handwriting or applying barcode labels: an anterior surface and a larger space underneath the base. A thin cardboard I.D. label and a plastic transparent cover are available for the latter. A 2D barcode insert can also be placed on the anterior writing surface for rapid visual sample identification. The CryoSette™ is compatible with common tracking methods. The anterior writing surface is improved for ink adherence.


The large size of the CryoSette™ chamber is suitable for most storage applications.

Chamber dimensions: 20 mm O.D x 18.5 mm I.D. x 10.5 mm H.

Total CryoSette™ dimensions : 24 mm x 38 mm x 11 mm H.



CryoSette™ Features



M956-21 CryoSette™ Storage boxes

Made of polypropylene

- Compatible with leading frozen sample storage systems
- Thick walls minimizing deformation due to temperature changes
- Can be handled by robotic equipment
- Rack orientation marks on sides
- Latches for locking and unlocking rack lid
- Autoclavable

The M956-21 storage rack is designed to contain 21 frozen tissue CryoSette™ containers. The box is compact and has an SBS standard footprint to make suitable to several robotic storage systems. These innovative boxes can be stored in low-temperature freezers.

Temperature range -196 °C to +121 °C. Suitable for cryogenic storage, but only in gas phase of liquid nitrogen.

Dimensions : 127.76 mm x 85.48 mm x 41.6 mm H.



Latch for locking and unlocking rack lid.
When lock is on, the CryoSette™ is prevented from falling out if rack is inverted or dropped.



M957BK-2D

2D Barcode Insert allows for immediate coding of your samples.

The 2D Insert is manually pushed in and locks into place on top of the slanted front marking surface.

Inserts are generated by a permanent laser etching system which provides sharper detail and are tested to ensure readability and uniqueness.

M956-40 CryoSette™ Storage boxes

Made of polypropylene

The M956-40 CryoSette™ storage box can accommodate up to 40 Tissue Storage Containers in a space as small as 133 mm x 133 mm x 52 mm H. Made of extra strong polycarbonate, this durable cryogenic storage box is designed to be used at temperatures between -196 °C and +121 °C. Autoclavable at 120 °C, 15 psig (1 bar) for 20 minutes. Suitable for cryogenic storage, but only in gas phase of liquid nitrogen.

The frosted cover allows the user to write directly on top of the box, and is keyed to the base to prevent misalignment.

Cat. #	Description	Qty/Pk	Qty/Cs
M9560	CryoSette™ Tissue Storage Container	50	250
M956-21W	CryoSette™ 21 Place Storage Box	—	10
M956-40B	CryoSette™ 40 Place Storage Box (Separator included)	5	10
M956SEP	Cardboard Separator kit for M956-40B	—	6
M956LAB	Cardboard I.D. Label for M956	100	—
M956COV	Transparent Plastic I.D. Label Cover for M956	100	—
M957BK-2D	CryoSette™ 2D Barcode Insert	100	500
M957B	CryoSette™ Color Insert – Blue	100	500
M957G	CryoSette™ Color Insert – Green	100	500
M957L	CryoSette™ Color Insert – Lilac	100	500
M957R	CryoSette™ Color Insert – Red	100	500
M957Y	CryoSette™ Color Insert – Yellow	100	500



Available options: Sterile, pre-capped with screw caps




M473 T-Sue™ Microarray Mold Kits

Molds made of silicone

Tissue Microarray (TMA) is a technique enabling tissues from many patients to be arrayed on a single slide. The array mold is specifically designed to be simple, easy to use and inexpensive. Tissues can be analyzed in the same conditions enhancing the efficiency of the research.

The Simport® T-Sue™ array molds will allow you to perform TMAs faster while giving excellent results. By using array molds, you can process up to 170 specimens onto one single slide in very little time.



- View many different samples on the same slide
- Process up to 170 specimens onto one slide
- Easily stored in a drawer
- Can be reused dozens of times without losing its flexibility
- Withstands temperatures between -100 °C to +250 °C


Cat. #	Array Mold Cores	Core Ø (mm)	Qty/Pk
M473-15	15	4	1
M473-24	24	2	1
M473-36	36	3	1
M473-60	60	2	1
M473-72	72	1.5	1
M473-150	150	1.5	1
M473-170	170	1	1



Each kit includes ONE T-Sue™ array mold and FOUR punch needles with stylert allowing easy removal of tissue cores for insertion. See how-to-use instructions.

ANATOMY OF A T-SUE™ MICROARRAY MOLD

- Molds made of silicone
- Choice of seven microarray molds offering 15 to 170 cores
- Temperature resistant up to +250 °C
- Can be reused hundreds of times



One inside wall corner at 45 degree angle, facilitating orientation.




Flexible for easy removal of recipient block




Easy positioning of cassette

BENEFITS OF A PRECAST T-SUE™ PARAFFIN RECIPIENT BLOCK

- No special training or experience needed
- Ready to accept cores from donor block
- Choice of seven paraffin blocks holding between 15 and 170 specimens
- Support cassette is permanently bonded to block
- Consistent core diameter



45 degree angle for orientation



It is the easiest, most convenient and less expensive kit available for constructing paraffin tissue microarrays.



M473PC Precast T-Sue™ Paraffin Blocks

Molds made of paraffin

Cassettes made of acetal

Simport® offers a series of precast T-Sue™ Microarray paraffin blocks for constructing tissue arrays without the need of specialized equipment.

With a T-Sue™ Microarray Paraffin Block Kit, one can construct a tissue array block in minutes, simply by punching the donor tissue cores and inserting them into the pre-made paraffin recipient block. It's easy, fast and no specific technical training or experience is needed.

It is the easiest, most convenient and less expensive kit available for constructing paraffin tissue microarrays. How-to-use Instructions are included.

M473-15PC

M473-24PC

M473-36PC



M473-60PC



M473-72PC

M473-150PC

M473-170PC



Cat. #	Paraffin Block Cores	Core Ø (mm)	Qty/Cs
M473-15PC	15	4	6
M473-24PC	24	2	6
M473-36PC	36	3	6
M473-60PC	60	2	6
M473-72PC	72	1.5	6
M473-150PC	150	1.5	6
M473-170PC	170	1	6

Each T-Sue™ Microarray Paraffin Block Kit contains SIX precast paraffin recipient blocks and TWO punch needles with stylet.




M473P T-Sue™ Punch Needles

T-Sue™ punch needles are used for filling recipient tissue microarray paraffin blocks.

- A single punch can be used to fill an entire block
- 5 sizes available, clearly indicated on the handle
- Color-coded plunger
- Internal stylet operating like a retractable pen
- Effortless ejection of core specimens
- Punches are packed in safe, tamper-evident zip-lock resealable bags

Cat. #	Punch Needles Ø (mm)	Color Code	Qty/Pk
M473-P10MA	1	Magenta	4
M473-P15Y	1.5	Yellow	4
M473-P20R	2	Red	4
M473-P30P	3	Pink	4
M473-P40B	4	Blue	4





M476-5 is specially suited for the Histosette® II Cassettes

M476 Biopsy Foam Pads

Made of polyester urethane foam



Simport® biopsy foam pads are used to hold biopsies in place and prevent them from being lost during processing. They are made of a specially formulated foam which is always verified for consistency throughout in order to achieve optimum solvent flow. Biopsy samples are sandwiched between two foam pads and are placed either in tissue capsules or cassettes* with metal or plastic lids. M476-4 model is to be used with the Micromesh™ and Slimsette™ Cassettes. M476-5 is specially suited for the Histosette® II Cassettes. Will resist temperatures from -40 °C to 121 °C.

Cat. #	For use with	Size (mm)	Qty/Pk	Qty/Cs
M476-1	Cassettes	30.2 x 25.4 x 2	1000	10 000
M476-2	Small capsules	25.4 x 2.7	1000	10 000
M476-3	Large capsules	34.6 x 2	1000	10 000
M476-4*	Slimsette	27.4 x 25.4 x 2	1000	10 000
M476-5**	Histosette® II	30.2 x 25.4 x 2	1000	10 000

*Use with the following Simport® cassette Series: M509 and M510.

** Use with the following Simport® cassette Series: M492, M493, M485 and M486.



While providing maximum tissue safety, you can conveniently see through the biopsy bags.

M478 Biopsy Bags

Made of nylon



These sturdy biopsy bags are made of white nylon thin mesh (0.3 mm diameter), reducing the risk of specimen loss during processing. While solvent resistant, they provide great tissue safety and excellent fluid exchange. In order to ease specimen removal, bags can be peeled open. All seams are heat-sealed. Available in three sizes.

Cat. #	Size (mm)	Qty/Pk
M478-1	30 x 50	1000
M478-2	45 x 75	1000
M478-3	75 x 95	500



Transfer the biopsy in the bag with a pair of forceps OR empty both fixative and specimen in the bag. Let the fixative drip out of the bag in a container, close the bag and insert in a cassette.



After processing, remove bag from cassette. Open with care, extending the edges.



Extract biopsy and proceed with your embedding.



M477-6

Paraffin Block Mailer, 6 compartments

Made of PVC

At last, a transport container made especially for paraffin blocks. Sturdy and easy to use, the Simport® mailer is transparent for easy viewing of contents. It can be used for handling and shipping up to 6 blocks as needed, while having to keep only one model of block mailer in inventory. The attached cover is easy to close but very secure when closed. Suitable for all regular models of tissue and biopsy cassettes.

Cat. #	Dimensions	Qty/Cs
M477-6	134 mm x 141 mm x 29 mm H (5¼ x 5½ x 1⅞ in. H)	50

**M470 & M471****Tissue Capsules**

Made of polypropylene

These capsules are suitable for holding tissue samples during processing. The lids have a frosted write-on area for sample identification and an open mesh area to facilitate fluid exchange. The entire surface of the base is also an open mesh. The lid snaps securely on the base, eliminating the risk of tissue loss during processing.

Cat. #	Size (mm)	Color	Qty/Cs
M470	20 x 5 H	White	1000
M471	38 x 10 H	White	1000

**M460****Embedding Rings**

Made of high impact polystyrene

Embedding rings are suitable for holding and identifying tissue sample blocks and fit well in microtome chuck adapters. The etched writing surface on the ring is marked with an identification number and placed on top of the sample block. Additional paraffin is poured into the base mold to cement the ring onto the tissue block. The embedding ring securely holds the tissue sample in the microtome chuck adapter for sectioning and then identifies the sample while in storage. Rings are available in different colors. Each case contains 4 dispenser boxes of 250 rings.

Cat. #	Color	Qty/Box	Qty/Cs
M460	White	250	1000
M460-3	Pink	250	1000
M460-4	Green	250	1000
M460-5	Yellow	250	1000
M460-6	Blue	250	1000

A picture is worth a thousand words. A sample, a thousand pictures...

You might look at a picture and read the words under it a thousand times, nothing beats having the product in your own hands for evaluation. Simport® is proud to offer you the most comprehensive sample program ever developed in the industry.

Just by asking, you can get free of charge a sample of any Simport® product along with a specially designed card describing all the features, benefits and ordering information.





M472 Histocoder™

Color Coding Inserts for Easy Identification of Histology Blocks

Made of polypropylene


These inserts offer an instant color-coded identification of any paraffin block. Simply embed the HistoCoder™ disk in the cooling paraffin and you have immediately created an I.D. The black insert (M472-2D) allows you to scan the Data Matrix 2D barcode. The writable surface on the color inserts offers an extra level of identification.

Inserts available in 10 different colors and in black with a 2D barcode.

Cat. #	Color	Qty/Pk
M472B	Blue	500
M472GY	Gray	500
M472G	Green	500
M472L	Lilac	500
M472O	Orange	500
M472P	Pink	500
M472R	Red	500
M472V	Violet	500
M472W	White	500
M472Y	Yellow	500
M472AS	Assorted	500
M472-2D	with a 2D Matrix Barcode	500



**NEW
PRODUCT**



M590BK

Cassette Labeler Thermal Printing Foil

This hot foil tape is used on the Thermo Scientific PrintMate and MicroWriter, RA Lamb and TBS Shurmark cassette labelers. Will print up to 20,000 cassettes per roll, subject to the amount of data being printed on each cassette.

Dimensions: 1 1/8" wide x 400' long (28.6mm wide x 122m long).

Cat. #	Color	Qty/Cs
M590BK	Black	5

M495-12

Write-ON™ Marker Pen

This pen is specially suited to be used on anterior surfaces and sides of Histology Cassettes. Ink will dry almost instantly.



Cat. #	Color	Qty/Pk
M495-12	Black	10

M795-1

Diamond Stylus for Microscope Slide Labelers

This diamond stylus is perfectly suited for the Thermo Scientific PrintMate and MicroWriter, RA Lamb and TBS Shurmark microscope slide labelers. Manufactured with a consistent even coating of diamond dust. The 2.35 mm shaft is made from stainless steel.



Cat. #	Color	Qty/Pk
M795-1	Diamond Stylus	6



M495-6

Modular Storage Drawer

Made of high impact polystyrene

This drawer provides permanent storage & identification of up to 165 embedding rings or 250 cassettes per drawer. It is stackable to any convenient height, thanks to interlocking ridges on top and bottom. Made of high impact resistant plastic. Identification labels included.



Cat. #	Dimensions	Qty/Cs
M495-6	40.5 cm x 23 cm x 5.1 cm H (15 7/8 x 9 1/8 x 2 1/8 in. H)	6

M495-7


Storage Drawer

Made of durable, water resistant, heavy-duty cardboard for long term storage. Requires minimal space. Label and cardboard separators are provided for each box, which allows recording of specimen number, date and type of specimen. Each box can store up to 165 embedding rings or 250 cassettes.

Dimensions: 40.5 cm x 23 cm x 5.1 cm H (15 7/8 x 9 1/8 x 2 1/8 in. H)



Cat. #	Material	Qty/Cs
M495-7	Heavy-duty cardboard	12



M700-50 SlideFile™ Jr.

Storage System

Base made of high impact polystyrene / Cover made of polystyrene

The Junior model can hold up to 200 slides per unit in just 860 cm³ (53 cu. in.) and is stackable for space efficient storage. Each SlideFile™ Jr. includes a slide box and a removable tray. A tinted hinged cover makes the contents of the box easy to see at a glance. The base is available in five different colors to help slide classification and to minimize the possibility of sample mix-up.

The key to the SlideFile™ Jr. is a removable tray inside the storage box having fifty individual numbered slots. All slides are stored upright for easier insertion and removal. Simply tilt them forward and backward with one finger to easily and rapidly pick up the slide you need. A unique feature with this system is to be able to read barcodes without having to remove the slides from the box.

For space saving purposes, you can double the amount of slides simply by storing two slides per slot. And for maximum storage space, simply remove the tray and line up 200 slides in 3 rows for long term storage. Will resist temperatures between -80 °C and +80 °C. Not autoclavable.

Dimensions: 82 x 140 x 86 mm H (3 1/4 x 5 1/2 x 3 3/8 in. H)

This rack is also
available separately
See M710-50

Unobstructed front writing surface


Cat. #	Color	Qty/Pk	Qty/Cs
M700-50B	Blue	1	10
M700-50G	Green	1	10
M700-50P	Pink	1	10
M700-50W	White	1	10
M700-50Y	Yellow	1	10



Read barcodes
without having
to remove slides
from tray.



Simply tilt slides
forward or
backward with
one finger to
easily and rapidly
pick up the one
you need.



Remove slide
tray and it will
store up to 200
slides.



Removable tray
makes it easy
to carry slides
around and store
up to 50 slides
vertically (1 per
slot) or 100 slides
vertically (2 per
slot)



Two index cards
numbered from
1 to 50 are
supplied with
each box.

M710-50 DrainRack™ Jr.

Made of high impact polystyrene

Can hold up to 100 microscope slides in 50 individual numbered slots. Will resist temperatures between -80 °C and +80 °C. Not autoclavable.

Cat. #	Color	Qty/Pk	Qty/Cs
M710-50B	Blue	1	10
M710-50G	Green	1	10
M710-50P	Pink	1	10
M710-50W	White	1	10
M710-50Y	Yellow	1	10



Each position is
numbered for easy
slide identification.

Drain holes will
completely empty
bottom of rack.

Dimensions: 75 x 125 x 25 mm H (3 x 5 x 1 in. H)



The most convenient, organized and versatile way of storing 75 x 25 mm or 3 x 1 in. microscope slides. This impact resistant SlideFile™ Storage System can hold up to 400 slides per unit in just 1720 cm³ (105 cu. in.) and is stackable for space efficient storage.

M700-100 SlideFile™

Storage System

Base made of high impact polystyrene / Cover made of polystyrene

Each SlideFile™ Storage System includes a slide box and a removable tray. A tinted hinged cover makes the contents of the box easy to see at a glance. The base is available in five different colors to help in slide classification and to minimize the possibility of sample mix-up.

The key to the SlideFile™ System is a removable tray inside the storage box having a hundred individual numbered slots. All slides are stored upright for easier insertion and removal. Simply tilt them forward and backward with one finger to easily and rapidly pick up the slide you need. A unique feature with this system is to be able to read barcodes without having to remove the slides from the box. For space saving purposes, you can double the amount of slides simply by storing two slides per slot.

For maximum storage space, simply remove the tray and line up 400 slides in 3 rows for long term storage. Will resist temperatures between -80 °C and +80 °C. Not autoclavable.

Dimensions: 82 x 245 x 86 mm H (3 1/4 x 9 5/8 x 3 3/8 in. H)

This rack is also available separately
See M710-100

Cat. #	Color	Qty/Pk	Qty/Cs
M700-100B	Blue	1	10
M700-100G	Green	1	10
M700-100P	Pink	1	10
M700-100W	White	1	10
M700-100Y	Yellow	1	10



Read barcodes without having to remove slides from tray.



Simply tilt slides forward or backward with one finger to easily and rapidly pick up the one you need.



Remove slide tray and it will store up to 400 slides.



Removable tray makes it easy to carry slides around and store up to 100 slides vertically (1 per slot) or 200 slides vertically (2 per slot)



Two index cards numbered from 1 to 100 are supplied with each box.

M710-100 DrainRack™

Made of high impact polystyrene

This rugged tray used as a drain rack can hold up to 200 microscope slides in 100 individual numbered slots. All slides are stored upright for easier insertion and removal. Simply tilt them forward and backward with one finger to easily and rapidly pick up the slide you need. A unique feature with the DrainRack™ is to be able to read barcodes without having to remove the slides from the box.

For space saving purposes, you can double the amount of slides simply by storing 2 slides per slot, giving you a capacity of 200 slides instead of 100. Not autoclavable.

Cat. #	Color	Qty/Pk	Qty/Cs
M710-100B	Blue	1	10
M710-100G	Green	1	10
M710-100P	Pink	1	10
M710-100W	White	1	10
M710-100Y	Yellow	1	10




Dimensions: 75 x 231 x 25 mm H (3 x 9 x 1 in. H)

Easy-to-read numbers from 1 to 100 identifying each slot

**M620****DissecTable™****Dissecting Board**

Made of high-density polyethylene



A new and unique approach makes this dissecting board more convenient than any other found on the market today. It is no longer necessary to buy different sizes as this board offers a large surface on one side and two smaller ones on the other side.

Made of heavy-duty stain resistant thick polyethylene, it will last for years to come without changing shape, bending or swelling. Will not dull fine surgical blades. In order to contain fluids, a drain groove is carved all around the edge of the DissecTable™.

On one side, you will find a large cutting area including dimensional scales in inches and centimeters, along with a 60 x 80 mm grid made of 48 x 10 mm squares. Six dimensional circles are also printed from 1/8 to 5/8 in. and 4 to 14 mm in diameter.

Flip it over and the other side offers two cutting boards half the size with the same dimensional features printed on each one of them.

All corners have rubber feet giving more stability to the working surface.

Dimensions: 575 mm x 400 mm x 12.5 mm (23 x 16 x 1/2 in H)

Cat. #	Description	Qty/Cs
M620	DissecTable™	1


M618**DissecTable™ Jr. Dissecting Board****Dissecting Board**

Made of high-density polyethylene

A smaller DissecTable™ is also available with the same features and benefits as the M620. Perfect for smaller counter area.

Dimensions: 330.2 mm x 279.4 mm x 12.5 mm (13 x 11 x 1/2 in H)

Cat. #	Description	Qty/Cs
M618	DissecTable™ Jr.	1

**M625****Board Base (for use with M620)**

Made of high impact polystyrene

To make dissecting more comfortable, this heavy-duty base is used to elevate the DissecTable™ Board to the right height. The bases are stackable and will not move sideways during the dissecting work. The base will also retain excess fluid if necessary.

Dimensions: 481 mm x 656 mm x 91 mm (19 1/4 x 26 1/4 x 3 5/8 in H)

Cat. #	Description	Qty/Cs
M625	DissecTable™ Board Base.	1





M630

DispoCut™ Disposable Dissecting Board

Made of polypropylene

The DispoCut™ Disposable Dissecting Board is strong yet inexpensive enough to throw away. It is especially developed to provide a clean, safer and more efficient way of handling infectious tissue specimens for the pathologist. It can be used on both sides, a great money saving feature. Printed with helpful imperial and metric dimensional scales in inches, centimeters and millimeters. Available in three sizes to accommodate small biopsies to large gross anatomy procedures.

DispoCut™ is extrusion made using a copolymer resin in order to increase impact and temperature performance. Copolymer resins are also used because they retain the ability to be flexed an unlimited number of times without breaking. Chemically, DispoCut™ is inert. At regular temperatures most oils, solvents and water have no effect, allowing it to perform under adverse conditions or as a product component exposed to harsh chemicals.


Each surface has many conveniently located rulers including seven dimensional circles from 4 to 16 mm in diameter and five larger ones from 2 to 6 cm in diameter. Surface will not dull knives. Perfect for use with dissecting pins. All sizes of DispoCut™ Disposable Dissecting Boards are ideal for pathology labs, medical schools, classroom dissections, forensic labs, medical research labs, pharmaceutical labs, surgery and more.

Temperature performance range: -27 °C to 71 °C (17 °F to 160 °F)

Sterilization: DispoCut™ may be wiped down with alcohol with no effect on the material (light rubbing). Autoclavable, at 121 °C for 30 mins. There are some extreme settings which will be damaging and we suggest a trial to determine performance in your equipment.

Can be used
on both sides

THE *DispoCut*™
DISSECTING BOARD



Cat. #	Description	Qty/Pk	Qty/Cs
M630-1	152 x 203 mm (6 x 8 in.)	12	96
M630-2	229 x 305 mm (9 x 12 in.)	12	48
M630-3	305 x 483 mm (12 x 19 in.)	12	24

Have you ever
considered our
Modular Storage Drawer?

See M495-6





M900 EasyDip™ Slide Staining System



Made of acetal

Finally a user-friendly approach for staining your microscope slides, the EasyDip™ Slide Staining System has two components: a square staining jar and a 12-position vertical slide rack. As an extra benefit, they are available in 5 different colors to help better identifying contents or applications.

The staining jar being made of resistant acetal plastic will not break like most glass jars do. It will resist to most staining agents including alcohol and xylene (but not phenol, iodine or ferric chloride). The wide stable base offers greater stability while the inside is recessed, allowing for a smaller reagent volume of only 80 ml. Easy to clean and no metals to corrode. Ideal for special stains, frozen sections and special processes.

Dimensions: 64 x 76 x 92 mm H (2 1/2 x 3 x 3 5/8 in. H).

EasyDip™ Slide Staining Jar

Cat. #	Color	Qty/Cs
M900-12B	Blue	6
M900-12G	Green	6
M900-12P	Pink	6
M900-12W	White	6
M900-12Y	Yellow	6
M900-12AS	Assorted*	1 kit

*This kit includes 5 jars (one of each color) and 1 rack (M905-12DGY).



M906-12AS EasyDip™ Slide Staining Kit

This kit includes one anodized aluminum rack along with six assorted color jars (two white ones) and one M905-12DGY Slide Staining Rack. Also available without staining jars and staining rack (see M906)

Dimensions: 425 x 102 x 38 mm H (16 3/4 x 4 x 1 1/2 in. H)

Cat. #	Description	Qty/Cs
M906-12AS	EasyDip Kit	1
M906	Aluminum Holder only	1

M905-12DGY EasyDip™ Slide Staining Rack


Made of acetal

The EasyDip™ Slide Staining Rack will hold up to 12 microscope slides with dimensions such as 75 x 25 mm (3 x 1 in.) and even 76 x 26 mm and with a thickness of 1.0 and 1.2 mm. The slides fit into individual slots for free passage and rapid drainage of staining fluids. Available in dark gray only.


Dimensions: 60 x 64 x 97 mm H (2 1/4 x 2 1/2 x 3 3/4 in. H)



A handle is permanently attached to the rack for easy insertion and removal.



Staining rack is placed at an angle to facilitate draining of slides.



Vertical rack eases slide removal without using forceps.



Slides are fully secured when lid is upright. Rotate it sideways to allow their easy removal.



Cat. #	Color	Qty/Cs
M905-12DGY	Dark Gray	6



StainTray™ Slide Staining System

Made of ABS Plastic

Another user friendly approach to immunohisto-chemistry staining. This tray is also suitable not only for routine staining requiring a humid chamber but is also ideal for Hematology, Cytology and Microbiology laboratories. Manipulation is made safe and easy by using only one hand.

The StainTray™ has a black base made of tough ABS plastic withstanding a wide range of chemicals (avoid chlorinated hydrocarbons). They will accept 10, 20 or 30 slides even if tray is held at an angle. When humidity is needed, wells between rails will hold up to 1 ml of water securely without splashing. Middle wells will hold up to 2 ml each. Rails are raised not only to avoid water touching the slides but to make them more easily retrievable. The base will also hold excess stain solution dripping from the slides. Four rubber feet ensure greater base stability. Units are stackable for space saving purposes.

Two chamber covers are available:

- Clear allowing for visual examination. Made of PETG with a temperature range of -20 °C to +60 °C.
- Black for fluorescent work. Made of ABS with a temperature range of -80 °C to +80 °C



StainTray™ M918 with a capacity of 10 slides

Dimensions : 24 x 24 x 4.5 cm H (9-3/8 x 9-3/8 x 1-3/4 in. H)

Cat. #	Description	Capacity	Qty/Cs
M918-1	Base with Clear Lid	10 slides	1
M918-2	Base with Black Lid	10 slides	1
M919-1	Clear Lid only for M918	—	1
M919-2	Black Lid only for M918	—	1

StainTray™ M920 with a capacity of 20 slides

Dimensions : 38 x 24 x 4.5 cm H (15 x 9-3/8 x 1-3/4 in. H)

Cat. #	Description	Capacity	Qty/Cs
M920-1	Base with Clear Lid	20 slides	1
M920-2	Base with Black Lid	20 slides	1
M921-1	Clear Lid only for M920	—	1
M921-2	Black Lid only for M920	—	1

StainTray™ M922 with a capacity of 30 slides

Dimensions : 38.4 x 32.9 x 4.5 cm H (15-1/8 x 12-15/16 x 1-3/4 in. H)

Cat. #	Description	Capacity	Qty/Cs
M922-1	Base with Clear Lid	30 slides	1
M922-2	Base with Black Lid	30 slides	1
M922-1	Clear Lid only for M922	—	1
M922-2	Black Lid only for M922	—	1



Plastic rails are covered with a polymer strip holding slides perfectly even if tray is held at an angle.



Wells between rails can be used to hold water for techniques needing a humid environment.



A black lid for fluorescent work. Made of ABS with a temperature range of -80 °C to +80 °C.



If you **TRULY** care about your sample,
let us help you **PROTECT** its integrity!

M950 LockMailer™

Microscope Slide Jar

Jar made of Polypropylene

Closure made of High Density Polyethylene

At last a tamper evident multi purpose container for mailing, staining or storing microscope slides.

Constructed of extra-strong and clear polypropylene, it will hold up to 4 standard 3 x 1 in. or 75 x 25 mm slides vertically. Inside channels are slotted to keep slides safely separated. Perfect also for slide conveyors and specimen slide transport between the doctor's office and the lab.

It incorporates a unique tamper evident leakproof screw cap ensuring your peace of mind during transport or storage situations where someone might have manipulated your slides without your prior knowledge. Can also be used without the tamperproof locking mechanism. For color coding purposes, use a Capinsert™ (see T345 Series).

The container is designed for maximum stability on a bench top while having an internal volume of only 12 ml.

Dimensions: 35 x 87 mm H (1 3/16 in. x 3 7/16 in. H)



Can also be used as a slide staining jar

Cat. #	Color	Qty/Pk	Qty/Cs
M950-4MA	Magenta	100	500

How to use the LockMailer™



Push up the attached tab on side of vial.



Make sure it firmly clicks in place.



Screw on tamperproof cap all the way.



When opening the vial, the tamper evident ring will detach itself from the cap.



The LockMailer™ can also be used without the tamper evident feature.

T345

Color Coding Capinsert™


Made of polypropylene

The Capinsert™ is used to color code a multitude of Simport® products according to your specific needs. It is inserted on top of the closure and has a write-on frosted area for sample identification.



Cat. #	Color	Qty/bag
T345B	Blue	500
T345GY	Gray	500
T345G	Green	500
T345L	Lilac	500
T345O	Orange	500
T345P	Pink	500
T345R	Red	500
T345V	Violet	500
T345W	White	500
T345Y	Yellow	500
T345AS*	Assorted*	500

* Blue, lilac, red, yellow and white



M800 UniMailer™ Slide Mailer

- 1 Slides fit perfectly to avoid any vibrations and breaking during transport.
- 2 Ship as many slides as needed, using only one type of slide mailer.
- 3 A special locking tab keeps UniMailer™ slide mailers securely in place.
- 4 Through holes, you can attach ID label or tamper evident tie.
- 5 Three writing surfaces for proper slide identification.
- 6 Strong plastic ensures rigidity and avoids any slide breakage.
- 7 Great for accessing one slide at a time while other slides are being kept well protected.

Made of high impact polystyrene

For many years now, noticeable improvements on the design of slide mailers have been scarce. Following many suggestions from users in the lab field, Simport® is now proud to come out with the UniMailer™, a truly versatile model which can easily be used for handling and shipping one or as many slides as needed, while having to keep only one model in inventory.

The UniMailer™ is a one-slide tray allowing the use of as many as necessary according to the number of slides to be mailed. Not only do they fit snugly on top of each other but they are also secured by an innovative locking mechanism. You may also want to insert a tamper evident tie or attach an ID label.

Designed to accommodate 25 x 75 mm and 1 x 3 in. slides with or without cover glasses, they can also be used to provide safe storage for those valuable slides you want to protect. It provides for multiple reuse or single use disposability.


Each tray allows placing the slide in a horizontal position for full visibility. Slides can easily be inserted with an exact fit to avoid any breaking during transport. When pressed on either side while in the UniMailer™, they will pop-up for easy removal.

Identification can be made on three sides or on top. Made of an almost unbreakable plastic, they are available in many popular pastel colors for easy identification. Packed in bag of fifty slide mailers. Will resist temperatures between -80 °C and +80 °C.


Dimensions: 89 x 29 x 6 mm H (3½ x 1⅜ x ¼ in. H)

Cat. #	Color	Qty/Pk	Qty/Cs
M800-100B	Blue	50	200
M800-100G	Green	50	200
M800-100P	Pink	50	200
M800-100W	White	50	200
M800-100Y	Yellow	50	200


Not only do UniMailer™ slide mailers fit snugly on top of each other but are secured by an innovative locking mechanism.



To close, slide upper UniMailer™ forward until locking pins are engaged.



Locking mechanism is now functional.



To open, insert finger between two locking tabs and slide back upper UniMailer™.

The UniMailer™ is easy to use



Identify content by writing on sides.



Place slide in UniMailer™



Place another slide mailer on top and slide forward until a click is heard.



If desired, you can attach a tamper evident tie.



To open, slightly lift front tab to disconnect lock and slide back upper UniMailer™.



Press on slide to lift and remove.


**TAMPER
EVIDENT**

M960 HistoTainer™ I

**TAMPER EVIDENT Prefilled Specimen Containers,
50% Filled with 10% Neutral Buffered Formalin**

Container made of polypropylene
Closure made of polyethylene

Especially designed for collection, transport and storage of histology specimens, Simport® offers shatter resistant polypropylene containers, eliminating most problems of leakage and evaporation. The magenta lids are ribbed for easy opening when hands are wet or gloved while the jars are stackable for easy, safe storage and translucent to allow specimens to be viewed without opening. The closures are manufactured from virgin polyethylene with a unique integrated leak-resistant seal. Container's vertical walls offer excellent rigidity.

The uniqueness of the HistoTainer™ is that it incorporates an innovative tamper evident screw cap ensuring your peace of mind during transport or storage situations where someone might have manipulated the specimen without your prior knowledge. Can also be used without using the tamper evident locking mechanism. For color coding purposes, use a Capinsert™ (see T345 Series) on top of closure.

Both containers and caps are manufactured without the use of plasticisers or mold release agents. All material used in manufacture are free from latex. All containers are 95 kPa compliant. Available in many sizes from 20 to 120 ml. Packaging in trays of 24, cases of 96.

The Simport® HistoTainer™ is half filled with 10% Neutral Buffered Formalin as a fixative. 10% Neutral Buffered Formalin penetrates quickly, but fixes slowly. The Simport® Formalin is enhanced by a buffering capacity optimizing histological results by light microscopy and immunohistochemistry.



How to use the HistoTainer™ I



Remove Screw Cap.



Place sample in container.



Push up the attached tab on side of container. Make sure it firmly clicks in place.



Screw cap completely on container.



When opening the container, the tamper evident ring will detach itself from the cap.



The HistoTainer™ can also be used without the tamper evident feature.



As a cassette holder, the 40 ml HistoTainer™ M960-40MA containing 20 ml of 10% Formalin, is the ideal size container to transport up to four tissue samples pre-inserted in processing / embedding cassettes.



M960 Series packaged in sturdy cardboard boxes with handles for easy carrying.

Cat. #	Packaging	Volume	Qty/Tray	Qty/Cs
M960-20FMA	Tamper Evident - Internal Trays	20 ml	24	96
M960-40FMA	Tamper Evident - Internal Trays	40 ml	24	96
M960-60FMA	Tamper Evident - Internal Trays	60 ml	24	96
M960-90FMA	Tamper Evident - Internal Trays	90 ml	24	96
M960-120FMA	Tamper Evident - Internal Trays	120 ml	24	96

Anatomy of the HistoTainer™ I

1. Ridges around base offer a better grip during opening and closing.
2. Warning label has space for patient identification.
3. Insertion of a T345 Capinsert™ allows color coding identification of contents.
4. Molded ridges around lid make it easy to open and close.
5. Tamper evident sealing ring for better sample protection.
6. Specially designed locking tab to ensure a perfect tamper evident seal.
7. 10% Neutral Buffered Formalin helps to protect sample integrity.





M961 HistoTainer™ II

NON Tamper Evident Prefilled Specimen Containers, 50% Filled with a Choice of Fixatives

Container made of polypropylene / Closure made of polyethylene

Especially designed for collection, transport and storage of histology specimens, Simport® offers shatter resistant polypropylene containers, eliminating most problems of leakage and evaporation. Containers are manufactured from virgin, translucent polypropylene. The white lids are ribbed for easy opening when hands are wet or gloved while the jars are stackable for easy, safe storage. Jars are translucent and specimens can be viewed without having to open the lid. Closures are manufactured from virgin polyethylene with a unique integrated leak-resistant seal. Container's vertical walls offer excellent rigidity. For color coding purposes, use a Capinsert™ (see T345 Series) on top of closure. Ten different colors are available.


Both containers and caps are manufactured without the use of plasticisers or mold release agents. All materials used in manufacturing are free from latex. Containers are 95 kPa compliant. Available in many sizes from 20 to 120 ml. Packaging is offered in trays of 24, cases of 96.

The HistoTainer™ II is half filled with .10% Neutral Buffered Formalin which penetrates quickly, but fixes slowly. The Formalin is enhanced by a buffering capacity optimizing histological results by light microscopy and immunohistochemistry.



For color coding purposes, use a Capinsert™ on top of the closure. (see T345 Series).

M961 Series packaged in sturdy cardboard boxes with handles for easy carrying.



Warning label has space for patient identification

Cat. #	Volume	Fixative	Qty/Tray	Qty/Cs
M961-20FW	20 ml	Formalin	24	96
M961-40FW	40 ml	Formalin	24	96
M961-60FW	60 ml	Formalin	24	96
M961-90FW	90 ml	Formalin	24	96
M961-120FW	120 ml	Formalin	24	96



M970-D8P



M970-D8UGI



M970-D5B-1



M970-D12P



M970-D12LGI



M970-D5B-2

CoreDish®

Multiple Biopsy Containers
Half Prefilled with 10% Formalin

FOR
IVD
USE

CE

95 kPa
TESTED

Made of polystyrene

Few recommendations concerning how the biopsies should be handled have been published. Performing a large number of biopsies means an increase in the number of containers handled and consequently a technical overload of the transmission network, which occurs without any financial counterpart. A new approach had to be developed in order to increase productivity.

Simport® is proud to offer a multi-compartment container in the shape of a dish and half prefilled with 10% Neutral Buffered Formalin, for holding and transporting biopsies. It is supplied with a leakproof closure with o-ring ensuring total protection of contents. **The Simport® CoreDish® measures only 15 x 95 mm in diameter.** Each compartment is clearly identified to allow proper placement and visualization of the biopsy being inserted. **Thanks to the CoreDish® it is no longer necessary to use a multitude of individual containers, thereby reducing risks of confusion.** The Simport® CoreDish® offers many configurations in order to hold different biopsies of the breast, prostate, upper GI tract and lower GI tract. A label allows essential information to be written such as patient I.D., doctor, date and time.

The CoreDish® is also available without formalin. See series M971.



M970-D5B-1

BREAST BIOPSY CONTAINER For separation, imaging and transport of core needle specimens

Designed specifically for radiography, separation, imaging and transport of core needle breast biopsies. Special absorbent liner keeps specimens moist (when saline solution is added) prior to radiography while helping to attenuate the x-ray beam. Four compartments are clearly identified (3, 6, 9 and 12) and the radiolucent numbers show up clearly on the radiograph. Formalin may be added prior to transportation to pathology for analysis. An area for writing patient information is provided on the label. Leakproof seal, thanks to o-ring lid, allows for safe and easy transport of the specimens from collection to analysis. Not formalin prefilled.

Cat. #	For	Compartments	Prefilled	Qty/Pk	Qty/Cs
M970-D5B-1	Breast	5	NO	1	10

M970-D5B-2

BREAST BIOPSY CONTAINER

Simport® is proud to offer a multi-compartment container (out of five compartments, four are labelled: Left Upper Quadrant, Right Upper Quadrant, Left Lower Quadrant, Right Lower Quadrant) in the shape of a dish and half prefilled with 10% Neutral Buffered Formalin, for holding and transporting biopsies. Each compartment is clearly identified to allow proper placement and visualization of the breast biopsy being inserted. A writing area for patient information is provided. Leakproof seal, thanks to o-ring lid, allows for safe and easy transport of the specimens from collection to analysis.

Cat. #	For	Compartments	Prefilled	Qty/Pk	Qty/Cs
M970-D5B-2	Breast	5	YES	1	10
M971-D5B-2	Breast	5	NO	1	10

M970-D8P

PROSTATE BIOPSY CONTAINER

For prostate biopsies. Eight compartments. An area for patient information is provided. Six labeled compartments: Base, Lateral Base, Medial, Lateral Medial, Apex, Lateral Apex. Leakproof seal, thanks to o-ring lid, allows for safe and easy transport of the specimens from collection to analysis.

Cat. #	For	Compartments	Prefilled	Qty/Pk	Qty/Cs
M970-D8P	Prostate	8	YES	1	10
M971-D8P	Prostate	8	NO	1	10

M970-D8UGI

UPPER GI TRACK BIOPSY CONTAINER

For upper GI track biopsies. Eight compartments. An area for patient information is provided. Seven labeled compartments: Gastric Card, Gastric Body, GE Junction, Gastric ATR, Distal Esophage, Pylorus, Duodenum. Leakproof seal, thanks to o-ring lid, allows for safe and easy transport of the specimens from collection to analysis.

Cat. #	For	Compartments	Prefilled	Qty/Pk	Qty/Cs
M970-D8UGI	Upper Gi Tract	8	YES	1	10
M971-D8UGI	Upper Gi Tract	8	NO	1	10

M970-D12LGI

LOWER GI TRACK BIOPSY CONTAINER

For lower GI track biopsies. Twelve compartments. An area for patient information is provided. Ten labeled compartments: Proximal Flexure Colon, Hepatic Flexure Colon, Distal Transverse Colon, Ascending Colon, Splenic flexure Colon, Cecum, Descending Colon, Terminal Ileum, Rectum, Sigmoid Colon. Leakproof seal, thanks to o-ring lid, allows for safe and easy transport of the specimens from collection to analysis.

Cat. #	For	Compartments	Prefilled	Qty/Pk	Qty/Cs
M970-D12LGI	Lower Gi Tract	12	YES	1	10
M971-D12LGI	Lower Gi Tract	12	NO	1	10

M970-D12P

PROSTATE BIOPSY CONTAINER

For prostate biopsies. Twelve compartments. An area for patient information is provided. Twelve labeled compartments: L Base, R Base, L Lateral Base, R Lateral Base, L Lateral Medial, L Medial, R Medial, R Lateral Medial, L Lateral Apex, L Apex, R Apex, R Lateral Apex. Leakproof seal, thanks to o-ring lid, allows for safe and easy transport of the specimens from collection to analysis.

Cat. #	For	Compartments	Prefilled	Qty/Pk	Qty/Cs
M970-D12P	Prostate	12	YES	1	10
M971-D12P	Prostate	12	NO	1	10





CoreDish®

GENERAL PURPOSE MULTIPLE BIOPSY CONTAINERS



M970-D5

5-COMPARTMENT BIOPSY CONTAINER

Made of polystyrene

Performing a large number of biopsies means an increase in the number of containers handled and consequently a technical overload of the transmission network, which occurs without any financial counterpart. A new approach had to be developed in order to increase productivity. Simport® is proud to offer a five-compartment container in the shape of a dish and half prefilled with 10% Neutral Buffered Formalin, for holding and transporting biopsies. It is supplied with a leakproof screw closure with o-ring ensuring total protection of contents. A writing area for patient information is provided. Compartments are numbered from 1 to 5.

Cat. #	For	Compartments	Prefilled	Qty/Pk	Qty/Cs
M970-D5	General purpose	5	YES	1	10
M971-D5	General purpose	5	NO	1	10



M970-D8

8-COMPARTMENT BIOPSY CONTAINER

Made of polystyrene

Simport® is proud to offer a multi-compartment container for up to 8 biopsies. The screw on lid incorporates an o-ring in order to make it leakproof and protect its contents. An area for patient information is provided on the label. Compartments are numbered from 1 to 8.

Cat. #	For	Compartments	Prefilled	Qty/Pk	Qty/Cs
M970-D8	General purpose	8	YES	1	10
M971-D8	General purpose	8	NO	1	10



M970-D12

12-COMPARTMENT BIOPSY CONTAINER



Made of polystyrene

This model will contain up to twelve biopsies. The screw on lid incorporates an o-ring in order to make it leakproof and protect its contents. Compartments are numbered from 1 to 12.

Cat. #	For	Compartments	Prefilled	Qty/Pk	Qty/Cs
M970-D12	General purpose	12	YES	1	10
M971-D12	General purpose	12	NO	1	10



A security label is supplied to ensure integrity of contents from collection stage to reopening of CoreDish®.



To close, turn clockwise until you feel a firm stop.

M975

The CorePicker™

Made of polystyrene

A practical tool and a great help to pick up and handle biopsies out of the CoreDish®. Packed in tamperproof resealable bags.

Cat. #	Length	Qty/Bag	Qty/Pk
M975	53 mm (2 1/8 in.)	25	125

M976


Shipping Box for CoreDish®

Made of cardboard

This sturdy and easy-to-assemble shipping box is most convenient for transporting or mailing the Simport® CoreDish®.

Cat. #	Description	Qty/Pk
M976	Cardboard Box	10





M750-20 SlideFolder™

Base made of high impact polystyrene / Hinged doors made of polystyrene


The SlideFolder™ will hold up to twenty standard microscope slides 75 mm x 25 mm (3 x 1 in.) and is made of two parts: a base holding the slides horizontally offering numbered spaces for easy identification, and transparent doors which can either cover the slides or be swung behind the SlideFolder™ for space saving purposes.

The base is available in 5 different colors, allowing color-coding classification of the slides. Each slide location is identified with a number from 1 to 20. Removal of slides is made easy simply by pressing on one end, which will automatically lift the other end.

The two transparent hinged covers offer a full view of each slide without having to remove it from its position in the SlideFolder™ and allows easy reading of ID labels with or without an optical barcode reader. All units are stackable and take minimum space on laboratory tables or shelves. Will resist temperatures between -80 °C and +80 °C. Not autoclavable.

Dimensions: 192 x 295 x 11 mm H (7 9/16 x 11 11/16 x 7/16 in. H)

Cat. #	Color	Qty/Cs
M750-20B	Blue	10
M750-20G	Green	10
M750-20GY	Gray	10
M750-20W	White	10
M750-20Y	Yellow	10
M750-20AS	Assorted (two of each color)	10
Cat. #	Opaque doors	Qty/Cs
M752-20WOP	Opaque doors and white base	10



For light sensitive slides, use M752-20WOP SlideFolder™ with opaque doors.



For easier access to slides, simply swing the transparent hinged covers behind the SlideFolder™.



Easy slide removal by pressing down on one end and lifting it from the other.

M755-20 SlideTray™

Made of HIPS

The SlideTray™ is a convenient microscope slide holder made of heavy-duty plastic lasting many years even under the most adverse conditions. The SlideTray™ will hold up to 20 microscope slides in an almost horizontal position. Each slide can be easily removed and placed back in its position. The SlideTray™ is easily stackable and will take minimum space on any shelf or laboratory counter. Even when trays are stacked, slides are well protected and will not touch the tray above.

Dimensions: 206 x 299 x 18 mm H (8 1/8 x 11 3/4 x 11/16 in. H)

Cat. #	Color	Qty/Cs
M755-20W	White	10



Slides are easily inserted and removed.

CytoSep™ Collection



The Simport® CytoSep™ Collection is a series of Cytology Funnel sample chambers specially designed to concentrate cells into thin-layer preparations. Simport® is one of the most trusted names in the disposable plasticware marketplace, providing quality products since 1975 and is proud to offer the largest choice of Cytology Funnels on the market by manufacturing numerous models for use with the Shandon Cytospin® 4 Cytocentrifuge, the Sakura Cyto-Tek® Cytocentrifuge, the Hettich Cyto-System, the Unitech (Wescor) Cytopro® Cytocentrifuge and finally the StatSpin Cytofuge® 2 Cytocentrifuge. They are safer than reusable sample chambers and lower your risk of contamination to pathogenic samples. After use, they are simply discarded. The CytoSep™ Cytology Funnels are a time saver compared to cleaning and sterilizing reusable sample chambers. The Simport® CytoSep™ Cytology Funnels are recommended for the following applications:

- Bronchial alveolar lavage washes
- Cerebrospinal fluids
- Exudates and transudates
- Fine needle aspirates, and other aspirates
- Gastric washes
- Oral cavity washes
- Pericardial fluids
- Peritoneal fluids
- Pleural fluids
- Sputum
- Synovial fluids
- Urine





Consumables for the Shandon Cytospin® Cytocentrifuges

Single CytoSep™ Cytology Funnel

Fully compatible with the Shandon CytoSpin® Centrifuge, Simport® CytoSep™ Cytology Funnels can be used to deposit a thin layer of cells in a clearly defined area of a microscope slide. The filter card absorbs any excess fluid. These Cytology Funnels have the filter cards pre-attached for consistent, reliable results. No alignment necessary! All disposable Funnels are packaged with closure caps to seal in specimen for added protection. All components also available separately. For sample volumes of up to 0.5 ml, use the Simport® Single CytoSep™ Cytology Funnel with a White Filter Card and Cap. It provides a cell deposition area of 6 mm dia. (28 mm²). Can be use with all stainless steel slide clips.

For sample volumes of up to 0.4 ml, such as Spinal Fluids for example, use the Single CytoSep™ Cytology Funnel with Brown Filter Card and Cap. It allows for a slower absorption of fluids. All the individual components are also available separately.



A more convenient packaging design has been developed for individually wrapped and bulk packaged Cytology Funnels, thereby facilitating their handling.

Cat. #	Description	Qty/Pk	Qty/Cs
M964-10FW	Single Funnel with White Filter & Cap	50	500
M964-10FW1	Individually wrapped Single Funnel with White Filter & Cap	100	500
M964-10FT	Single Funnel with Tan Filter & Cap	50	500
M964-1	Single Funnel only	—	500
M965C	Cap only	50	500
M965FW	White Filter Paper for Single Funnel	200	—
M965FT	Tan Filter Paper for Single Funnel	200	—



Double CytoSep™ Cytology Funnel

The Simport® Double CytoSep™ Cytology Funnel with disposable sample chamber allows for two samples to be run simultaneously on a single slide and is ideal for immunohistochemistry work. The Double CytoSep™ Cytology Funnel provides cell deposit areas of 6 mm dia. (28 mm²) for sample volumes of up to 0.5 ml. The filter card comes pre-attached. Cap is included. Can be use with all stainless steel slide clips. Each component is also available separately.



Cat. #	Description	Qty/Pk	Qty/Cs
M964-20FW	Double Funnel with White Filter & Cap	50	500
M964-20FW1	Individually wrapped Double Funnel with White Filter & Cap	100	500
M964-1D	Double Funnel only	—	500
M965C	Cap only	50	500
M965FWD	White Filter Paper for Double Funnel	200	—



Filter Card for Shandon Reusable TPX Single Sample Chamber

Cat. #	Description	Qty/Pk	Qty/Cs
M965FWDV	White Filter Paper for TPX Cytology Funnel	200	—


M964B CytoSep™ Metal Cytology Funnel Clip

Made of stainless steel


The Simport® CytoSep™ Metal Cytology Funnel Clip is similar in design to the model provided by Shandon. It will hold the Cytology Funnel disposable sample chamber against the microscope slide in the Thermo Scientific Cytospin™ Cytocentrifuge. This Simport® reusable metal clip is autoclavable and will not rust or corrode during decontamination.



Cat. #	Description	Qty/Pk	Qty/Cs
M964B	Metal Cytology Funnel Clip	—	6




To open, push clip sideways to the right



Insert microscope slide



Insert any M964 CytoSep™ Cytology Funnel and place over the microscope slide



Secure clip by pushing it sideways to the left into the hooks



Consumables for the Shandon Cytospin® Cytocentrifuges

ALL PLASTIC Single and Double CytoSep™ Cytology Funnels

These are so easy to use, and improve turn-around time while giving more diagnostic information. Being totally disposable, they eliminate time-consuming decontamination and cleaning. They are safe to use and reduce the risk of exposure to pathogenic samples. They also decrease the possibility of cross-contamination. This series of Simport® Single CytoSep™ Cytology Funnels is single-use. The disposable sample chambers do not need metal clips and are designed to meet any processing requirement. They are capable of producing high quality thin-layer slide preparations while improving laboratory efficiency.

The disposable Sample Chambers with White Filter Cards are used for sample volumes up to 0.5 ml; the ones with the Brown Filter Cards are for sample volumes up to 0.4 ml. The cell deposition area is 6 mm in diameter (28 mm²). Filter cards are pre-attached. Excellent for scanty specimens such as CSF. All components also available separately.

The double CytoSep™ Cytology Funnel allows two sample deposition areas on a single slide. This disposable sample chamber does not need metal clip. This Sample Chamber is also disposable.



Cat. #	Description	Qty/Tray	Qty/Cs
M965-10FW	Single Funnel with White Filter & Cap	40	480
M965-10FT	Single Funnel with Tan Filter & Cap	40	480
M965-20FW	Double Funnel with White Filter & Cap	40	480




YOU CAN ALSO REUSE OR ACQUIRE ANY INDIVIDUAL COMPONENTS WHEN NEEDED



Cat. #	Description	Qty/Pk	Qty/Cs
M965-1	Single Funnel only	50	500
M965-1D	Double Funnel only	50	500
M965B	Base only	50	500
M965C	Cap only	50	500
M965FW	White Filter Paper for Single Funnel	200	—
M965FT	Tan Filter Paper for Single Funnel	200	—
M965FWD	White Filter Paper for Double Funnel	200	—

Each component is strong enough to be reused.



Insert funnel into base.



Insert microscope slide.



Place new filter onto microscope slide.



Clip top of funnel and base together.



Your CytoSep ALL PLASTIC Cytology Funnel is now ready to use.



Consumables for the Shandon Cytospin® Cytocentrifuges

MEGA CytoSep™ Cytology Funnel

The Simport® ALL PLASTIC CytoSep™ MEGA Funnel provides an easy, efficient and cost effective method of producing high quality thin-layer slide preparations. It eliminates the need for stainless steel slide clips, offering laboratory workflow improvements. It is dedicated for convenient preparation of larger volume samples. This larger funnel is quick and easy to remove. The large rectangular cell deposition area of 22 x 14.75 mm (325 mm²) provides for up to 12 times the sample volume (6 ml) of the single CytoSep™ Cytology Funnel. It produces more cost-effective thin layer preparations when compared to other thin layer methods. Strategically placed baffles inhibit cell settling which results in uniform cell deposition and excellent quality slide preparations. Simport® ALL PLASTIC CytoSep™ Cytology MEGA Funnel and Cap minimize user exposure to pathogens while reducing the risk of specimen cross-contamination. Can prepare both air-dried and fixed preparations.



Cat. #	Description	Qty/Pk	Qty/Cs
M965-40	MEGA Funnel & Cap	40	480

Consumables for the Sakura Cyto-Tek® Cytocentrifuge

CytoSep™ Cytology Funnel for Sakura Cyto-Tek® Cytocentrifuge

All components are available separately. The Simport® CytoSep™ Cytology Funnel offers the 1 ml fluid chamber, the base holder, the chamber cap, and the filter paper.



Cat. #	Description	Qty/Pk	Qty/Cs
M963-1	Fluid Chamber only, 1 ml	50	200
M963B	Base Holder only	50	200
M963C	Cap only	50	200
M963FW	White Filter Card only	—	200



Consumables for the Unitech (Wescor) Cyto-System



Single CytoSep™ Cytology Funnels for the Unitech (Wescor) Cytopro® Cytocentrifuge

These funnels will snap quickly in place, allowing the pad to align correctly with the sample tunnel. Made with a compression ring around the sample hole in order to better control the rate of absorption and to ensure more consistent results.

Two ports, one in the sample well and one in the tunnel, provide great versatility. Samples are loaded directly through the chamber caps to prevent spilling of hazardous ones. Caps provide added safety to the operator. A large, centered cell deposit area makes screening easier and more sensitive.



Cat. #	Description	Qty/Tray	Qty/Cs
M967-10FW	Single Sample Chamber With White Filter Paper & Cap	24	48
M967FW	White Filter Paper for Single Funnel	—	100




Dual CytoSep™ Cytology Funnels for the Unitech (Wescor) Cytopro® Cytocentrifuge

With two chambers, cell deposit areas are close together and easy to find, helping to speed sample analysis. Two deposit areas on one slide enhance all of the advantages of the popular single chambers. Reduced time spent loading and unloading slides.

- Two cell deposit areas on the same slide means true cost reduction.
- Two deposit areas on one slide enhance productivity for those under regulatory workload limitations.
- Reduced time spent loading and unloading slides between the rotor, stainer and microscope.
- Cell deposit areas are close together and easy to find, helping to speed sample analysis.
- Cytopro's 7 mm diameter spot provides a 37% larger area to collect cells.



Cat. #	Description	Qty/Tray	Qty/Cs
M967-20FW	Double Sample Chamber With White Filter Paper & Cap	24	48
M967FWD	White Filter Paper for Double Funnel	—	100






Consumables for the StatSpin Cytofuge® 2 Cytocentrifuge


Simport® CytoSep™ Cytology Funnels for the StatSpin Cytofuge® 2 Cytocentrifuge allow cells to gently concentrate in a 7 mm diameter area on the slide while supernatant is simultaneously absorbed by a filter card. Will accept 50-400 µl of sample. Produces cell monolayer presentations of excellent quality. Disposable filter sold separately.



Cat. #	Description	Qty/Pk
M968-1	Cell Concentrator only	48
M968FW	Disposable Filter Concentrator	200



M968-1



Consumables for the Hettich Cyto-System

The Simport® CytoSep™ Funnel Chambers for the Hettich Cyto-System optimize lab throughput with multiple funnel options. These funnels are perfect for every application such as CSF, Viral infections, bronchial secretions and come in four sizes from 1 ml to 8 ml. The 1 ml chamber is for small-volume samples of low cell contents. Both 2 and 4 ml chambers are suggested for cell-rich samples, e.g. pleura, ascites and bronchial washings while the 8 ml chamber is perfect for large-volume samples such as urine.



Cat. #	Description	Qty/Pk	Qty/Cs
M966-1	One-Funnel Chamber, 1 ml	10	50
M966-2	One-Funnel Chamber, 2 ml	10	50
M966-4	One-Funnel Chamber, 4 ml	10	50
M966-8	One-Funnel Chamber, 8 ml	10	50
M966FW	Filter for 1, 2 and 4 ml Chambers	200	—
M966FW8	Filter for the 8 ml Chamber	200	—



P200

DROPETTE® Disposable Transfer Pipets


Made of low density polyethylene

These all-in-one pipets eliminate the hazard of broken glass and exposure to infectious materials. Put an end to matching rubber bulbs with glass pipets. Molded from see-through low density polyethylene. Inert to biological fluids and most acids. Can be sealed and refrigerated. They work well whenever there is a need for quick, safe transfer of fluids. Temperature resistant down to -196 °C. Can be gas (EtO) sterilized. Choose between 12 very popular models, available in several sizes, tip designs and lengths, in sterile or non sterile packaging. Seven models provide graduations.


P200-10




P200-14




P200-20




P200-30




P200-44




P200-52




P200-56




P200-58




P200-58V




P200-60



P200-72



P200-82





Cat. #	Sterile	Graduated	Length	Capacity	Bulb draw	Inner pack
P200-10			6.3 cm	1.2 ml	0.9 ml	Loose
P200-101S*	•					1
P200-1020S*	•					20
P200-14		•	11.4 cm	1.5 ml	0.8 ml	Loose
P200-141S*	•					1
P200-1420S*	•					20
P200-20			8.7 cm	1.7 ml	0.9 ml	Loose
P200-201S*	•					1
P200-2020S*	•					20
P200-30		•	13.8 cm	3 ml	2.1 ml	Loose
P200-301S*	•					1
P200-3020S*	•					20
P200-44			15.5 cm	4 ml	3.1 ml	Loose
P200-441S*	•					1
P200-445S*	•					5
P200-4410S*	•					10
P200-4420S*	•					20
P200-52		•	15 cm	5 ml	3.1 ml	Loose
P200-521S*	•					1
P200-525S*	•					5
P200-5210S*	•					10
P200-5220S*	•					20
P200-56		•	15.5 cm	5 ml	1.9 ml	Loose
P200-561S*	•					1
P200-565S*	•					5
P200-5610S*	•					10
P200-5620S*	•					20
P200-58		•	15.6 cm	5 ml	1.8 ml	Loose
P200-581S*	•					1
P200-5820S*	•					20
P200-58V		•	14.5 cm	5 ml	1.8 ml	Loose
P200-58V1S*	•					1
P200-58V20S*	•					20
P200-60			22.5 cm	6 ml	2.3 ml	Loose
P200-601S*	•					1
P200-605S*	•					5
P200-6010S*	•					10
P200-6020S*	•					20
P200-72		•	15.5 cm	7 ml	3.2 ml	Loose
P200-721S*	•					1
P200-725S*	•					5
P200-7210S*	•					10
P200-7220S*	•					20
P200-82			15 cm	8 ml	4.6 ml	Loose
P200-821S*	•					1
P200-8220S*	•					20

- Will not shatter
- Can be used in liquid nitrogen
- Non toxic and inert
- No bulb to insert or remove
- Uniform drop size

Packaging:

All non sterile pipets are in boxes of 500 and cases of 5000.

Exception: P200-82 are in boxes of 400 and cases of 4000.

Most sterile pipets are in boxes of 400 and cases of 4000.

* Available on request only. Minimum quantities apply. Please enquire for more details.




CHILLBLOCK™


Tube Rack Collection

ChillBlock™ thermo-conductive metal alloy tube racks eliminate inconsistencies which occur due to inserting tubes directly into ice, dry ice, alcohol baths, water baths and other common laboratory temperature sources. Place the Chill Block™ tube rack directly onto a temperature source and it will rapidly adapt to that temperature from -150°C to $+100^{\circ}\text{C}$. ChillBlock™ tube racks ensure $\pm 0.1^{\circ}\text{C}$ temperature uniformity of all tubes when cooling, freezing or heating. ChillBlock™ tube racks are available in a variety of sizes for tubes such as microcentrifuge tubes, cryogenic vials, PCR tubes, SBS-compliant strips and plates, 15 ml and 50 ml tubes.





Anatomy of a ChillBlock™



1. Individual wells minimize risks of tube contamination by water or ice.
2. Can be autoclaved or cleaned with disinfectants.
3. Temperature uniformity through the whole ChillBlock™ rack.
4. Tubes stay upright and are easier to manipulate.
5. Anodized surface resistant to rust, corrosion and abrasion.



Alphanumeric identification of wells facilitating tube location.

APPLICATIONS

Use on Ice

- Adapts from ambient to $<4^{\circ}\text{C}$ in 60-90 seconds
- Samples and labels stay dry, organized and uniform in temperature
- Hours of ice cooling without direct ice contact

Use on Dry Ice

- Adapts from ambient to -78°C in 5-7 minutes
- Eliminates ethanol – cost savings, no hazardous waste
- Equal or better freezing rate when compared to other methods

Use above Liquid Nitrogen

- Adapts from ambient to -140°C in 15 minutes
- Samples are upright and organized as they freeze
- No direct contact between samples and liquid nitrogen

Heating methods

Use **ChillBlock™** tube racks with heat sources such as:


- waterbath
- incubator
- hot plate, oven



S700-1, -4, -6, -8, -10

ChillBlock™ Microcentrifuge Tube Racks


ChillBlock™ Microcentrifuge Tube Racks are available in five models from 6 to 96 wells. An alphanumeric grid allows for indexing rows and columns, therefore facilitating tube location. These racks will hold 1.5 ml and 2.0 ml snap cap Microcentrifuge tubes. They will also accommodate the popular 0.5 ml to 2.0 ml screw cap Microcentrifuge tubes such as the Simport Microwtube® Series.



Cat. No	Wells	Dimensions (L x W x H)	Qty/Cs
S700-1	6	2.4 x 1.7 x 1.5 in / 6.0 x 4.3 x 3.2 cm	1
S700-4	15	3.8 x 2.4 x 1.5 in / 9.6 x 6.0 x 3.2 cm	1
S700-6	30	4.5 x 3.8 x 1.5 in / 11.4 x 9.6 x 3.2 cm	1
S700-8	90	10.8 x 4.5 x 1.5 in / 27.4 x 11.4 x 3.2 cm	1
S700-10	96	8.7 x 5.9 x 1.5 in / 22.1 x 14.9 x 3.2 cm	1



This group of racks will also accommodate the popular 0.5 ml to 2.0 ml screw cap Microcentrifuge tubes such as the Simport Microwtube® Series.



These wells have a vertical wall in order to accommodate all types of Microcentrifuge tubes up to 2 ml.



Alphanumeric identification of wells facilitating tube location.

In your **ChillBlock™** racks, have you ever considered using Simport® Microcentrifuge tubes?

The Microwtube® Family Screw Cap Microcentrifuge Tubes

T332 – T361 Series

A Simport MICREWUBE® has a multitude of applications around your lab. It is ideal for freezer storage, boiling application, centrifugation etc. and will fit most standard microcentrifuge rotors. Six styles of caps to choose from, and three sizes of conical bottom or self-standing tubes (0.5 ml, 1.5 ml and 2 ml).

A TUBE FOR EVERY APPLICATION



Clicklok™ Microcentrifuge Tube Family

T330 & T331 Series

- Extra clarity for better visual inspection
- Boil-proof design
- Ultra rugged walls made for high speed centrifugation
- Unique ClickLok™ sealing mechanism
- Made of highest purity polypropylene.






S700-14, -16, -18


ChillBlock™ Profile Fit Microcentrifuge Tube Racks

S700-16 and S700-18 ChillBlock™ Profile Fit Microcentrifuge Tube Racks are available with either 15 & 30 wells holding 1.5 ml snap cap Microcentrifuge tubes. S700-14 is a 30-well rack and will hold 0.5 ml tubes. An alphanumeric grid allows for indexing rows and columns, therefore facilitating tube location. Each cavity will ensure a more efficient thermal exchange since it is in direct contact with the entire tube wall.

Cat. No	Wells	For tubes	Dimensions (L x W x H)	Qty/Cs
S700-14	30	0.5 ml	4.5 x 3.8 x 1.5 in / 11.4 x 9.6 x 3.2 cm	1
S700-16	15	1.5 ml	3.8 x 2.4 x 1.5 in / 9.6 x 6.0 x 3.2 cm	1
S700-18	30	1.5 ml	4.5 x 3.8 x 1.5 in / 11.4 x 9.6 x 3.2 cm	1



Excellent temperature exchange since tube wall is in direct contact with rack.



Alphanumeric identification of wells facilitating tube location.

In your **ChillBlock™** racks, have you ever considered using Simport® Microcentrifuge tubes?

Clicklok™ Microcentrifuge Tube Family

T330 & T331 Series

- Extra clarity for better visual inspection
- Boil-proof design
- Ultra rugged walls made for high speed centrifugation
- Unique ClickLok™ sealing mechanism
- Made of highest purity polypropylene.



S700-24, -28

ChillBlock™ Cluster or Storage Tube Racks

The ChillBlock™ Cluster Tube Racks are available in two models of 96 wells each. An alphanumeric grid allows for indexing rows and columns, therefore facilitating tube position. S700-24 rack will hold 0.5 ml cluster tubes while S700-28 rack accepts 1.2 or 1.4 ml cluster tubes.

Cat. No	Wells	For tubes	Dimensions (L x W x H)	Qty/Cs
S700-24	96	0.5 ml	5 x 3.4 x 1.5 in / 12.8 x 8.5 x 3.2 cm	1
S700-28	96	1.4 ml	5 x 3.4 x 1.7 in / 12.8 x 8.5 x 4.3 cm	1



In your **ChillBlock™** racks, have you ever considered using Simport® Cluster tubes?

Cluster Tubes T100 Series

Tubes are made of autoclavable polypropylene and are available either individually or in strips of 8 or 12 detachable tubes. Tubes have a gross volume of 1.2 ml but with a cap in place, they will hold 1.1 ml. Caps are made of polyethylene and are not autoclavable. They are available individually and also in strips of 8 or 12.





S700-35, -40

ChillBlock™ 15 ml and 50 ml Centrifuge Tube Racks

The ChillBlock™ 15 ml and 50 ml Centrifuge Tube Racks are available in two configurations, one of 9 wells for 15 ml centrifuge tubes and one of 4 wells for 50 ml centrifuge tubes. An alphanumeric grid allows for indexing rows and columns, therefore facilitating tube location.

Cat. No	Wells	For tubes	Dimensions (L x W x H)	Qty/Cs
S700-35	9	15 ml	3.1 x 3.1 x 4.2 in / 7.9 x 7.9 x 10.7 cm	1
S700-40	4	50 ml	3.5 x 3.5 x 4.4 in / 8.9 x 8.9 x 11.2 cm	1



Alphanumeric identification of wells facilitating tube location.



S700-35

S700-40

In your **ChillBlock™** racks, have you ever considered using Simport® Centrifuge tubes?



15 ml Centrifuge Tubes - T408

Suitable for general centrifugation, urinalysis procedures and serum separation. These conical bottom tubes are chemically clean and metal free, ready to use and uniform in size and shape.



50 ml Centrifuge Tubes - T420

These centrifuge tubes are useful for collecting and transporting biological specimens. Leakproof characteristics are ensured by a flat top plastic screw cap with an inner sealing lip. Tubes are made of translucent polypropylene or optically clear polystyrene with molded graduations from 2.5 to 50 ml.




S700-50, -52, -56, -58

ChillBlock™ SBS Footprint Tube Racks

These ChillBlock™ SBS Footprint Tube Racks conform in size to the SBS standard footprint and are compatible for quick transfer to automated systems. An alphanumeric grid allows for indexing rows and columns, therefore facilitating tube location. Depending on the model, they will accept 200 µl PCR tubes, strips, plates and most Microcentrifuge tubes. S700-56 Rack will hold twelve screw cap Microcentrifuge tubes or 1.5 ml and 2.0 ml snap cap Microcentrifuge tubes along with up to 6 PCR strips or 48 individual 0.2 ml PCR tubes.

Cat. No	Wells	Dimensions (L x W x H)	Qty/Cs
S700-50	96	5 x 3.4 x 1 in / 12.8 x 8.5 x 2.5 cm	1
S700-52	384	5 x 3.4 x 0.8 in / 12.8 x 8.5 x 2.3 cm	1
S700-56	60	5 x 3.4 x 1.5 in / 12.8 x 8.5 x 3.2 cm	1
S700-58	24	5 x 3.4 x 1.5 in / 12.8 x 8.5 x 3.2 cm	1



Rack S700-56 will hold twelve 1.5 and 2.0 ml Microcentrifuge tubes or 0.2 ml PCR tubes or strips.



Rack S700-58 will hold up to 24 x 1.5 or 2.0 ml Microcentrifuge tubes.



Alphanumeric identification of wells facilitating tube location.



S700-60, -80, -82, -84

ChillBlock™ Cryogenic Vial Tube Racks

ChillBlock™ Cryogenic Vial Racks are specially designed for Cryogenic vials and are available in four models with 15 to 45 wells. An alphanumeric grid allows for indexing rows and columns, therefore facilitating tube location. These racks will hold 1.0 ml to 2.0 ml inner and outer threaded Cryogenic vials. They will also accommodate the Simport® sample tubes (T500 and T501 Series). Rack S700-60 has a well bottom design allowing most cryogenic vials and sample tubes up to 5 ml to lock in place and facilitate screw cap removal using only one hand.

Cat. No	Wells	Dimensions (L x W x H)	Qty/Cs
S700-60	24	5 x 3.4 x 1.5 in / 12.8 x 8.5 x 3.2 cm	1
S700-80	15	3.8 x 2.4 x 1.5 in / 9.6 x 6 x 3.2 cm	1
S700-82	30	4.5 x 3.8 x 1.5 in / 11.4 x 9.6 x 3.2 cm	1
S700-84	45	6.8 x 3.8 x 1.5 in / 17.3 x 9.6 x 3.2 cm	1



Alphanumeric identification of wells facilitating tube location.

S700-84



S700-60



S700-82



S700-80




In your **ChillBlock™** racks, have you ever considered using Simport® Cryovial and Sample tubes?



Cryovial - Series T301, T308, T309, T310, T311

The Simport® Cryovial® Family is the most complete line of cryogenic vials available today. Designed for storing cells, blood, serum and other biological fluids at temperatures as low as -196 °C, these sturdy polypropylene vials offer a high level of chemical resistance.



Sample Tubes - Series T501

Designed for the storage and transportation of biological material. Manufactured from non-toxic polypropylene, the tube provides strength and clarity and exhibits some unique design features. The vial has external threads, providing a smooth and uniform inner surface, thus reducing the risk of contamination.

S700-90

ChillBlock™ Platforms

This thermo-conductive platforms can be placed in ice, dry ice, liquid nitrogen or even in a water bath. It will keep ChillBlock™ racks at the proper temperature which will remain completely dry while on the platform. The thermoconductive properties of the ChillBlock™ platforms ensure uniform temperature distribution throughout. **Not available for sale in the USA.**

Cat. No	Dimensions (L x W x H)	Qty/Cs
S700-90	11 x 5.5 x 3.4 in / 27.9 x 14 x 8.6 cm	1



By using this platforms, even the ChillBlock™ racks remain completely dry.



S700-90























CHILLBLOCK™

Selection Chart

	Item No.	For use with	Wells	Well Shape	Well Diameter	Well Depth	Dimension (L x W x H)	Row Spacing	Column Spacing	Weight
	S700-1	1.5 ml and 2.0 ml Microcentrifuge Tubes	6		0.43 in / 11.1 mm	1.28 in / 32.6 mm	2.4 x 1.7 x 1.5 in 6.0 x 4.3 x 3.2 cm	0.7 in / 17.8 mm	0.7 in / 17.8 mm	194 gr / 0.43 lb
	S700-4	1.5 ml and 2.0 ml Microcentrifuge Tubes	15		0.43 in / 11.1 mm	1.28 in / 32.6 mm	3.8 x 2.4 x 1.5 in 9.6 x 6.0 x 3.2 cm	0.7 in / 17.8 mm	0.7 in / 17.8 mm	450 gr / 0.99 lb
	S700-6	1.5 ml and 2.0 ml Microcentrifuge Tubes	30		0.43 in / 11.1 mm	1.28 in / 32.6 mm	4.5 x 3.8 x 1.5 in 11.4 x 9.6 x 3.2 cm	0.7 in / 17.8 mm	0.7 in / 17.8 mm	854 gr / 1.88 lb
	S700-8	1.5 ml and 2.0 ml Microcentrifuge Tubes	90		0.43 in / 11.1 mm	1.28 in / 32.6 mm	10.8 x 4.5 x 1.5 in 27.4 x 11.4 x 3.2 cm	0.7 in / 17.8 mm	0.7 in / 17.8 mm	2428 gr / 5.35 lb
	S700-10	1.5 ml and 2.0 ml Microcentrifuge Tubes	96		0.43 in / 11.1 mm	1.28 in / 32.6 mm	18.7 x 5.9 x 1.5 in 22.1 x 14.9 x 3.2 cm	0.7 in / 17.8 mm	0.7 in / 17.8 mm	2582 gr / 5.69 lb
	S700-14	500 µl Conical Microcentrifuge Tubes	30		0.33 in / 8.4 mm	1.17 in / 29.6 mm	4.5 x 3.8 x 1.5 in 11.4 x 9.6 x 3.2 cm	0.7 in / 17.8 mm	0.7 in / 17.8 mm	1010 gr / 2.23 lb
	S700-16	1.5 ml Conical Microcentrifuge Tubes	15		0.43 in / 11.1 mm	1.38 in / 35.1 mm	3.8 x 2.4 x 1.5 in 9.6 x 6.0 x 3.2 cm	0.7 in / 17.8 mm	0.7 in / 17.8 mm	468 gr / 1.03 lb
	S700-18	1.5 ml Conical Microcentrifuge Tubes	30		0.43 in / 11.1 mm	1.38 in / 35.1 mm	4.5 x 3.8 x 1.5 in 11.4 x 9.6 x 3.2 cm	0.7 in / 17.8 mm	0.7 in / 17.8 mm	884 gr / 1.95 lb
	S700-24	0.5 ml Cluster Tubes	96		0.33 in / 8.4 mm	0.63 in / 15.9 mm	5.0 x 3.4 x 1.5 in 12.8 x 8.5 x 3.2 cm	0.35 in / 9.0 mm	0.35 in / 9.0 mm	424 gr / 0.93 lb
	S700-28	1.4 ml Cluster Tubes	96		0.33 in / 8.4 mm	1.26 in / 32.1 mm	5.0 x 3.4 x 1.7 in 12.8 x 8.5 x 4.3 cm	0.35 in / 9.0 mm	0.35 in / 9.0 mm	614 gr / 1.35 lb
	S700-35	15 ml Centrifuge Tubes	9		0.67 in / 17.1 mm	4.2 in / 106.6 mm	3.1 x 3.1 x 4.2 in 7.9 x 7.9 x 10.7 cm	1.05 in / 26.7 mm	1.05 in / 26.7 mm	1218 gr / 2.68 lb



	Item No.	For use with	Wells	Well Shape	Well Diameter	Well Depth	Dimension (L x W x H)	Row Spacing	Column Spacing	Weight
	S700-40	50 ml Centrifuge Tubes	4		1.16 in / 29.5 mm	4.0 in / 101.6 mm	3.15 x 3.5 x 4.4 in 8.9 x 8.9 x 11.2 cm	1.05 in / 38.1 mm	1.05 in / 38.1 mm	1584 gr / 3.49 lb
	S700-50	96-well PCR Plates	96		0.27 in / 6.9 mm	0.79 in / 20.1 mm	5.0 x 3.4 x 1.0 in 12.8 x 8.5 x 2.5 cm	0.35 in / 9.0 mm	0.35 in / 9.0 mm	522 gr / 1.15 lb
	S700-52	384-well PCR Plates	384		0.16 in / 4.1 mm	0.32 in / 8.1 mm	5.0 x 3.4 x 0.8 in 12.8 x 8.5 x 2.3 cm	0.18 in / 4.5 mm	0.18 in / 4.5 mm	462 gr / 1.02 lb
	S700-56	1.5 ml and 200 µl Tubes	60		0.25 in / 6.3 mm 0.43 in / 11.1 mm	0.63 in / 15.9 mm 1.38 in / 35.1 mm	5.0 x 3.4 x 1.5 in 12.8 x 8.5 x 3.2 cm	0.35 in / 9.0 mm 0.7 in / 17.8 mm	0.35 in / 9.0 mm 0.8 in / 20.3 mm	922 gr / 2.03 lb
	S700-58	1.5 ml Microcentrifuge Tubes	24		0.43 in / 11.1 mm	1.38 in / 35.1 mm	5.0 x 3.4 x 1.5 in 12.8 x 8.5 x 3.2 cm	0.7 in / 17.8 mm	0.8 in / 20.3 mm	894 gr / 1.97 lb
	S700-60	Cryogenic Vials	24		0.50 in / 12.7 mm	1.29 in / 32.7 mm	5.0 x 3.4 x 1.5 in 12.8 x 8.5 x 3.2 cm	0.76 in / 19.3 mm	0.76 in / 19.3 mm	820 gr / 1.50 lb
	S700-80	Cryogenic Vials	15		0.50 in / 12.7 mm	1.28 in / 32.6 mm	3.8 x 2.4 x 1.5 in 9.6 x 6.0 x 3.2 cm	0.7 in / 17.8 mm	0.7 in / 17.8 mm	408 gr / 0.90 lb
	S700-82	Cryogenic Vials	30		0.50 in / 12.7 mm	1.29 in / 32.7 mm	4.5 x 3.8 x 1.5 in 11.4 x 9.6 x 3.2 cm	0.7 in / 17.8 mm	0.7 in / 17.8 mm	776 gr / 1.71 lb
	S700-84	Cryogenic Vials	45		0.50 in / 12.7 mm	1.29 in / 32.7 mm	6.8 x 3.8 x 1.5 in 17.3 x 9.6 x 3.2 cm	0.7 in / 17.8 mm	0.7 in / 17.8 mm	1178 gr / 2.60 lb
	S700-90	ChillBlock Tube Racks	N/A	N/A	N/A	N/A	11.0 x 5.5 x 3.4 in 27.9 x 14.0 x 8.6 cm	N/A	N/A	1702 gr / 3.75 lb
	S700-92	ChillBlock Tube Racks	N/A	N/A	N/A	N/A	11.0 x 5.5 x 2.5 in 27.9 x 14.0 x 6.3 cm	N/A	N/A	1508 gr / 3.32 lb




Biotube™ Collection

Simport® offers a wide choice of racks containing 96 x 1.2 ml tubes (8.8 mm top dia. x 45 mm H, or strips of 8 or 12. Tubes, strips, caps and boxes are available as separate units as well. The racks hold the tubes in the standard microtiter configuration of 8 x 12 and are available sterile or non sterile. The racks can be autoclaved up to 100 times. Both tubes and racks will resist most research chemicals. They can also be stored at temperatures as low as -90 °C and their configuration allows for optimum use of freezer space.

Each rack cover has an alphanumeric numbering system for identifying tubes and is supplied with a removable 96-place ID card for recording sample location. The transparent cover allows the user to see the contents of the rack and is keyed to the base to prevent misalignment.





T100 BioTube™ Racks


Made of polypropylene

The T100 BIOTUBE™ rack with standard 96-well on center spacing of tubes offers a color coding system using colored interchangeable plastic grids. These are used as a support for the 1.2 ml tubes. This unique grid stands on four legs and can be removed from the base of the box and placed on a lab counter as a self-standing support. It can also be placed in a refrigerator or freezer shelf for improved air circulation around tubes, or in a water bath to allow controlled warming of the tubes and their contents. Easy to read numbers and letters used on the box cover for sample identification are also shown on the support grids. The gridded racks are available in a choice of four popular colors: blue, green, red and yellow. These racks and tubes are also ideal for storing, freezing and transporting reagents and specimens. For details on tubes and strips, see page 89.

Rack is made of 3 components:

- A white base
- A removable grid plate that can hold individual or strips of tubes
- A translucent cover

Anatomy of the Biotube™ Rack



- 1- Convenient carrying handles on both sides
- 2- Cover, grid plate and base are keyed to prevent misalignment
- 3- Easy to read ID numbers and letters
- 4- Grid plate stands on 4 legs and can be placed on a lab counter, in a water bath
- 5- These racks and tubes are also ideal for storing, freezing and transporting reagents and specimens

Cat. #	Description	Grid Plate Color	Qty/Cs
T100-1B	Rack with 96 plain individual tubes	Blue	10
T100-1G	Rack with 96 plain individual tubes	Green	10
T100-1R	Rack with 96 plain individual tubes	Red	10
T100-1Y	Rack with 96 plain individual tubes	Yellow	10
T100-2B	Rack with 96 plain individual tubes, sterile	Blue	10
T100-2G	Rack with 96 plain individual tubes, sterile	Green	10
T100-2R	Rack with 96 plain individual tubes, sterile	Red	10
T100-2Y	Rack with 96 plain individual tubes, sterile	Yellow	10
T100-3B	Rack with 12 strips of 8 tubes	Blue	10
T100-3G	Rack with 12 strips of 8 tubes	Green	10
T100-3R	Rack with 12 strips of 8 tubes	Red	10
T100-3Y	Rack with 12 strips of 8 tubes	Yellow	10
T100-4B	Rack with 12 strips of 8 tubes, sterile	Blue	10
T100-4G	Rack with 12 strips of 8 tubes, sterile	Green	10
T100-4R	Rack with 12 strips of 8 tubes, sterile	Red	10
T100-4Y	Rack with 12 strips of 8 tubes, sterile	Yellow	10
T100-50B	Storage box only	Blue	10
T100-50G	Storage box only	Green	10
T100-50R	Storage box only	Red	10
T100-50Y	Storage box only	Yellow	10
T100-60B	Grid Plate only	Blue	10
T100-60G	Grid Plate only	Green	10
T100-60R	Grid Plate only	Red	10
T100-60Y	Grid Plate only	Yellow	10



Products on this page
are certified, RNase, DNase,
Pyrogen and DNA-free



T101 BioTube™ Rack

Made of polypropylene



The T101 BIOTUBE™ System is designed in such a way that the 96-place rack, having a standard on-center spacing of tubes, also has a standard microtiter sized footprint. This rack is therefore suitable for use with robotics systems and for transferring liquids with multichannel pipettors and autosampling devices that conform to 96-well microplate systems. The same alphanumeric identification is used on the cover and white base. Autoclavable.

These racks are ideal for HTLV-III testing, bacterial and hybridoma cell uptake studies, cell harvesting, pharmaceutical quality control, receptor binding assays, RIA and EIA.

- 1- This rack has a standard microtiter sized footprint.
- 2- Easy to read ID numbers and letters
- 3- Cover and base are keyed to prevent misalignment
- 4- Translucent cover

Cat. #	Description	Qty/Cs
T101-1	Rack with 96 plain individual tubes, non sterile	10
T101-2	Rack with 96 plain individual tubes, sterile	10
T101-3	Rack with 12 strips of 8 tubes, non sterile	10
T101-4	Rack with 12 strips of 8 tubes, sterile	10
T101-5	Rack with 8 strips of 12 tubes, non sterile	10
T101-6	Rack with 8 strips of 12 tubes, sterile	10
Cat. #	Description	Qty/Cs
T101-50	Storage Box only	10



Products on this page are certified, RNase, DNase, Pyrogen and DNA-free



T105 BioTube™ Storage Rack with 2 ml Tubes

Made of polypropylene


Compatible with most robotic workstations, this polypropylene storage rack can be used with most cell harvesters and leading 8- & 12-channel pipettors.

It contains 96 removable polypropylene square tubes in a 8 x 12 configuration, each having a 2.1 ml capacity (2 ml when capped). Although the tubes are square, the bottom is round to facilitate emptying. For procedures requiring a low surface tension such as protein and nucleic acid work, Simport® has developed a special tube (cat.# T105-20LST) using a type of polypropylene specifically designed to avoid potentially harmful lubricants (such as silicone) while minimizing liquid retention.

The autoclavable rack and tubes (not the cover) are ideal for storage of blood and other biological samples at temperatures, from -170 °C. for freezer storage, up to 121 °C. Tubes are available separately. A PVC cover is also supplied for full protection of tube contents. Racks are stackable to save on storage space. Available in sterile and non sterile versions.


Cat. #	Description	Sterile	Qty/Cs
T105-50	96-well BIOTUBE™ storage rack with tubes	No	10
T105-51	96-well BIOTUBE™ storage rack with tubes	Yes	10
T105-20	2.1 ml square tubes	No	4800
T105-20LST	2.1 ml low surface tension square tubes	No	4800

This model has the same height as a standard Deep Well Plate



- 1- Boxes are stackable for space-saving
- 2- Transparent cover for easy viewing of contents
- 3- Cover and base are keyed to prevent misalignment
- 4- Tubes and rack are autoclavable
- 5- Tubes can easily be inserted and removed
- 6- Alphanumeric identification of each position





T101 Tubes & Caps


Tubes are made of autoclavable polypropylene and are available either individually or in strips of 8 or 12 detachable tubes. Tubes have a gross volume of 1.2 ml but with a cap in place, they will hold 1.1 ml. Caps are made of polyethylene and are not autoclavable. They are available individually and also in strips of 8 or 12. For procedures requiring low surface tension such as protein and nucleic acid work, Simport® has developed a special tube (see T100-20LST) using a type of polypropylene specifically designed to avoid potentially harmful lubricants while minimizing liquid retention. T100-20 can be centrifuged up to 2000 x g.

These tubes are ideal for HTLV-III testing, bacterial and hybridoma cell uptake studies, cell harvesting, pharmaceutical quality control, receptor binding assays, RIA and EIA.

Cat. #	Description	Material	Qty/Bag	Qty/Cs
T100-20	Individual tubes, without writing surface, non sterile, bulk	PP	960	4800
T100-20LST	Low surface tension individual tubes, non sterile, bulk	PP	960	4800
T100-25	Strips of 8 tubes, without writing surface, non sterile, bulk	PP	120	600
T100-26	Strips of 12 tubes, without writing surface, non sterile, bulk	PP	80	400
T100-28	Individual plug caps, non sterile, bulk	PE	960	4800
T100-30	Strips of 8 plug caps, non sterile, bulk	PE	120	600
T100-35	Strips of 8 plug caps, sterile, bulk	PE	120	600
T100-40	Strips of 12 plug caps, non sterile, bulk	PE	80	400



Products on this page are certified, RNase, DNase, Pyrogen and DNA-free



T105-26

Mat Cover for T105 Storage Rack

Made of low density polyethylene

Designed to fit the Simport® Biotube™ Storage Rack, these mat covers are made of a specially formulated plastic ensuring great flexibility. When only a few tubes have to be sealed, this flexible mat cover can be split easily in strips of 8 caps.

Cat. #	Description	Sterile	Qty/Cs
T105-26	Mat for T105-50 and T105-51	No	10



Bioblock™ Collection

THE WIDE VARIETY YOU HAVE BEEN LOOKING FOR

These specially designed non sterile deep well plates are available in polypropylene (model T110-6 is made of polystyrene). They conform to the SBS standard footprint and are identical in size to 96-well microtiter plates.

These rugged plates are compatible with all leading robotic sample processors, automated liquid handling systems and 8- & 12- channel pipettors. Will withstand temperatures up to 121 °C (except T110-6 polystyrene plate). Polypropylene plates are fully compatible with deep freezing work, down to -196 °C. Six sizes are available.

All plates offer an alphanumeric grid to help in sample identification. To facilitate orientation, a corner of the plate is cut away. To save space on freezer shelves and on lab benches, they are easily stackable. Certain models can withstand centrifugation up to 6000 x g by using microtiter plate rotors. All models are DMSO resistant except cat.# T110-6.

Applications are endless. Designed for high-throughput screening, they are well suited for combinatorial chemistry. They are just the right size for sample storage and automated plate pipetting. Perfect for general procedures requiring a mother plate, DNA sequencing, ELISA, etc...





T110-5

BioBlock™ Deep Well Plates

Made of polypropylene

The 1.2 ml capacity round bottom deep well plate (1 ml when capped) is easy to empty completely and ideal for culturing bacterial cells. The polypropylene version can withstand centrifugation up to 6000 x g by using microtiter plate rotors. It is available in natural and four different colors. DMSO resistant.


- Length 127.76 mm ± 0.25 mm
- Width 85.48 mm ± 0.25 mm

Cat. #	Description	Color	Qty/Pk	Qty/Cs
T110-5	Plate, 1.2 ml	Natural	4	24
T110-5B*	Plate, 1.2 ml	Blue	4	24
T110-5G*	Plate, 1.2 ml	Green	4	24
T110-5P*	Plate, 1.2 ml	Pink	4	24
T110-5Y*	Plate, 1.2 ml	Yellow	4	24


* Minimum quantity applicable. Please contact one of our customer service agents for further details.



Anatomy of a BioBlock™ Deep Well Plate



96 Wells with Round Bottom 1.0 ml WORKING VOLUME



Products on this page are certified, RNase, DNase, Pyrogen and DNA-free

T110-6

BioBlock™ Deep Well Plate

Made of polystyrene

The T110-6 is made of polystyrene and also has 96 x 1.2 ml capacity round bottom wells. It can withstand 3000 x g and is available in natural color only. Not DMSO resistant. Packed in bags of 4 plates.

Cat. #	Description	Color	Qty/Pk	Qty/Cs
T110-6	Plate, 1.2 ml	Natural	4	24



T110-2 & -3

BioBlock™ Deep Well Plates with 600 µl 8-Tube Strips

Made of polypropylene

These plates feature 600 µl wells for smaller volume applications. They include a T110-5 deep well plate along with twelve T110-15 eight-tube strips (see below). In the T110-2 model, tube strips are removable and can also be ordered separately. In the T110-3 model, tube strips are welded by ultrasound. DMSO resistant. Packed in bags of 4 plates.


Cat. #	Description	Qty/Pk	Qty/Cs
T110-2	Plate, 600 µl (removable tube strips)	4	24
T110-3	Plate, 600 µl (fixed tube strips)	4	24




Products on this page are certified, RNase, DNase, Pyrogen and DNA-free



Anatomy of a BioBlock™ Deep Well Plate



96 Wells with Conical Bottom 600 µl WORKING VOLUME




T110-15

Strip of 8 Tubes 600 µl

Made of polypropylene

Cat. #	Description	Qty/Pk	Qty/Cs
T110-15	Strip of 8 tubes, 600 µl	120	600




T323-1N

Domed Cap Strips

Made of polypropylene

For a perfect seal, 8-cap strips are available.

Cat. #	Description	Color	Qty/Cs
T323-1N	Domed cap strip	Natural	125





T110-10

BioBlock™ Deep Well Plates

Made of polypropylene

The 2.2 ml well capacity (2.1 ml when capped) plate is used mainly for compound storage and enzyme assays. Suitable to be used with Qiagen equipment. It is available in natural and four different colors.

DMSO resistant. Packed in a bag of 4 plates.

Cat. #	Description	Color	Qty/pk	Qty/Cs
T110-10	Plate, 2.1 ml	Natural	4	24
T110-10B*	Plate, 2.1 ml	Blue	4	24
T110-10G*	Plate, 2.1 ml	Green	4	24
T110-10P*	Plate, 2.1 ml	Pink	4	24
T110-10Y*	Plate, 2.1 ml	Yellow	4	24
T110-10S* **	Plate, 2.1 ml	Natural	4	24

*Minimum quantity applicable. Please contact one of our customer service agents for further details.


**Only available in natural color.




Products on this page are certified, RNase, DNase, Pyrogen and DNA-free



Anatomy of a BioBlock™ Deep Well Plate



96 Wells with Round Bottom 2.0 ml WORKING VOLUME



A picture is worth a thousand words. A sample, a thousand pictures...


You might look at a picture and read the words under it a thousand times, nothing beats having the product in your own hands for evaluation. Simport® is proud to offer you the most comprehensive sample program ever developed in the industry.

Just by asking, you can get free of charge a sample of any Simport® product along with a specially designed card describing all the features, benefits and ordering information.






T110-7



T110-200



T110-100



T110-7, -100 & -200

BioBlock™ Deep Well Plates

Made of polypropylene

This 384-well plate is available in 3 models from a working volume of 120 µl to 400 µl. It is perfect for compound storage and handling of biological samples. Well bottom is round (except for T110-100) to facilitate aspiration. Suitable to be used with DMSO and biological buffers. Packed in a bag of 4 plates.



1783278379
Barcode printing available.
Contact Simport® for more details.




Products on this page
are certified, RNase, DNase,
Pyrogen and DNA-free




Anatomy of the BioBlock™


384 Square Wells with Round Bottom 400 µl WORKING VOLUME



384 Square Wells with Round Bottom 200 µl WORKING VOLUME



384 Square Wells with Flat Bottom 120 µl WORKING VOLUME



Cat. #	Description	Color	Qty/Pk	Qty/Cs
T110-7	Plate 400 µl	Natural	4	24
T110-7B*	Plate 400 µl	Blue	4	24
T110-7G*	Plate 400 µl	Green	4	24
T110-7P*	Plate 400 µl	Pink	4	24
T110-7Y*	Plate 400 µl	Yellow	4	24
T110-200	Plate 200 µl	Natural	6	24
T110-200B*	Plate 200 µl	Blue	6	24
T110-200G*	Plate 200 µl	Green	6	24
T110-200P*	Plate 200 µl	Pink	6	24
T110-200Y*	Plate 200 µl	Yellow	6	24
T110-100	Plate 120 µl	Natural	6	24
T110-100B*	Plate 120 µl	Blue	6	24
T110-100G*	Plate 120 µl	Green	6	24
T110-100P*	Plate 120 µl	Pink	6	24
T110-100Y*	Plate 120 µl	Yellow	6	24

*Minimum quantity applicable. Please contact one of our customer service agents for further details.



T110-25, -26

Mat Covers for Deep Well Plates

Designed to fit the Simport® Bioblock™ Collection, these mat covers are made of a specially formulated plastic ensuring great flexibility. They allow for maximum sample volume in each well. They are resistant to DMSO and biological buffers.


T110-25, and T110-26 are made of polyolefin and Elastomer. They should be used within a temperature range of -80 °C to +80 °C.

Cat. #	Description	Qty/Cs
T110-25	For 1.2 ml 96-well plates	24
T110-26	For 2.1 ml 96-well plates	24

T100-25



T100-26




T329-3 & -4

SecureSeal™ Adhesive Film for Microplates

Simport® adhesive sealing films reduce sample-to-sample or well-to-well contamination and/or spill over. SecureSeal™ is economically priced and has the differential advantage of perforated end tabs and a multiple split backing which allow for easier and more accurate positioning and more secure sealing. The polyester based film with acrylic adhesive is inert and thus compatible with almost all microplate procedures. The functional temperature range of the product is -40 °C to +120 °C. SecureSeal™ is less than 0.001% moisture permeable under high humidity conditions and less than 0.01% oxygen permeable. DMSO resistant. Each package contains 100 sheets. Use T329-9 Amplate™ Roller for a perfect seal.

Cat. #	Description	Sterile	Qty/Pk	Qty/Cs
T329-3	SecureSeal™	No	100	1000
T329-4	SecureSeal™	Yes	100	1000



T329-5

SecureSeal™ Aluminium Sealing Foil

This type of material is ideal for manual sealing during PCR work and also for high throughput applications. Adhesive backing makes it easy to apply. Will resist temperatures from -80 °C to +120 °C. Pierceable with a pipet tip for easy access to sample. DMSO resistant.

It is recommended to use the Amplate™ Roller (T329-9) to ensure a perfect bond, eliminating the danger of evaporation. No heat sealer needed.

Cat. #	Description	Qty/Pk
T329-5	Peeling foil	100 sheets

T329-9

AMPLATE™ Roller

For ensuring a perfect seal when using either SecureSeal™ sealing film or aluminium foil on microtiter or deep well plates. Roller made of medium hard rubber. Heavy-duty handle with comfort grip reducing fatigue. Will last a long time.

Cat. #	Size	Qty/Pk
T329-9	10.16 cm (4 in.)	1





Cryovial® Collection

The Simport® Cryovial® Family is the most complete line of cryogenic vials available today. Designed for storing cells, blood, serum and other biological fluids at temperatures as low as -196°C , these sturdy polypropylene vials offer a high level of chemical resistance.

As described in the following pages, they are available in 2 different configurations and in 6 sizes from 1.2 ml to 10 ml. A large white marking area and printed graduations facilitate sample identification. Some models are freestanding while some others have only a round bottom. Self-standing vials have a locking base allowing opening and closing with only one hand while vials are used with the Simport® Workstation.

One important feature in the Simport® Cryovial® design is being able to manufacture both the tube and cap from the same plastic, ensuring the same expansion coefficient, therefore a lasting seal.

WARNING: Do not use Cryovials for storage in the liquid phase of liquid nitrogen. Such use may cause entrapment of liquefied nitrogen inside the vial and lead to pressure build-up resulting in possible explosion or biohazard release. Use appropriate safety procedures when handling and disposing of vials.





T309

CRYOVIAL® External Thread Design with Lip Seal

Made of specially formulated polypropylene

Designed for storing biological material, human or animal cells, at temperatures as low as -196 °C (but should be used only in the gas phase of liquid nitrogen). The cap features a long skirt for one hand aseptic methods, and a super fast thread design that allows tightening or removal with a mere 1¼ turn, and an inside thread design that will not contribute to possible contamination. A specially designed lip inside the cap ensures a leakproof seal even at very low temperatures. Closures and tubes are both made of polypropylene having the same coefficient of expansion, which further enhances the leakproof qualities of these vials at various temperatures. Tubes are provided with a white marking area for sample identification and can be color coded by the use of a Capinsert™ (Series T312). T309-2 can be centrifuged up to 17,000 x g. Vials are sterilized by gamma radiation and are packaged in unique tamperproof, resealable, safety-lock bags of 100. Autoclavable.



**95 kPa
TESTED**





Products on this page
are certified, RNase, DNase,
Pyrogen and DNA-free



For Capinsert™, please refer to T312

Specially designed
polypropylene inner
lip ensures a
leakproof seal



- 1- A Capinsert™ is available in 11 different colors / Perfect for color coding (See T312 Series)
- 2- Vertical ribs facilitate cap removal
- 3- Both cap and tube are made of same polypropylene material, therefore same coefficient of expansion ensures secure seal at all temperatures
- 4- Super fast 1¼ turn thread design
- 5- Thick wall makes vial almost unbreakable
- 6- Large white marking area
- 7- Excellent clarity makes sample easy to see
- 8- Round bottom / Very easy to empty contents completely
- 9- Many sizes available as self-standing with universal locking base



Cat. #	T309-1A	T309-2	T309-2A	T309-3A	T309-4A	T309-5A
Volume (ml)	1.2	2	2	3	4	5
Size (mm)	12.5 x 42	12.5 x 47	12.5 x 49	12.5 x 71	12.5 x 77	12.5 x 91
Self-Standing	•		•	•	•	•
Round Bottom		•				
Qty/Bag	100	100	100	100	100	100
Qty/Cs	1000	1000	1000	1000	1000	1000



T308

CRYOVIAL® External Thread Design with Lip and Silicone Washer Seal

Made of specially formulated polypropylene

Designed for the storage of biological material, human or animal cells, at temperatures as low as -196°C (but should be used only in the gas phase of liquid nitrogen). The cap features a long skirt for easy one-handed aseptic technique, a super fast thread design allowing removal with only $1\frac{1}{4}$ turn, and an inside thread design that will not contribute to possible contamination. This cap also features an exclusive silicone washer fitted inside the cap to ensure a positive seal at any temperature, even the lowest of cryogenic temperatures. The tubes are provided with a white marking area for sample identification and can be color coded by the use of a Capinsert™ (Series T312 for choice of available colors). T308-2 can be centrifuged up to $17,000 \times g$. Vials are sterilized by gamma radiation and are packaged in unique tamperproof, resealable safety-lock bags of 100. Autoclavable




Products on this page are certified, RNase, DNase, Pyrogen and DNA-free



For Capinsert™, please refer to T312

Specially designed silicone washer and extra long lip ensure a leakproof seal.



Cat. #	T308-1A	T308-2	T308-2A	T308-3A	T308-4A	T308-5A
Volume (ml)	1.2	2	2	3	4	5
Size (mm)	12.5 x 42	12.5 x 47	12.5 x 49	12.5 x 71	12.5 x 77	12.5 x 91
Self-Standing	•		•	•	•	•
Round Bottom		•				
Qty/Bag	100	100	100	100	100	100
Qty/Cs	1000	1000	1000	1000	1000	1000



- 1- A Capinsert™ is available in 11 different colors / Perfect for color coding (See T312 Series)
- 2- Vertical ribs facilitate cap removal
- 3- Both cap and tube are made of same polypropylene material, therefore same coefficient of expansion ensures secure seal at all temperatures
- 4- Super fast $1\frac{1}{4}$ turn thread design
- 5- Thick wall makes vial almost unbreakable
- 6- Large white marking area
- 7- Excellent clarity makes sample easy to see
- 8- Round bottom / Very easy to empty contents completely
- 9- Many sizes available as self-standing with universal locking base



T310

CRYOVIAL® External Thread Design with Silicone Washer Seal

Made of specially formulated polypropylene

Designed for storing biological material, human or animal cells, at temperatures as low as -196 °C (but should be used only in the gas phase of liquid nitrogen). The cap features a long skirt for easy one hand aseptic methods, the same super fast thread design allowing it to be removed or sealed with a mere 1¼ turn, and the same inside thread design that will not contribute to possible contamination. But this cap also features an exclusive silicone seal fitted inside the cap to ensure a positive seal at any temperature, even the lowest of cryogenic temperatures. Please note that model T310-10A has a polyethylene screw cap. Tubes are provided with a white marking area for sample identification and can be color coded by the use of a Capinsert™ (Series T312). The Simport® CRYOVIAL® is compatible with most storage systems. T310-2 can be centrifuged up to 17,000 x g. Vials are sterilized by gamma radiation and are packaged in unique tamperproof, resealable, safety-lock bags of 100. Autoclavable. T310-10A packaged in bags of 50.



Products on this page are certified, RNase, DNase, Pyrogen and DNA-free



Specially designed silicone washer ensures a leakproof seal.




For Capinsert™, please refer to T312

A 10 ml SIZE IS AVAILABLE



Cat. #	T310-1A	T310-2	T310-2A	T310-3A	T310-4A	T310-5A	T310-10A
Volume (ml)	1.2	2	2	3	4	5	10
Size (mm)	12.5 x 42	12.5 x 47	12.5 x 49	12.5 x 71	12.5 x 77	12.5 x 91	17 x 84
Self-Standing	•		•	•	•	•	•
Round Bottom		•					
Qty/Bag	100	100	100	100	100	100	50
Qty/Cs	1000	1000	1000	1000	1000	1000	500



- 1- A Capinsert™ is available in 11 different colors / Perfect for color coding (See T312 Series)
- 2- Vertical ribs facilitate cap removal
- 3- Silicone washer
- 4- Both cap and tube are made of same polypropylene material, therefore same coefficient of expansion ensures secure seal at all temperatures
- 5- Super fast 1¼ turn thread design
- 6- Thick wall makes vial almost unbreakable
- 7- Large white marking area
- 8- Excellent clarity makes sample easy to see
- 9- Round bottom / Very easy to empty contents completely
- 10- Many sizes available as self-standing with universal locking base

**T301****CRYOVIAL® Internal Thread Design with Silicone O-ring Seal**

Specially formulated polypropylene

Designed for safe storage at temperatures as low as -196 °C (but should be used only in the gas phase of liquid nitrogen). Only 1¼ turn of the cap is sufficient to screw the cap on the vial. The specially formulated silicone o-ring ensures a positive leakproof seal at all temperatures. Closure and vial are both made of polypropylene having the same coefficient of expansion, ensuring an equally secure seal both at room temperature and at low cryogenic temperatures. Tubes have a white marking area, can be color coded with a CAPINSERT (Series T312) and are compatible with most storage systems. Only the non skirted vials can be centrifuged, and up to 17,000 x g. Sterilized by gamma radiation and packaged in unique tamperproof, resealable, safety-lock bags of 100. Autoclavable.


**95 kPa
TESTED**


Products on this page
are certified, RNase, DNase,
Pyrogen and DNA-free


Feel the quality of your seal!



1. A positive leakproof seal is enhanced by a specially designed silicone o-ring around the cap.



2. As you tighten it, you can feel the quality of your seal while you compress the o-ring between the tube wall and the cap, creating a tight closure.



Cat. #	T301-1	T301-2	T301-3	T301-4	T301-4A	T301-5
Volume (ml)	1.2	2	2	4	4	5
Size (mm)	12.5 x 41	12.5 x 49	12.5 x 48	12.5 x 70	12.5 x 72	12.5 x 90
Self-Standing	•	•			•	
Round Bottom			•	•		•
Qty/Bag	100	100	100	100	100	100
Qty/Cs	1000	1000	1000	1000	1000	1000



- 1- A Capinsert™ is available in 11 different colors / Perfect for color coding (See T312 Series)
- 2- Vertical ribs facilitate cap removal
- 3- Super fast 1¼ turn thread design
- 4- Both cap and tube are made of same polypropylene material, therefore same coefficient of expansion ensures secure seal at all temperatures
- 5- Thick wall makes vial almost unbreakable
- 6- Large white marking area
- 7- Excellent clarity makes sample easy to see
- 8- Round bottom / Very easy to empty contents completely / Two sizes are self-standing with universal locking base



T311

CRYOVIAL® Internal Thread Design with Silicone Washer Seal

Specially formulated polypropylene

Designed for storing biological material, human or animal cells, at temperatures as low as -196 °C (but should be used only in the gas phase of liquid nitrogen). A silicone washer between cap and vial ensures a positive leakproof seal at all temperatures. A 1¼ turn of the cap is sufficient to seal the vial. Closure and vials are both manufactured of polypropylene with the same coefficient of expansion, ensuring an equally secure seal both at room temperature and at low cryogenic temperatures. Tubes have a white marking area, can be color coded with a Capinsert™ (Series T312) and are compatible with most storage systems. Only the round bottom vials can be centrifuged, and up to 17,000 x g. Sterilized by gamma radiation and packaged in unique tamperproof, resealable, safety-lock bags of 100. Autoclavable.



**95 kPa
TESTED**



Products on this page
are certified, RNase, DNase,
Pyrogen and DNA-free



Feel the quality of your seal!




1. This cap offers a positive seal using a white silicone washer.



2. When the cap is screwed on, the white washer is tightly secured between cap and top of tube.



Cat. #	T311-1	T311-2	T311-3	T311-4	T311-4A	T311-5
Volume (ml)	1.2	2	2	4	4	5
Size (mm)	12.5 x 41	12.5 x 49	12.5 x 48	12.5 x 70	12.5 x 72	12.5 x 90
Self-Standing	•	•	•	•	•	•
Round Bottom	•	•	•	•	•	•
Qty/Bag	100	100	100	100	100	100
Qty/Cs	1000	1000	1000	1000	1000	1000



- 1- A Capinsert™ is available in 11 different colors / Perfect for color coding (See T312 Series)
- 2- Vertical ribs facilitate cap removal
- 3- Silicone washer
- 4- Super fast 1¼ turn thread design
- 5- Both cap and tube are made of same polypropylene material, therefore same coefficient of expansion ensures secure seal at all temperatures
- 6- Thick wall makes vial almost unbreakable
- 7- Large white marking area
- 8- Excellent clarity makes sample easy to see
- 9- Round bottom / Very easy to empty contents completely



T314 CRYOSTORE™ Storage Boxes

Made of polycarbonate

Color your world with a wide variety of Cryostore™ Storage Boxes for sizes from 1.2 ml to 5 ml.

Made of extra strong polycarbonate, these durable cryogenic storage boxes are designed to be used at temperatures between -196 °C and +121 °C and are autoclavable at 120 °C, 15 psig (1 bar) for 20 minutes to 10 ml.

A transparent cover allows the user to see the contents of the box, and is keyed to the base to prevent misalignment. Printed with a series of squares (numbered from 1 to 25, 1 to 42, 1 to 81, or 1 to 100), surface accepts writing with markers, facilitating inventory control.

A unique color coding system uses colored plastic grids to separate the cover from the base on the 25, 42 and 81-place boxes.

Those made to accept 100 tubes (series 2100) have a colored base instead of a grid.

Removal of vials facilitated by an innovative vial picker supplied with each storage box (not available with box T314-542). Autoclavable.

Serie 581

Serie 481

Serie 225

Serie 281

Serie 2100





Features and benefits

- 1- Writing surface has numbered squares for easy sample identification
- 2- Stackable
- 3- Vials readily visible through transparent cover
- 4- Four colors available for better color-coding
- 5- Cover and base are keyed to prevent misalignment
- 6- Drain holes under base
- 7- Made to fit freezer metal racks
- 8- Writing surface for identifying base and/or cover
- 9- Numeric identification of each vial
- 10- Air vents minimizing condensation



A Vial Picker is included with each box.

All CRYOSTORE™ Storage Boxes are easily stackable.





T314-542

CRYOSTORE™ Storage Box

Made of polycarbonate

Made of extra strong polycarbonate, these durable cryogenic storage boxes are designed to be used at temperatures between -196 °C and +121 °C and are autoclavable at 120 °C, 15 psig (1 bar) for 20 minutes. Different colors are available to accommodate 42 x T310-10A cryogenic tubes.

A transparent cover allows the user to see the contents of the box, and is keyed to the base to prevent misalignment. Printed with a series of squares numbered from 1 to 42, the surface accepts writing with markers, facilitating inventory control.

A unique color coding system uses colored plastic grids to separate the cover from the base on the box. A choice of four popular colors is available.



Series 225: Size: 76 mm x 76 mm x 52 mm H (3 x 3 x 2¹/₁₆ in. H)

Cat. #	For cryogenic tubes	Color of grid	Qty/Pk	Qty/Cs
T314-225B	1 to 2 ml	Blue	8	48
T314-225G	1 to 2 ml	Green	8	48
T314-225R	1 to 2 ml	Red	8	48
T314-225Y	1 to 2 ml	Yellow	8	48

Series 281: Size: 133 mm x 133 mm x 52 mm H (5¹/₄ x 5¹/₄ x 2¹/₁₆ in. H)

Cat. #	For cryogenic tubes	Color of grid	Qty/Pk	Qty/Cs
T314-281B	1 to 2 ml	Blue	4	24
T314-281G	1 to 2 ml	Green	4	24
T314-281R	1 to 2 ml	Red	4	24
T314-281Y	1 to 2 ml	Yellow	4	24

Series 481: Size: 133 mm x 133 mm x 81 mm H (5¹/₄ x 5¹/₄ x 3¹/₈ in. H)

Cat. #	For cryogenic tubes	Color of grid	Qty/Pk	Qty/Cs
T314-481B	3 to 4 ml	Blue	3	12
T314-481G	3 to 4 ml	Green	3	12
T314-481R	3 to 4 ml	Red	3	12
T314-481Y	3 to 4 ml	Yellow	3	12

Series 542: Size: 133 mm x 133 mm x 95 mm H (5¹/₄ x 5¹/₄ x 3³/₄ in. H)

Cat. #	For cryogenic tubes	Color of grid	Qty/Pk	Qty/Cs
T314-542B	10 ml	Blue	5	10
T314-542G	10 ml	Green	5	10
T314-542R	10 ml	Red	5	10
T314-542Y	10 ml	Yellow	5	10

Series 581: Size: 133 mm x 133 mm x 95 mm H (5¹/₄ x 5¹/₄ x 3³/₄ in. H)

Cat. #	For cryogenic tubes	Color of grid	Qty/Pk	Qty/Cs
T314-581B	3 to 5 ml	Blue	5	10
T314-581G	3 to 5 ml	Green	5	10
T314-581R	3 to 5 ml	Red	5	10
T314-581Y	3 to 5 ml	Yellow	5	10

Series 2100: Size: 133 mm x 133 mm x 52 mm H (5¹/₄ x 5¹/₄ x 2¹/₁₆ in. H)

Cat. #	For cryogenic tubes*	Color of grid	Qty/Pk	Qty/Cs
T314-2100B	1 to 2 ml	Blue	4	24
T314-2100G	1 to 2 ml	Green	4	24
T314-2100R	1 to 2 ml	Red	4	24
T314-2100Y	1 to 2 ml	Yellow	4	24

*T301 and T311 Serie only.

SIMPOT® CAN CUSTOMIZE YOUR BAR CODING NEEDS

Simport® offers customised bar-coded products such as Cryogenic Vials, Microcentrifuge Tubes, Sample Tubes or any other tubes with a white background on which the barcode can be printed.

All barcodes have "visual-readable-numbers".

Barcodes are placed on tubes in the following way: First, a white background is pre-printed directly on the tube, then the Ink Jet technique is used to print the black codes on the white background. These codes can withstand the same temperature fluctuations that a Cryovial would in liquid nitrogen and the following defrosting.

Barcoded tubes are packaged in bags of 100. A label is placed on each bag indicating sequential numbering (ex. 100000 to 100099).




Alphanumeric printing is also available on many of our products.
Contact Simport® for further details.



Cryostore™ Storage Box Selection Guide

T308 Serie



T310 Serie



T314-2100	T314-581	T314-542	T314-481	T314-281	T314-225	
				●	●	T308-1A 1.2 ml
				●	●	T308-2 2 ml
				●	●	T308-2A 2 ml
	●		●			T308-3A 3 ml
	●		●			T308-4A 4 ml
	●					T308-5A 5 ml
				●	●	T310-1A 1.2 ml
				●	●	T310-2 2 ml
				●	●	T310-2A 2 ml
	●		●			T310-3A 3 ml
	●		●			T310-4A 4 ml
	●					T310-5A 5 ml
		●				T310-10A 10 ml



T309 Serie

T301 Serie

T311 Serie



T309-1A	T309-2	T309-2A	T309-3A	T309-4A	T309-5A	T301-1	T301-2	T301-3	T301-4	T301-4A	T301-5	T311-1	T311-2	T311-3	T311-4	T311-4A	T311-5
1.2 ml	2 ml	2 ml	3 ml	4 ml	5 ml	1.2 ml	2 ml	2 ml	4 ml	4 ml	5 ml	1.2 ml	2 ml	2 ml	4 ml	4 ml	5 ml
●	●	●				●	●	●				●	●	●			
●	●	●				●	●	●				●	●	●			
			●	●					●	●					●	●	
			●	●	●						●						●
						●	●	●				●	●	●			



T312

Capinsert™ for Cryovial® Tubes

Made of polypropylene

Color coded inserts fit precisely into the cap of the Cryovial® for color identification.

Cat. #	Color	Qty/Bag	Cat. #	Color	Qty/Bag
T312-1	White	500	T312-8	Tan	500
T312-2	Blue	500	T312-9	Gray	500
T312-3	Red	500	T312-10	Lilac	500
T312-4	Green	500	T312-11	Burnt orange	500
T312-5	Yellow	500	T312-13	Violet	500
T312-7	Assortment of colors above	5 bags of 100	T312-14	Pink	500

T313

Cane for Cryovial® Tubes

Made of aluminum

For storage of up to five 1.2 or 2 ml Simport® Cryovial® tubes in liquid nitrogen containers such as Dewar flasks.

Cat. #	Length	Qty/Pk	Qty/Cs
T313	290 mm (11 5/16 in.)	12	48



T315

Cryovial® Workstation Rack

Made of polypropylene

This handy autoclavable rack can hold up to 50 cryogenic vials. Now with one hand, you can easily unscrew a Simport® Cryovial® closure. Thanks to an innovative universal locking system, the vials will securely lock in each well and will not turn. Each position is identified with an alphanumeric index. Strong handles make it easy and safe to carry. It is supported by anti-skid rubber feet. The rack is compact and stackable. Available in three attractive colors.

Size: 10 cm x 20 cm x 2.5 cm H (4 x 8 x 1 in. H)

Cat. #	Color	Qty/Cs
T315-2	Blue	4
T315-3	Red	4
T315-10	Lilac	4



With only one hand, you can easily unscrew a Simport® Cryovial® closure. Thanks to an innovative universal locking base, the vials will securely lock in the wells of just about any rack on the market. This designed feature is available on all Simport® self-standing Cryovial® tubes.



PCR[®] Collection

The assurance of highly accurate and contaminant-free procedures

Driven by innovation, research and product development, Simport[®] is a world leading laboratory products design and manufacturing company. Since 1975, Simport[®] has developed, manufactured and marketed a broad range of innovative disposables to improve research techniques and methods. Our products are distributed worldwide through reputable laboratory and medical products distributors. Some of our superior quality products are also distributed under private label by some of the world's leading laboratory products manufacturers and suppliers.

All Simport[®] PCR[®] products are designed and manufactured to the highest quality standards and to precise calibration and dimensional accuracy. Made under the most rigid manufacturing conditions. The Simport[®] PCR[®] Collection was developed to help the researcher, analyst and technician obtain accurate and repeatable results from experimentation, testing and analysis.

PCR tubes, strips and plates are also available sterile on special request. When placing your order, please check with Customer Service to find out minimum quantities and expected delivery.





Products on this page
are certified, RNase, DNase,
Pyrogen and DNA-free

T325-1 & -2

Amplitube™ PCR Reaction Tubes, 0.2 ml (with integral shield)

Made of polypropylene


These tubes are made of transparent superior quality grade polypropylene for better viewing of the contents. Their ultrathin wall design will ensure rapid thermal transfer and a significant reduction in cycle and PCR reaction time.

Attached hinged caps are either dome or flat-topped and can be used with heated lids used by thermal cycler manufacturers. They provide positive sealing during thermal cycling and will prevent evaporation while being easily opened and closed with one hand. The cap has an integral shield preventing contamination with surface of lid. Frosted writing surface for sample identification.

Choice of colorless and four non-cytotoxic and non-metallic colors. Packaged in tamperproof resealable safety-lock bags.

Cat. # Domed Cap	Cat. # Flat Cap	Color	Qty/Pk
T325-1N	T325-2N	Natural	1000
T325-1B	T325-2B	Blue	1000
T325-1G	T325-2G	Green	1000
T325-1R	T325-2R	Red	1000
T325-1Y	T325-2Y	Yellow	1000

Anatomy of the Amplitube™ PCR Reaction Tubes



T325-1 Domed Cap Series

T325-2 Flat Cap Series

Series T325-1V Domed cap model



Series T325-2V Flat cap model

T325-1V & -2V

Amplitube™ PCR Reaction Tubes, 0.2 ml

Made of polypropylene

Ideal tube design when centrifugation is necessary. These tubes are identical to the T325-1 & -2 Series but without a contamination shield. Frosted writing surface for sample identification. See description above for further details. Packaged in tamperproof resealable safety-lock bags.

Cat. # Domed Cap	Cat. # Flat Cap	Color	Qty/Pk
T325-1VN	T325-2VN	Natural	1000
T325-1VB	T325-2VB	Blue	1000
T325-1VG	T325-2VG	Green	1000
T325-1VR	T325-2VR	Red	1000
T325-1VY	T325-2VY	Yellow	1000



T325-12

Amplitube™ PCR Reaction Tubes, 0.2 ml (without cap)

Made of polypropylene

This thin wall 0.2 ml tube is very useful when processing smaller volumes. It offers optimum contact with thermal cycler blocks. The ultrathin wall will ensure rapid thermal transfer and a significant reduction in cycle and PCR reaction time. Specially designed with a highly polished surface and a round bottom for maximum sample recovery. Sealing can be achieved by using either T321-1 or T321-2 Series Cap Strips. Choice of colorless and four non-cytotoxic and non-metallic colors. Packed in tamperproof resealable bags.



Cat. #	Color	Qty/Pk
T325-12N	Natural	1000
T325-12B	Blue	1000
T325-12G	Green	1000
T325-12R	Red	1000
T325-12Y	Yellow	1000

T325-3 & -4


Amplitube™ PCR Reaction Tubes, 0.5 ml

Made of polypropylene

The inside of these tubes has a polished surface, a conical shape and a round bottom for maximum sample recovery. They offer optimum contact with thermal cycler blocks. Their ultrathin wall design will ensure rapid thermal transfer and a significant reduction in cycle and PCR reaction time. Graduated in 0.1 ml increments.

Attached hinged caps are either dome or flat-topped and provide positive sealing during thermal cycling stages. They will prevent evaporation while being easily opened and closed with one hand. Choice of colorless and four non-cytotoxic and non-metallic colors for visual coding of samples. Packed in tamperproof resealable bags.

Anatomy of the PCR™ Tubes



Cat. # Domed Cap	Cat. # Flat Cap	Color	Qty/Pk
T325-3N	T325-4N	Natural	1000
T325-3B	T325-4B	Blue	1000
T325-3G	T325-4G	Green	1000
T325-3R	T325-4R	Red	1000
T325-3Y	T325-4Y	Yellow	1000



Products on this page are certified, RNase, DNase, Pyrogen and DNA-free

Three versatile racks to accommodate your PCR tubes, strips and plates.

The Unirack™ is an almost universal support holding up to 60 PCR reaction tubes between 0.2 ml and 0.5 ml capacity.

The Combi-Rack™ can hold up to 96 0.2 ml PCR tubes and 8- or 12- tube strips.

The PCRRack™ will accept all models of 0.2 ml tubes, along with strips of 8 or 12 tubes and 96-well plates.



See page 120



- 1 Pierceable flat cap
- 2 Domed cap also provides a snap shut positive seal
- 3 Can be cut and used as individual tubes
- 4 Ultrathin wall
- 5 Standard well spacing
- 6 No carry-over contamination



T320 Amplitube™ PCR Reaction Strips

Made of polypropylene


Simport® Reaction Strips include 8 or 12 integral 0.2 ml tubes with ultrathin sidewalls and bottoms for more uniform and efficient temperature transfer, therefore reducing PCR reaction time in most 96-well "V" bottomed thermal cyclers such as MJ Research, Perkin Elmer, Hybaid and others.

They are more easily handled than single tubes. They will precisely fit standard well spacing and can also be used with 8- and 12-channel hand-held pipettors. All strips are molded of polypropylene under the most stringent conditions and are offered, colorless and in four different colors.

Non-attached cap strips are available in a dome or flat top design and ensure a perfect closure during the whole thermal cycle. Cap strips are not included and have to be ordered separately (see T321 Series). Packed in tamperproof resealable bags.



Products on this page are certified, RNase, DNase, Pyrogen and DNA-free




Natural flat cap strips in series T321-2 have a super clear highly polished upper surface for real time qPCR applications and fluorescence detection.

TUBE & CAP STRIPS OF 8

Cat. # Tube Strip	Cat. # Domed Cap	Cat. # Flat Cap	Color	Qty/Pk
T320-1N	T321-1N	T321-2N	Natural	125
T320-1B	T321-1B	T321-2B	Blue	125
T320-1G	T321-1G	T321-2G	Green	125
T320-1R	T321-1R	T321-2R	Red	125
T320-1Y	T321-1Y	T321-2Y	Yellow	125

TUBE & CAP STRIPS OF 12

Cat. # Tube Strip	Cat. # Domed Cap	Color	Qty/Pk
T320-10N	T321-3N	Natural	125
T320-10B*	—	Blue	125
T320-10G*	—	Green	125
T320-10R*	—	Red	125
T320-10Y*	—	Yellow	125



*Available on request only. Minimum quantities apply. Please enquire for more details.



Simport® Most Popular Tube Strips

T320-2

T320-3



This PCR reaction strip is available with either flat (needle pierceable) or dome-topped individually attached hinged caps.



The cap has an integral seal preventing contamination with surface of lid.

T320-2 & -3 Amplitube™ PCR Reaction Strips

Made of polypropylene


This more convenient 0.2 ml tube strip incorporates individually attached caps. No need to carry two separate components in inventory. The strip includes 8 integral 0.2 ml tubes with ultrathin sidewalls and bottoms for more uniform and efficient temperature transfer.

This PCR reaction strip is available with either flat (needle pierceable) or dome-topped individually attached hinged caps. While easily opened and closed with one hand, their positive sealing will fully protect the contents from evaporation during the whole thermal cycle. The cap has an integral seal preventing contamination with surface of lid.

While more easily handled than single tubes, the strip will precisely fit standard well spacing and can also be used with 8-channel hand-held pipettors. Manufactured under the most stringent conditions to attain the highest quality standards in the industry. Choice of colorless and four non-cytotoxic and non-metallic colors. Packed in tamperproof resealable bags.



Products on this page are certified, RNase, DNase, Pyrogen and DNA-free



Well volume is only 100 µl


T320-2LPN Low Profile Amplitube™ PCR Reaction Strips

Made of polypropylene

This flat cap low profile model has a volume of only 100 µl per tube, for a total of 8 tubes.

Cat. #	Type of Cap	Cat. #	Type of Cap	Color	Qty/Pk
T320-2N	Flat	T320-3N	Domed	Natural	125
T320-2B	Flat	T320-3B	Domed	Blue	125
T320-2G	Flat	T320-3G	Domed	Green	125
T320-2R	Flat	T320-3R	Domed	Red	125
T320-2Y	Flat	T320-3Y	Domed	Yellow	125

Cat. #	Type of Cap	Color	Qty/Pk
T320-2LPN	Flat	Natural	125



T322


Amplitube™ Thin Wall PCR Reaction Strips (Cap Strip attached)

Made of polypropylene

These reaction strips are identical to T320 Series but include already attached 8-cap strips molded with a living hinge to facilitate opening and closing. They are manufactured under strict quality control supervision to ensure reproducible results, using a special almost transparent polypropylene.

Individual tube sealing ensures that samples are well protected from any carry-over contamination. The domed cap design offers a snap shut seal to avoid evaporation during thermal cycling stages. Packed in tamperproof resealable bags.

Cat. #	Color	Qty/Pk
T322-1N	Natural	125
T322-1B	Blue	125
T322-1G	Green	125
T322-1R	Red	125
T322-1Y	Yellow	125



Products on this page
are certified, RNase, DNase,
Pyrogen and DNA-free

T323

Amplitude™ Thin Wall PCR Plates

Made of polypropylene

These 96-well PCR plates are thin-walled and designed for rapid thermal transfer. Each well has a capacity of 0.2 ml. They are precision-molded to ensure well-to-well and plate-to-plate uniformity. The insides of the tubes are smooth and have an inert surface on which enzymes and nucleic acids do not bind.

All sealing methods can be used for oil-free operation:

SecureSeal™ Thermal sealing film and foil (T329 Series), and Amplate™ Mat (T329-10). Suitable to be used with all 96-well shaped cyclers. Their flexible design allows them to be easily cut into sections of 24, 32 or 48 wells.


The plates will accommodate differences in expansion coefficients between the metal thermal cycler block and polypropylene tubes. For more convenience, pre-cut plates are also available in the following formats: 48 wells (6 x 8) and 24 tubes (3 x 8).

On the 96-well plate, a printed black alphanumeric grid helps sample identification. To facilitate orientation, the bottom right corner of the plate is cut away. The AMPLATE™ is easy to seal since no cylindrical walls extend above the plate. More economical than using single tubes, it is available colorless and in four different colors. Packed in tamperproof resealable bags of 10 plates.

Black alphanumeric grid



T323-96



T323-48



T323-24

Anatomy of our Amplitude Plates

- Alphanumeric grid for better identification
- Flexible plate for better fitting of tubes in thermal block
- Can be cut to desired format
- Corner is cut away to facilitate orientation of plate
- Inside of tube is smooth and has an inert surface


Amplate™ 96			
Cat. #	Color	Qty/Bag	Qty/Cs
T323-96N	Natural	10	100
T323-96B	Blue	10	100
T323-96G	Green	10	100
T323-96R	Red	10	100
T323-96Y	Yellow	10	100

Amplate™ 48			
Cat. #	Color	Qty/Bag	Qty/Cs
T323-48N	Natural	10	50
T323-48B	Blue	10	50
T323-48G	Green	10	50
T323-48R	Red	10	50
T323-48Y	Yellow	10	50

Amplate™ 24			
Cat. #	Color	Qty/Bag	Qty/Cs
T323-24N	Natural	10	50
T323-24B	Blue	10	50
T323-24G	Green	10	50
T323-24R	Red	10	50
T323-24Y	Yellow	10	50



Well volume is only 100 µl



- Alphanumeric grid for better identification
- Flat surface for better sealing
- Small volume reducing dead space between sample and cover



NOW
with Black
Alphanumeric Grid!



Products on this page
are certified, RNase, DNase,
Pyrogen and DNA-free

T323-96LP

Low Profile Amplate™ 96 Thin Wall PCR Plates

Made of polypropylene

These low profile 96-well PCR plates are similar to the regular Simport® AMPLATE™ Series detailed on the previous page. However, each of the 96 tubes has a smaller volume (only 100 µl) and thereby reduce the dead space between sample and cover.

They are thin-walled and designed for rapid thermal transfer. precision molded to ensure well-to-well and plate-to-plate uniformity. All sealing methods can be used: domed and flat cap strips (T321 Series), SecureSeal™ Thermal sealing film and foil (T329 Series), and Amplate™ Mat (T329-10). Suitable to be used with all 96-well shaped cyclers.

The flexible design accommodates differences in expansion coefficients between the metal thermal cycler block and polypropylene tubes.

A printed black alphanumeric grid helps sample identification. To facilitate orientation, corner at A1 of the plate is cut away. The AMPLATE™ is easy to seal since no cylindrical walls extend above the plate. More economical than using single tubes, it is available colorless and in four different colors.

Packed in tamperproof resealable bags of 10 plates.

CAN BE USED WITH ALL LEADING THERMAL CYCLERS

Cat. #	Color	Qty/Bag	Qty/Cs
T323-96LPN	Natural	10	100
T323-96LPB*	Blue	10	100
T323-96LPG*	Green	10	100
T323-96LPR*	Red	10	100
T323-96LPY*	Yellow	10	100

* Minimum quantity applicable. Please contact one of our customer service agents for further details.

T323-96SK

Skirted Amplate™ 96 Thin Wall PCR Plates

Made of polypropylene

Similar to the T323 Series above, these skirted 96-well PCR plates are thin walled and designed for rapid thermal transfer. The skirt around the plate provides a bar coding and labeling area, unavailable in other types of plates. They are precision-molded to ensure well-to-well and plate-to-plate uniformity. Quite superior to polycarbonate plates, they are impermeable to water vapor.

All sealing methods can be used: domed and flat cap strips (T321 Series), SecureSeal™ Thermal sealing film and foil (T329), and Amplate™ Mat (T329-10 Series). Suitable to be used with all 96-well shaped cyclers.


An alphanumeric grid helps sample identification. To facilitate orientation, corner at H1 of the plate is cut away. The AMPLATE™ is easy to seal since no cylindrical walls extend above the plate. More economical than using single tubes, it is available colorless and in four different colors. Finally, the Simport® AMPLATE™ can be handled by robotic handling equipment and is ideal with automated pipetting systems.

Packed in tamperproof resealable bags of 10 plates.

Cat. #	Color	Qty/Bag	Qty/Cs
T323-96SKN	Natural	10	100
T323-96SKB*	Blue	10	100
T323-96SKG*	Green	10	100
T323-96SKR*	Red	10	100
T323-96SKY*	Yellow	10	100


* Minimum quantity applicable. Please contact one of our customer service agents for further details.

Well volume is only 100 µl



- Alphanumeric grid for better identification
- Flat surface for better sealing
- Can be handled by robotic handling equipment
- Area for bar coding, labeling or writing on each side and top
- Each well has a volume of 100 µl





T323-100, -101, & -103

Amplitube™ Raised Rim Thin Wall PCR Plates

Made of polypropylene

Offering just the right rigidity for automation, these four 96-well plates, made in a standard 8 x 12 configuration, are perfectly suited for high performance thermal cycling. Each well makes intimate contact with the heating block while quick and consistent heat transfer is ensured by a uniform wall thickness. Using a special polypropylene, samples are easily recovered thanks to a low adhesion surface.

Well capacity: T323-100 and -101 Series: 250 µl, T323-103 Series: 200 µl, T323-104: 100 µl.

These plates offer the right alternative to existing Robbins (-100), Corning (-101), Perkin Elmer (-103) and ABI (-104) models. T323-100 and -101 Series have a 3 mm raised rim around each tube well.

T323-101 is supplied with a wide skirt extending over and under the plate on which a barcode can be affixed to facilitate identification. T323-103 and T323-104 will also offer the same skirt but the rim above each tube well is only 1 mm high.

All sealing methods can be used: domed and flat cap strips (T321 Series); SecureSeal™ Thermal Sealing Film (T329-1); SecureSeal™ Aluminium Sealing Foil (T329-5) and Amplate™ Mat (T329-10). To facilitate orientation, one corner of the plate is cut away. An alphanumeric grid helps sample identification. Packed in tamperproof resealable bags of ten plates.

Well volume is only 100 µl

Cat. #	Color	Qty/Bag	Qty/Cs
T323-100N	Natural	10	100
T323-100B*	Blue	10	100
T323-100G*	Green	10	100
T323-100R*	Red	10	100
T323-100Y*	Yellow	10	100

Cat. #	Color	Qty/Bag	Qty/Cs
T323-101N	Natural	10	100
T323-101B*	Blue	10	100
T323-101G*	Green	10	100
T323-101R*	Red	10	100
T323-101Y*	Yellow	10	100

Cat. #	Color	Qty/Bag	Qty/Cs
T323-103N	Natural	10	100
T323-103B*	Blue	10	100
T323-103G*	Green	10	100
T323-103R*	Red	10	100
T323-103Y*	Yellow	10	100

* Minimum quantity applicable. Please contact one of our customer service agents for further details.

T323-104N

Semi Skirted Amplate™ Thin Wall PCR Plate

This plate is a perfect alternative to the Applied Biosystems MicroAmp® Fast 96-Well Reaction Plate, 0.1 ml, reducing PCR reaction time from 2 hours to as little as 25 minutes.



Cat. #	Color	Qty/Bag	Qty/Cs
T323-104N	Natural	10	100



T323-384SK

Amplate™ 384 Thin Wall PCR Plates

Made of polypropylene

This plate has been developed for high volume laboratory work. It is precision-molded to ensure well-to-well and plate-to-plate uniformity.

The design of the AMPLATE™ 384 is such that each well having a 40 µl capacity can be used with reaction volumes from 2 to 30 µl. All wells on the plate are thin-walled to make sure that an efficient and fast heat transfer is occurring.

Although it has 384 wells, it can be filled using automated fluid handling systems or standard multichannel pipettors.

In order to offer more surface contact between the plate and the sealing medium, such as thermal foil and adhesive sealing films, there are no cylindrical walls extending above the plate.

The AMPLATE™ 384 is skirted to allow bar coding on sides for identification and also to make it compatible with automated fluid handling systems. Holes on sides allow for precise and accurate plate positioning and removal.

An alphanumeric grid helps in locating the sample. Two corners of the plate are cut away to facilitate orientation.


The AMPLATE™ 384 is definitely more economical than using single tubes, strips, and even 96-well plates. It is available colorless and in four popular colors. Packed in tamperproof resealable bags of 10 plates.

Cat. #	Color	Qty/Bag	Qty/Cs
T323-384SKN	Natural	10	100
T323-384SKB*	Blue	10	100
T323-384SKG*	Green	10	100
T323-384SKR*	Red	10	100
T323-384SKY*	Yellow	10	100

* Minimum quantity applicable. Please contact one of our customer service agents for further details.




Products on this page
are certified, RNase, DNase,
Pyrogen and DNA-free



Anatomy of an Amplate

- 1 Can be filled using automated fluid handling systems
- 2 Each well has only 40 µl capacity
- 3 Can be handled by robotic handling equipment
- 4 Corners A24 and P24 are cut away to facilitate orientation
- 5 Alphanumeric grid for better identification
- 6 Area for bar coding, labeling or writing



Well volume is only 100 μ l

Anatomy of an Amplate

- 1 Alphanumeric grid for better identification
- 2 Area for bar coding, labeling or writing
- 3 Can be filled using automated fluid handling systems
- 4 One corner is cut away to facilitate orientation
- 5 Flat surface of wells for better sealing
- 6 Opaque to ensure low level of background fluorescence




Products on this page
are certified, RNase, DNase,
Pyrogen and DNA-free



Barcode printing available.
Contact Simport® for more details.

Anatomy of an Amplate

- 1 Can be filled using automated fluid handling systems
- 2 Two corners are cut away to facilitate orientation
- 3 Alphanumeric grid for better identification
- 4 Can be handled by robotic handling equipment
- 5 Opaque to ensure low level of background fluorescence
- 6 Area for bar coding, labeling or writing



T324-96SK

Opaque Skirted Amplate™ 96

Thin Wall PCR Plates

Made of polypropylene

These opaque 96-well PCR plates are for chemiluminescent and fluorescent procedures. Each well has a capacity of 100 μ l. Thin-walled and designed for rapid thermal transfer. They are precision-molded to ensure well-to-well and plate-to-plate uniformity.

All sealing methods can be used: domed and flat cap strips (T321 Series), SecureSeal™ Thermal and foil (T329 Series), and Amplate™ Mat (T329-10). Suitable to be used with all 96-well shaped cyclers.

Alphanumeric grid helps in sample identification. To facilitate orientation, corner at H1 of the plate is cut away. The AMPLATE™ is easy to seal since no cylindrical walls extend above the plate. Finally, the Simport® AMPLATE™ can be handled by robotic handling equipment and is ideal with automated pipetting systems.

Packed in tamperproof resealable bags of 10 plates.

Cat. #	Color	Qty/Bag	Qty/Cs
T324-96SKK	Black	10	100
T324-96SKW	White	10	100

T324-384SK

Opaque Skirted Amplate™ 384

Thin Wall PCR Plates

Made of polypropylene

For chemiluminescent and fluorescent procedures, the AMPLATE™ -384 is available in opaque white or black. The white plate will increase signal output in both types of assays. It has been developed for high volume laboratory work. It is precision-molded to ensure well-to-well and plate-to-plate uniformity.

The design of the AMPLATE™ -384 is such that each well having a 40 μ l capacity can be used with reaction volumes from 2 to 30 μ l capacity. Only virgin polypropylene is used to manufacture this plate. Although it has 384 wells, it can be filled using automated fluid handling systems or standard multichannel pipettors. All wells on the plate are thin-walled to make sure that an efficient and fast heat transfer is occurring.

In order to offer more surface contact between the plate and the sealing medium, such as thermal foil and adhesive sealing films, there are no cylindrical walls extending above the plate.

The AMPLATE™ -384 is skirted to allow bar coding on sides for identification and also to make it compatible with automated fluid handling systems. Holes on sides allow for precise and accurate plate positioning and removal.

An alphanumeric grid helps in locating the sample. Two corners of the plate are cut away to facilitate orientation.

Packed in tamperproof resealable bags of 10 plates.

Cat. #	Color	Qty/Bag	Qty/Cs
T324-384SKK	Black	10	100
T324-384SKW	White	10	100



T319-4N

RotoCycler™ 0.1 ml Tube and Cap Strips for Qiagen Rotor-Gene™ Q Real-Time Rotary Analyzer

Made of polypropylene

The Rotor-Gene™ analyzer was formerly designed by Corbett. These RotoCycler™ strips are perfectly designed to perform on Rotor-Gene™ instruments. Tube strips are packaged separately from cap strips. The frosted extensions on caps not only make them more efficient and secure during handling but also offer a convenient area for labelling. For individual use, tube and cap strips can easily be separated and used as individual units. Each package contains four bags of 250 tube strips and four bags of 250 cap strips. Case content is sufficient for 4000 reactions.

Cat. #	Description	Qty/Pk	Qty/Cs
T319-4N	Tube and Cap Strips, 0.1 ml	250	1000



Products on this page are certified, RNase, DNase, Pyrogen and DNA-free

T319-72D2 and -100D1

RotoCycler™ Discs for Qiagen Rotor-Gene™ Q Real-Time Rotary Analyzer

Made of polypropylene

The RotoCycler™ Discs are specially made to be used with the Qiagen Rotor-Gene™ Q Real-Time Rotary Analyzer. Two models are available: a 72-well format with 100 µl tubes and a 100-well format for reactions up to 25 µl. The discs are a one-piece "plate" equivalent, having vertically oriented wells compatible with automated reaction setup using a robotic liquid handling system.

Cat. #	Description	Qty/Cs
T319-72D2	RotoCycler™ 72 Rotor with 100 µl wells	24
T319-100D1	RotoCycler™ 100 Rotor with 25 µl wells	30

T319-4WS1

RotoCycler™ 72 Workstation

Made of aluminum

In order to facilitate the handling and insertion of caps on the tubes, Simport® offers a special solid aluminum loading rack. This rack can hold up to 18 x 0.1 ml tube strips for a total of 72 tubes. Other cavities can hold larger reaction tubes. To keep reactions cool during setup, simply place the rack in a refrigerated area. For easy reference, all wells are numbered. Color coding is made possible by inserting a Capinsert™ in up to two locations on the rack. Five hundred color coding inserts of assorted colors are enclosed.


Cat. #	Description	Qty/Box
T319-4WS1	RotoCycler™ 72 Workstation	1

- 1 For 0.5 ml tubes T325-3 and T325-4
- 2 For 0.2 ml tubes T325-1, T325-2 and T325-12
- 3 For tube strips T319-4N

T319-4N




T319-72D2




Case content is sufficient for 1728 reactions.


T319-100D1



Case content is sufficient for 3000 reactions.



Color coding possible using a Simport® Capinsert. Ten colors available. See page 138 for more details.






T327 COMBI-BOX™

Made of pvc

The Simport® Combi-Box™ can be used not only as a storage rack but also as a workstation. The white base will accept all 96- and 384-well plates and an easy to remove transparent cover allows easy viewing of contents. Being only 40 mm high, the stackable Combi-Box™ saves space on the lab bench and on refrigerator or freezer shelves. For single tubes as well as strips, use the Combi-Rack™ (T327-1) which can hold up to 96 tubes or 12 strips of 8.

Cat. #	Color	Qty/Cs
T327	White base	5



- Grid can easily be inserted and removed
- Alphanumeric identification of each position
- Can accept single tubes, strips and plates up to 96 wells
- Stackable

T327-1 COMBI-RACK™

Made of polypropylene

The Simport® Combi-Rack™ is an innovative support that can hold up to 96 PCR tubes or 12 strips of 8 tubes with caps. Each hole is identified with an alphanumeric numbering system for identifying tubes. The grid stands on 4 legs and can be placed on a lab counter or in a refrigerator or freezer shelf. Made of polypropylene, it can easily withstand temperatures from -80 °C to +121 °C. It is also ideal for carrying and storing, freezing and transporting reagents and specimens.

For storage, simply place the Combi-Rack™ in the T327 Combi-Box™ and place cover.

Cat. #	Color	Qty/Cs
T327-1	Blue	5



- Transparent cover for easy viewing of contents
- Boxes are stackable for space-saving
- Plate can easily be inserted and removed

Will accept any PCR plate

Space-saver only 40 mm high

T328-96 PCRRack™

Made of polypropylene

This convenient space saving rack was designed especially for storing and working with PCR samples. The PCRRack™ will accept all models of 0.2 ml tubes, along with strips of 8 or 12 tubes. 96-well PCR plates can also be accommodated.

The PCRRack™ can be horizontally attached to each other in order to build-up any configuration you desire. With the cover on, they are easily stackable one on top of another. Thanks to these special features, efficiency is highly improved allowing you to carry a multitude of tubes and/or strips at the same time.




T328-96

T328-96 Cat. #	Color	Qty/Cs	T328-96 Cat. #	Color	Qty/Cs
T328-96B	Blue	20	T328-96R	Red	20
T328-96G	Green	20	T328-96Y	Yellow	20
T328-96O	Orange	20	T328-96AS	Assorted*	20
T328-96P	Pink	20			

S500-80 UniRack™


Made of polypropylene

The UniRack™ offers the laboratory a support far more versatile and easy to use than any other rack available today. It is designed to use minimum counter space while offering maximum flexibility. Made of polypropylene, it allows great resistance to various chemicals used in laboratories. For further information, see page 160.



S500-80

S500-80 Cat. #	Color	Qty/Cs	S500-80 Cat. #	Color	Qty/Cs
S500-80B	Blue	10	S500-80R	Red	10
S500-80G	Green	10	S500-80Y	Yellow	10
S500-80O	Orange	10	S500-80AS	Assorted*	10
S500-80P	Pink	10			
Lid Cat. #	Color	Qty/Cs			
S501-80	Transparent	10			



T329-1 & -2

SecureSeal™ Thermal Adhesive Sealing Film for PCR application

This transparent sealing tape consists of a 2.0 mil polyolefin film coated on one side with a pressure sensitive acrylate adhesive which does not interfere with cycle reactions. It is ideal for reducing well-to-well contamination and/or spill over in sensitive PCR applications where the minimization of evaporation and vapor loss is critical.

SecureSeal™ Thermal Film was developed with the assistance of a major cycler manufacturer for PCR applications. Not only does it offer low-autofluorescence but it will prevent vapor loss and is thermostable and functional from -70 °C to +100 °C. Certified RNase, DNase and DNA-free. DMSO resistant.

Note: Performance may depend upon the specific collection/sample vessel used as well as the specific conditions to which it is subjected.

Cat. #	Color	Sterile	Qty/Pk	Qty/Cs
T329-1	Transparent	No	100	1000
T329-2	Transparent	Yes	100	1000

T329-5

SecureSeal™ Aluminum Sealing Foil

This type of material is ideal for manual sealing during PCR work and also for high throughput applications. Adhesive backing makes it easy to apply. Will resist temperatures from -80 °C to +120 °C. It is recommended to use the Amplate™ Roller (T329-9) to ensure a perfect bond, eliminating the dangers of evaporation. Pierceable with a pipet tip for easy access to sample. Certified RNase, DNase and DNA-free. DMSO resistant.

Cat. #	Description	Qty/Cs
T329-5	Peeling foil	100 sheets

T329-9 AMPLATE™ Roller

For ensuring a perfect seal when using either SecureSeal™ sealing film or aluminum foil on microtiter or deep well plates. Roller made of medial hard rubber. Heavy-duty handle with comfort grip reducing fatigue. Will last a long time.




Cat. #	Size	Qty/Cs
T329-9	10.16 cm (4 in.)	1


T329-10 AMPLATE™ Mat

Made of TPE

This flexible sealing cover is used on 96-well plates along with clip down and screw top thermal cyclers and has been proven to be a secure and effective way of sealing. Since it is reusable, it is a nice way to make this step of the procedure cost effective. Dimples on one side of the mat ensure it is well placed over the tubes. Can be used in temperatures ranging from -20 °C to +121 °C.



Cat. #	Color	Qty/Pk
T329-10	Blue	5



Cat. #	Color	Sterile	Qty/Pk
T329-6	Transparent	No	100



Manufacturer	Application	T319 Series -4	T319 Series -72	T319 Series -100	T323 Series -96	T323 Series -96LP	T323 Series -96SK	T323 Series -100	T323 Series -101	T323 Series -103	T323 Series -104	T323 Series -384	T324 Series -96SK	T324 Series -384SK
Amersham														
MegaBACE™ 500	Sequencing								•				•	
MegaBACE™ 1000 mark II	Sequencing								•				•	
MegaBACE™ 4000	Sequencing													
Applied Biosystems (Life Technologies)														
Veriti® 0.1 ml 96-well Block	PCR										•			
Veriti® 0.2 ml 96-well Block	PCR									•				
GeneAmp® 2700/2720/9600	PCR				•				•	•				
GeneAmp® 9700	PCR				•					•			•	•
GeneAmp® 9800 Fast Block	PCR										•			
7000, 7300, 7500, 7700, 7900, ViiA7™	Real-Time PCR				•				•	•				
7500 Fast, 7900HT Fast 96-well block, ViiA7™	Real-Time PCR								•		•	•		
7900HT Standard 96-well Block, ViiA7™	Real-Time PCR									•				
7900HT 384 well block, ViiA7	Real-Time PCR											•		•
StepOne Plus™	Real-Time PCR										•			
3100 Genetic Analyser	Sequencing				•					•				
3130 Genetic Analyser	Sequencing				•					•				
310 Genetic Analyser	Sequencing				•					•				
3700 DNA Analyser	Sequencing				•					•				
3730/3730XL DNA Analyser	Sequencing				•					•				
Biometra														
Uno	PCR				•	•	•			•			•	
Uno II	PCR				•	•								
T1 Thermocycler	PCR				•	•	•			•		•	•	•
Tgradient	PCR				•	•	•			•			•	
Trobot	PCR				•	•	•			•			•	
TProfessional	PCR				•	•	•						•	
Bio-Rad/MJ														
iCycler® / MyCycler®	PCR				•					•				
C1000™, S1000™	PCR				•	•	•			•		•	•	•
PTC-2(xx)	PCR				•	•	•	•		•		•	•	•
PTC-100™ with 96-well block	PCR				•	•	•	•		•		•	•	•
iCycler™	Real-Time PCR				•									
iq™4 / iq™5, MyiQ, MyiQ2	Real-Time PCR				•									
CFX96™	Real-Time PCR					•	•						•	
CFX384™	Real-Time PCR													•
Opticon™, Opticon 2™, Chromo4™	Real-Time PCR					•	•						•	
MiniOpticon™	Real-Time PCR				•									
BaseStation™	Sequencing						•							
Corbett Research														
Palm Cycler™	PCR					•	•							
Gene Technologies														
GS1/GS4/GSX	PCR					•	•					•		•
MWG														
Primus 96	PCR				•	•	•		•	•			•	
Primus 384	PCR											•		•
TheQ Lifecycler™	PCR				•	•	•			•			•	
Peqlab														
peqSTAR 96	PCR				•	•	•							
Qiagen														
Rotor-Gene Q		•	•	•										
SensoQuest														
LabCycler Basic 96	PCR				•	•	•			•			•	
LabCycler Gradient 96	PCR				•	•	•			•			•	
LabCycler 384	PCR											•		•
Stratagene (Agilent) and Eppendorf														
RoboCycler®	PCR				•									
Gradient Cycler	PCR				•		•			•		•	•	•
Mastercycler® Gradient	PCR				•	•	•	•		•		•	•	•
MasterCycler® EP Gradient/Pro	PCR				•	•	•	•		•		•	•	•
M384	PCR											•		•
Mx4000®	Real-Time PCR				•	•				•				
Mx3000P®, Mx3005P™	Real-Time PCR				•	•				•				
Mastercycler® ep realplex	Real-Time PCR				•	•	•	•		•	•		•	
Takara														
TP3000	PCR				•	•				•				
Techné														
Flexigene, TC-412, TC-4000	PCR				•	•	•			•		•	•	•
Genius, Touchgene, TC-512, TC-5000	PCR				•	•	•	•	•	•		•	•	•
TC-Plus	PCR				•	•	•	•		•		•	•	•
Quanta	Real-Time PCR					•								
Thermo Scientific														
PCR Express, Px2, PxE	PCR				•	•	•			•		•	•	•
MultiBlock System & MBS®	PCR				•	•	•			•		•	•	•
Touchdown	PCR				•	•	•					•	•	•
Omnigene	PCR				•	•	•		•	•			•	
Omn-E	PCR				•	•	•			•			•	
Transgenomic														
Wave	Sequencing						•						•	



ClikLok™ Microcentrifuge Tube Collection



T330 Microcentrifuge Tube

- Extra clarity for better visual inspection
- Boil-proof design
- Ultra rugged walls made for high speed centrifugation
- Unique ClickLok™ sealing mechanism
- Made of highest purity polypropylene

Made of polypropylene

These 0.6 ml and 1.5 ml graduated rugged tubes are made of laboratory grade polypropylene suitable to withstand the stress of high speed centrifugation up to 20,000 x g. The one-piece construction incorporates a snug fitting and reliable attached cap even with prolonged boiling. The bottom is reinforced for added protection against leakage. Maximum clarity for visual sample inspection. A frosted writing surface on closure and side of tube allows for easy and convenient sample identification. Highly polished interior ensures low liquid retention.

Available in 4 colors. Packaged in tamperproof resealable safety-lock bags.

Cat. #	Color	Volume	Qty/Pk	Qty/Cs
T330-6N	Natural	0.6 ml	500	5000
T330-6B*	Blue	0.6 ml	500	5000
T330-6G*	Green	0.6 ml	500	5000
T330-6Y*	Yellow	0.6 ml	500	5000

*Available on request only. Minimum quantities apply. Please enquire for more details.

Cat. #	Color	Volume	Qty/Pk	Qty/Cs
T330-7N	Natural	1.5 ml	500	5000
T330-7B	Blue	1.5 ml	500	5000
T330-7G	Green	1.5 ml	500	5000
T330-7Y	Yellow	1.5 ml	500	5000
T330-7AM	Amber	1.5 ml	500	5000

T330-5N EconoTube™

Made of polypropylene

The least expensive microcentrifuge tube for all applications including storage and reactions. The one-piece construction incorporates a snug fitting and reliable attached cap. Not to be used for boiling applications.

Cat. #	Color	Volume	Qty/Pk	Qty/Cs
T330-5N	Natural	1.5 ml	500	5000

T330-72, 72A 2 ml Microcentrifuge Tube

Made of polypropylene

These 2 ml microcentrifuge tubes offer a special design to produce a more secure closure. This will help to prevent tubes from opening during centrifugation, boiling, storing, freezing and shipping. They are graduated at 0.5, 1.0 and 1.5 ml. They are autoclavable to 121 °C. Pierceable lid. Etched surface on side of tube for sample identification. Large etched graduations make volumes easy to read. Improved polypropylene transparency for easy viewing of samples. Tubes can withstand centrifugation up to 15,000 x g.

Conical bottom 2 ml microcentrifuge tubes

Cat. #	Color	Qty/Pk	Qty/Cs
T330-72N	Natural	500	5000
T330-72B*	Blue	500	5000
T330-72G*	Green	500	5000
T330-72Y*	Yellow	500	5000
T330-72AM*	Amber	500	5000

*Available on request only. Minimum quantities apply. Please enquire for more details.

Self-standing conical bottom 2 ml microcentrifuge tubes

Cat. #	Color	Qty/Pk	Qty/Cs
T330-72AN	Natural	500	5000
T330-72AB*	Blue	500	5000
T330-72AG*	Green	500	5000
T330-72AY*	Yellow	500	5000
T330-72AAM*	Amber	500	5000

*Available on request only. Minimum quantities apply. Please enquire for more details.





T330LST

Low Surface Tension Microcentrifuge Tubes

Made of polypropylene

The special type of plastic used provides these tubes with a low adhesion surface and optimum sample yield. No lubricant (such as silicone) is necessary, thereby eliminating the danger of sample contamination. It is also graduated and designed to withstand the stress of high speed centrifugation up to 20,000 x g. One-piece construction with snug fitting attached cap and reinforced tube bottom for added protection against leakage. Tubes are autoclavable to 121 °C. Packaged in tamperproof resealable safety-lock bags.

Cat. #	Color	Volume	Qty/Pk	Qty/Cs
T330-6LST	Natural	0.6 ml	500	5000
T330-7LST	Natural	1.5 ml	500	5000
T330-8LST	Natural	1.5 ml	500	5000
T330-72LST	Natural	2 ml	500	5000

T330-8 Microcentrifuge Tube with Pick-Up Tab

Made of polypropylene

These tubes have all the fine features of the T330-7 series, but they also incorporate a convenient pick-up tabs for easier handling without actually touching the tube. Available in four different colors.

Cat. #	Color	Volume	Qty/Pk	Qty/Cs
T330-8N	Natural	1.5 ml	500	5000
T330-8B*	Blue	1.5 ml	500	5000
T330-8G*	Green	1.5 ml	500	5000
T330-8Y*	Yellow	1.5 ml	500	5000

*Available on request only. Minimum quantities apply. Please enquire for more details.



Products on this page are certified, RNase, DNase, Pyrogen and DNA-free



Pickup tab design for easier handling.



T330-15

Microcentrifuge Tube with Locking Cap



Made of polypropylene

These Click-Lok™ microcentrifuge tubes offer a special locking system which can be bent upward to lock on the cap, ensuring extra protection during critical steps such as boiling, freezing, centrifugation and shipping. Tubes are graduated at 0.5, 1.0 and 1.5 ml. Lids can be pierced easily with a syringe needle. Etched surface on side of tube for sample identification. Can be used at extreme temperatures up to +121 °C. Autoclavable. Maximum centrifugation: 20,000 x g. Packaged in tamperproof resealable safety-lock bags of 500 tubes.


Cat. #	Color	Qty/Pk	Qty/Cs
T330-15N	Natural	500	5000
T330-15B*	Blue	500	5000
T330-15G*	Green	500	5000
T330-15Y*	Yellow	500	5000

*Available on request only. Minimum quantities apply. Please enquire for more details.

Anatomy of a T330-15



Locking mechanism preventing accidental opening of lid





T331-10

Microcentrifuge Tube with **Secure-Lock™**

Made of polypropylene

These Secure-Lock™ microcentrifuge tubes offer a special locking clasp to produce a more secure closure. This will help to prevent tubes from opening during centrifugation, boiling, storing, freezing and shipping. They are graduated at 0.5, 1.0 and 1.5 ml. They are autoclavable to 121 °C. Pierceable lid. Etched surface on side of tube for sample identification.

Cat. #	Color	Qty/Pk	Qty/Cs
T331-10N	Natural	500	5000
T331-10B*	Blue	500	5000
T331-10G*	Green	500	5000
T331-10Y*	Yellow	500	5000

*Available on request only. Minimum quantities apply. Please enquire for more details.

T331-20

Microcentrifuge Tube with Pick-Up Tab and **Secure-Lock™**

Made of polypropylene

This tube is a combination of series T330-8 and T331-10 microcentrifuge tubes giving it the best of both: a pick-up tab for easier handling without actually touching the tube, and a Secure-Lock™ to help prevent tubes from opening during centrifugation, shipping, boiling or freezing. Graduated at 0.5, 1 and 1.5 ml. Autoclavable to 121 °C. Pierceable lid. Etched surface on side for sample identification.

Cat. #	Color	Qty/Pk	Qty/Cs
T331-20N	Natural	500	5000
T331-20B*	Blue	500	5000
T331-20G*	Green	500	5000
T331-20Y*	Yellow	500	5000

*Available on request only. Minimum quantities apply. Please enquire for more details.

T330-64

Microcentrifuge Tube Storage Box

Made of high impact polystyrene

This microcentrifuge tube storage box with a polyurethane foam insert is ideal for holding up to 64 tubes from 0.5 ml to 2 ml. It should be used within a temperature range of -90 °C to 80 °C.

A transparent cover allows you to see the contents of the box, and is keyed to the base in order to prevent misalignment. To improve your inventory control, you can write with a marker pen on the cover surface which is pre-printed with a series of squares (numbered from 1 to 64). You can also save space by stacking these boxes in freezers, refrigerators and on lab counters.

Cat. #	Qty/Pk	Qty/Cs
T330-64	4	24





**NEW
PRODUCT**

T330 Series

5.0 ml KlikLok™ Tubes

Made of polypropylene


The Simport 5.0 ml, KlikLok™ tube and have been designed for the simple and safe processing of medium-sized sample volumes. Up until now, for samples larger than 2.0 ml, the only choice was to use large conical screw-cap tubes (15 ml for example) which were both impractical and prone to contamination.

The potential pipettor shaft contamination is greatly reduced since the 59 mm and 62 mm total tube length (vs. 120 mm for 15 ml tubes) is short enough for standard 1 ml or 5 ml tips to reach the tube's conical bottom.

The 16 mm tube diameter is identical to the diameter of standard 15 ml tubes, ensuring further compatibility with centrifuge rotors, etc.



T330 Anatomy of a KlikLok™ Tube




- 1 Smooth bottom has no sharp points hurting your fingers
- 2 Ultra clear resin gives you a better view
- 3 Slim design fits high capacity rotors
- 4 Graduated every 0.5 ml
- 5 Prevents unintentional lid opening during incubation, storage and transportation
- 6 90° hinge orients cap for easy fit
- 7 Chamfered opening for pouring supernatant
- 8 Center of cap with "membrane" area for easy piercing

When the internal pressure approaches an unsafe level, the cap partially opens, softly, in a controlled manner, releasing excess pressure, but preventing any splashing of contents. In applications over 80 °C, we recommend the Simport CapLock™ clips.


Features and Benefits

- RNase, DNase, Pyrogen and DNA free
- Manufactured of exceptionally high-quality, transparent polypropylene without the use of slip agents, plasticizers, mold release agents and biocide substances
- Writing surface on flat cap and side wall for quick sample identification
- Sample identification is easily achieved by the use of a CAPINSERT™, or with a 2D Datamatrix laser etched barcode insert
- Precise lid sealing for minimal evaporation rate during long-term storage
- Center of cap with "membrane" area designed for easy puncture and access with a 142 syringe/needle
- Once punctured, the opening can be useful for venting the internal pressure during heating
- Exceptional centrifugation stability of up to 25,000 x g
- Autoclavable at 121 °C, 20 min.
- Withstands temperatures from +121 °C to -196 °C (not to be immersed in LN₂ liquid phase)

T330-75



T330-76



Cat #	Color	Pk	Cs
Flat Top Series			
T330-75N	○ Natural	100	200
T330-75B	● Blue	100	200
T330-75G	● Green	100	200
T330-75R	● Red	100	200
T330-75Y	● Yellow	100	200
T330-75AM	● Amber	100	200
T330-75NS	○ Natural Sterile	20	200
T330-75AMS	● Amber Sterile	20	200

Cat #	Color	Pk	Cs
Flat top with cavity for 2D & CapInsert™*			
T330-76N	○ Natural	100	200
T330-76B	● Blue	100	200
T330-76G	● Green	100	200
T330-76R	● Red	100	200
T330-76Y	● Yellow	100	200
T330-76AM	● Amber	100	200
T330-76NS	○ Natural Sterile	20	200
T330-76AMS	● Amber Sterile	20	200

*(M957Series or 2D Inserts M957BK-2D)



M957BK-2D

2D DataMatrix Code Inserts

The 2D Barcode Inserts are manually pushed in and locked in place on top of tube closure.

They are generated by a permanent laser etching system providing a sharper detail, and are tested to ensure readability and uniqueness. Barcode identification can be simply stored in an electronic spreadsheet or any other data collection system.

Pk of 100, Cs of 500



M957 Series Color Coded CapInsert™

At any time the Color Coded Insert could be applied to the tube closure, which eliminates jeopardizing the integrity of your sample by transferring it to another vial. It is manually press fit and locks into place on top of closure. **Pk of 100, Cs of 500.**

- M957B** ● Blue
- M957G** ● Green
- M957L** ● Lilac
- M957R** ● Red
- M957Y** ● Yellow



Universal Centrifuge adapters

Made of acetal plastic

Reusable and freezable (-90 °C) **Pk of 8**

T330AD15 For 15 ml rotor bores or adapters.

T330AD50 For 50 ml rotor bores or adapters.

T330-75CL

CapLock™ Clip for 5.0 ml Tubes with Snap Cap

Made of polyethylene

The unique design of the CapLock™ provides extra security against inadvertent cap openings on critical samples or during incubation above 80 °C.

Ideal for shipping samples. **Pk of 10, Cs of 100**

- 330-75CLB** Blue ●
- T330-75CLG** Green ●
- T330-75CLR** Red ●
- T330-75CLW** White ○
- T330-75CLY** Yellow ●



T450

Series Rack 5.0ml



Made of polypropylene

Reusable, autoclavable and freezable (-90 °C).

Wells are numbered for easier identification 25 tubes. **Cs of 5**

- T450-25B** ● Blue
- T450-25R** ● Red
- T450-25O** ● Orange

5.0 ml Tube Storage Boxes

Cover made of polystyrene / Base made of high impact polystyrene

Color your world with a wide variety of economical storage boxes for your snap or screw cap 5.0 ml tubes


These storage boxes are designed to be used at temperatures between -90 °C and +80 °C.

A transparent cover allows the user to see the contents of the box, and is keyed to the base to prevent misalignment. Printed with a series of squares numbered from 1 to 25, the surface accepts writing with markers, facilitating inventory control.

A unique color coding system uses colored plastic grids to separate the cover from the base.

Cat No.	Description	Qty/Pk	Qty/Cs.
T330-25B	Blue grid	3	18
T330-25G	Green grid	3	18
T330-25P	Pink grid	3	18
T330-25Y	Yellow grid	3	18

Anatomy of a 5.0 ml Tube Storage boxes



- 1 Cover has numbered squares for easy sample identification
- 2 Two corners of cover and base are cut to prevent misalignment
- 3 Writing surface for identifying base and/or cover
- 4 Tubes readily visible through transparent cover
- 5 Air vents minimizing condensation
- 6 Drain holes under base
- 7 Stackable
- 8 Color coded grid

Micrewtube Collection

A tube for every application

Simport® MICREWUBE® has a multitude of applications around your lab. It is ideal for freezer storage, boiling application, centrifugation etc. and will fit most standard microcentrifuge rotors. Six styles of caps to choose from, and three sizes of conical bottom or selfstanding tubes (0.5 ml, 1.5 ml and 2 ml).

The cap is molded with a deep internal lip that fits snugly against the interior wall of the tube thus preventing the contents from coming in contact with the seal or threads, thereby reducing the chances of sample contamination. The cap's high profile facilitates manipulation especially in aseptic procedures and can remain attached (T332 & T336 Series) to the tube in order to eliminate mix-ups. All tubes and closures are manufactured in a clean environment.

Tubes and screw caps are made of heavy wall construction and are built to last. Non skirted tubes withstand high speed centrifugation up to 20,000 x g. In the washer version, tubes and caps are made of polypropylene while in the lip seal version, tubes are made of polypropylene and caps are made of high density polyethylene. They are available in sterile and non sterile format.


Low adhesion Micrewtubes Series T341TLST are also available. The specially formulated polypropylene used to manufacture these tubes provides a low adhesion surface to obtain maximum sample yield.

Total length with cap: 47 mm. Outside diameter of cap: 13 mm, Height of cap: 8.5 mm.

All sterile tubes are gamma irradiated and packaged in tamperproof, resealable bags to protect remaining tubes from contamination. They are identified in the list with an "S" after the catalog number. Sterile tubes are also available with graduations and a white marking area for sample identification. They are identified in the list with an "SPR" after the catalog number.

Note: The 0.5 and 2.0 ml. self-standing Micrewtube® cannot be used directly in certain fixed angle microcentrifuges. Please check to ensure there is sufficient clearance between bottom of tube and rotor chamber wall during centrifugation. Test at full speed with water in a capped tube.

WARNING: Do not use Micrewtubes for storage in the liquid phase of liquid nitrogen. Such use may cause entrapment of liquefied nitrogen inside the vial and lead to pressure build-up resulting in possible explosion or biohazard release. Use appropriate safety procedures when handling and disposing of vials.





For your peace of mind
A new era in sample protection

Simport® introduces the new
Tamper Evident Micrewlock™ Family

**For applications needing the utmost security
where sample integrity is of high importance:**


- As a safer transport tube
- For secure short and long term storage
- As a tamper evident cryogenic vial
- In clinical trials
- As a tube containing expensive reagents in diagnostic kits





Anatomy of a Tamper Evident Micrewtube®


If you **TRULY** care about your sample, let us help you **PROTECT** its integrity!



Made of polypropylene

At last, a TAMPER EVIDENT microcentrifuge tube incorporating all the features and benefits of the Simport® MICREW TUBE® Family. Ideal for all applications requiring a tamper evident seal, a Simport® tamperproof MICREW TUBE® also has a multitude of benefits when used in your lab. It is ideal for freezer storage, boiling applications, centrifugation etc... and will fit most standard microcentrifuge rotors.

Simply screw the cap on the tube and the tamper evident sealing ring is automatically in place. When unscrewed, the ring is detached from the tube and remains in its position, showing clearly that the tube was opened. The flat cap facilitates manipulation especially in aseptic procedures. It does not incorporate an attachment loop for users who prefer to remove it completely from the tube when filling or sampling. The washer seal secured in the cap ensures a positive leakproof seal, time after time, keeping the integrity of small samples under even the most adverse conditions. The Tamper Evident Micrewtube is available in various sterile and non sterile configurations. The tubes are available non-printed or printed with graduations and white marking area for sample identification. Conical bottom tubes can be centrifuged up to 20,000 x g. All tubes are gamma irradiated and packaged in tamperproof resealable bags to protect remaining tubes from contamination. Sterile tubes are also available with printed graduations and white marking area for sample identification. Tubes and caps are also available separately.



The sample remains secure thanks to the sealing ring enclosed on all four of its sides.

As the cap is tightened, the sealing ring is compressed and tries to find a gap to move into.



Available with or without graduations and oversized marking area.



All microcentrifuge tubes in the MicrewLock™ Family have a super clear highly polished surface for better viewing of contents.



The Simport® Tamper Evident Micrewlock™ Family



T341TP

Tamper Evident **Micrewtube®** (tube only)

Made of polypropylene

These tubes are specially made to be used with tamper evident caps. Available in plain or graduated configuration, the latter being provided with a white marking area for sample identification. Can be used at extreme temperatures from -196 °C to +121 °C.

Maximum centrifugation: 20,000 x g self standing. (conical bottom) 17 000 x g for self standing tubes.

Dimensions: 44 mm H x 11 mm dia.



Products on this page are certified, RNase, DNase, Pyrogen and DNA-free

Plain Cat. #	Graduated Cat. #	Style	Volume (ml)	Qty/Pk
T341-2TTP	T341-2TPRTP	Self-standing	0.5	1000
T341-4TTP	T341-4TPRTP	Self-standing	1.5	1000
T341-5TTP	T341-5TPRTP	Conical bottom	1.5	1000
T341-6TTP	T341-6TPRTP	Self-standing	2.0	1000
T341-7TTP	T341-7TPRTP	Conical bottom	2.0	1000

T340TP

Tamper Evident Screw Cap with washer Seal & Flat Top (cap only)

Made of polypropylene

The cap is molded with a deep internal lip that fits snugly against the interior wall of the tube. It will prevent the contents from coming in contact with the seal or threads, thereby reducing the chances of sample contamination. The cap's high profile facilitates manipulation especially in aseptic procedures. All tubes and closures are manufactured in a clean environment.




Cat. #	Color*	Qty/Cs
T340NOSFTTP	Natural	1000

* The following colors are available on special order: blue, green, lilac, red, yellow, and white. Please contact a customer service representative for further details.



How does it work ?



1
Screw Tamper Evident cap on tube until locking ring clicks over serrated tube neck.



2
Contents are now protected until Tamper Evident cap is removed.



3
When unscrewing the cap, the Tamper Evident locking ring is detached and freed from closure.



4
View of separate components of a Tamper Evident Micrewtube® after use.



SnapTwist™ Micrewtube®

Tube made of polypropylene Cap made of polyethylene

The SnapTwist™ Micrewtube® provides all the advantages of a modern microcentrifuge tube with screw cap but the closure is a true time saver. The SnapTwist™ Micrewtube® has a multitude of applications around your lab. It is ideal for freezer storage, boiling application, centrifugation etc, and will fit most standard microcentrifuge rotors.

The tubes can be securely sealed by simply capping the closures on. Removal of caps requires an easy ¼ turn (twist). The ease with which these caps can be manipulated eliminates the danger of spillage associated with other push-on/pull-off caps.

The deep internal lip of the cap fits snugly against the interior wall of the tube preventing the contents from coming in contact with the threads, thus reducing the chances of sample contamination. The quality of the sealing system is such that it is not necessary to tighten the closure with pressure to achieve a leakproof seal.

This series of tubes is not available with graduations. Caps cannot be autoclaved since they are made of high density polyethylene. Conical bottom tubes can be centrifuged up to 20,000 x g. Skirted tubes can be centrifuged up to 17,000 x g. Temperature range: -90 °C to +100 °C.



Products on this page are certified, RNase, DNase, Pyrogen and DNA-free



Tubes			
Cat. #	Description	Volume	Qty/Pk
T342-4T	Self-Standing	1.5 ml	1000
T342-5T	Conical Bottom	1.5 ml	1000
T342-6T	Self-Standing	1.8 ml	1000
T342-7T	Conical Bottom	1.8 ml	1000

Caps			
Cat. #	Description	Color	Qty/Pk
T343NLS	Without Loop	Natural	1000
T343BLS	Without Loop	Blue	1000
T343GLS	Without Loop	Green	1000
T343LLS	Without Loop	Lilac	1000
T343RLS	Without Loop	Red	1000
T343YLS	Without Loop	Yellow	1000
T343WLS	Without Loop	White	1000

Caps			
Cat. #	Description	Color	Qty/Pk
T343NLSL	With Loop	Natural	1000
T343BLSL	With Loop	Blue	1000
T343GLSL	With Loop	Green	1000
T343LLSL	With Loop	Lilac	1000
T343RLSL	With Loop	Red	1000
T343YLSL	With Loop	Yellow	1000
T343WLSL	With Loop	White	1000



For color coding purposes, use a Capinsert™ on top of the closure. (see T345 Series).

How to use a SnapTwist™



Two types of caps available. The one with attached loop helps avoid mix-ups and possible contamination.



All microcentrifuge tubes in the SnapTwist™ Family have a super clear highly polished surface for better viewing of contents.



The vial can be securely sealed by simply snapping the cap on.




Removal of cap requires an easy ¼ turn (twist).

These new tubes have molded ridges matching serrations on racks such as the Simport® T360 OneHand™ Rack.



Anatomy of a Standard Microwtube®






A wide choice of tubes and caps to fulfill all your needs

WITH WASHER SEAL

Washer seal and loop

Washer seal

Flat top and washer seal





NON GRADUATED


WITH LIP SEAL

Lip seal and loop

Lip seal

Flat top and lip seal


GRADUATED WITH OVERSIZED WHITE MARKING SURFACE





Micrewtube® with Washer Seal Screw Cap

T332 With Washer Seal Screw Cap and Attachment Loop


Made of polypropylene

The washer seal secured in the top of the cap ensures a positive leakproof seal, time after time, keeping the integrity of small samples under even the most adverse conditions. This series of tubes is available either plain or with printed graduations and white marking area for sample identification. Caps are supplied with attachment loops, and allow them to remain attached to the tube in order to prevent mix-up and contamination. These microcentrifuge tubes have all the other fine features stated in the general description. Perfect for cryogenic work. Non skirted tubes can be centrifuged up to 20,000 x g. Skirted tubes can be centrifuged up to 17,000 x g. Will withstand temperatures from -196 °C to +121 °C.



T332SPR

T332



**95 kPa
TESTED**

1783278379
Barcode printing available.
Contact Simport® for more details.




Products on this page
are certified, RNase, DNase,
Pyrogen and DNA-free

T334 With Washer Seal Screw Cap


Made of polypropylene

Similar to the T332 Series but without the "tethered cap" feature. This series of tubes is available either plain or with printed graduations and white marking area for sample identification. The caps do not have the attachment loops for users who prefer to remove the caps completely from the tubes when filling or sampling. These microcentrifuge tubes have all the other fine features stated in the general description. Perfect for cryogenic work. Non skirted tubes can be centrifuged up to 20,000 x g. Skirted tubes can be centrifuged up to 17,000 x g. Will withstand temperatures from -196 °C to +121 °C.



T334SPR

T334



**95 kPa
TESTED**

1783278379
Barcode printing available.
Contact Simport® for more details.



Products on this page
are certified, RNase, DNase,
Pyrogen and DNA-free

T335 With Washer Seal and Flat Top Screw Cap


Made of polypropylene

This series of tubes is also available either plain or with printed graduations and white marking area for sample identification. These flat surfaced caps can be used with automatic capping machines in packaging industries. Closures are supplied in natural color. Perfect for cryogenic work. Non skirted tubes can be centrifuged up to 20,000 x g. Skirted tubes can be centrifuged up to 17,000 x g. Will withstand temperatures from -196 °C to +121 °C.



T335SPR

T335



**95 kPa
TESTED**

1783278379
Barcode printing available.
Contact Simport® for more details.



Products on this page
are certified, RNase, DNase,
Pyrogen and DNA-free



Micrewtube® With Lip Seal Screw Cap

T336 With Lip Seal Screw Cap and Attachment Loop


Made of polypropylene, Cap made of polyethylene

The flexible sealing lip inside the cap ensures a positive leakproof seal under even the most adverse conditions. This deep internal lip fits snugly against the interior wall of the tube preventing the contents from coming in contact with the threads, thus reducing the chances of sample contamination. This series of tubes is available either plain or with printed graduations and white marking area for sample identification. Caps are supplied with attachment loops in order to prevent contamination and mix-up. These microcentrifuge tubes have all the other fine features stated in the introduction page, but cannot be autoclaved since closure is made of high density polyethylene. Non skirted tubes can be centrifuged up to 20,000 x g. Skirted tubes can be centrifuged up to 17,000 x g. Will withstand temperatures from -196 °C to +110 °C.



T336SPR

T336



**95 kPa
TESTED**




Products on this page
are certified, RNase, DNase,
Pyrogen and DNA-free

T338 With Lip Seal Screw Cap


Made of polypropylene, Cap made of polyethylene

Similar to the T336 Series but without the "tethered cap" feature. This series of tubes is available either plain or with printed graduations and white marking area for sample identification. They have all the other fine features of the T336 series of tubes, but the caps are not supplied with the attachment loop for users who prefer to remove the caps completely from the tubes when filling or sampling. Cannot be autoclaved since closure is made of high density polyethylene. Non skirted tubes can be centrifuged up to 20,000 x g. Skirted tubes can be centrifuged up to 17,000 x g. Will withstand temperatures from -196 °C to +110 °C.



T338SPR

T338



**95 kPa
TESTED**




Products on this page
are certified, RNase, DNase,
Pyrogen and DNA-free

T339 With Lip Seal and Flat Top Screw Cap


Made of polypropylene, Cap made of polyethylene

This series of tubes is available either plain or with printed graduations and white marking area for sample identification. These flat surfaced tubes can also be used with automatic capping machines and in packaging industries. Closures are supplied in natural color. Tubes are made of polypropylene while polyethylene caps are easy to screw on and off. More economical than T335 Series O-ring seal model. Cannot be autoclaved since closure is made of high density polyethylene. Non skirted tubes can be centrifuged up to 20,000 x g. Skirted tubes can be centrifuged up to 17,000 x g.



T339SPR

T339



**95 kPa
TESTED**



Products on this page
are certified, RNase, DNase,
Pyrogen and DNA-free



<div><div><div><div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div></div></div></div></div>



 With washer seal and flat top			 With lip seal and attachment loop			 With lip seal			 With lip seal and flat top		
T335-2 Non sterile	Cap not assembled and Non graduated		T336-2 Non sterile	Cap loops are pre-attached but caps are not screwed on and Non graduated		T338-2 Non sterile	Cap not assembled and Non graduated		T339-2 Non sterile	Cap not assembled and Non graduated	
T335-2S Sterile	Caps are screwed on and Non graduated		T336-2S Sterile	Pre-attached caps are screwed on and Non graduated		T338-2S Sterile	Caps are slightly screwed on and Non graduated		T339-2S Sterile	Caps are screwed on and Non graduated	
T335-2SPR Sterile	Caps are screwed on, white marking area		T336-2SPR Sterile	Pre-attached caps are screwed on, white marking area		T338-2SPR Sterile	Caps are slightly screwed on, white marking area		T339-2SPR Sterile	Caps are screwed on, white marking area	
T335-4 Non sterile	Cap not assembled and Non graduated		T336-4 Non sterile	Cap loops are pre-attached but caps are not screwed on and Non graduated		T338-4 Non sterile	Cap not assembled and Non graduated		T339-4 Non sterile	Cap not assembled and Non graduated	
T335-4S Sterile	Caps are screwed on and Non graduated		T336-4S Sterile	Pre-attached caps are screwed on and Non graduated		T338-4S Sterile	Caps are slightly screwed on and Non graduated		T339-4S Sterile	Caps are screwed on and Non graduated	
T335-4SPR Sterile	Caps are screwed on, white marking area and graduations		T336-4SPR Sterile	Pre-attached caps are screwed on, white marking area and graduations		T338-4SPR Sterile	Caps are slightly screwed on, white marking area and graduations		T339-4SPR Sterile	Caps are screwed on, white marking area and graduations	
T335-5 Non sterile	Cap not assembled and Non graduated		T336-5 Non sterile	Cap loops are pre-attached but caps are not screwed on and Non graduated		T338-5 Non sterile	Cap not assembled and Non graduated		T339-5 Non sterile	Cap not assembled and Non graduated	
T335-5S Sterile	Caps are screwed on and Non graduated		T336-5S Sterile	Pre-attached caps are screwed on and Non graduated		T338-5S Sterile	Caps are slightly screwed on and Non graduated		T339-5S Sterile	Caps are screwed on and Non graduated	
T335-5SPR Sterile	Caps are screwed on, white marking area and graduations		T336-5SPR Sterile	Pre-attached caps are screwed on, white marking area and graduations		T338-5SPR Sterile	Caps are slightly screwed on, white marking area and graduations		T339-5SPR Sterile	Caps are screwed on, white marking area and graduations	
T335-6 Non sterile	Cap not assembled and Non graduated		T336-6 Non sterile	Cap loops are pre-attached but caps are not screwed on and Non graduated		T338-6 Non sterile	Cap not assembled and Non graduated		T339-6 Non sterile	Cap not assembled and Non graduated	
T335-6S Sterile	Caps are screwed on and Non graduated		T336-6S Sterile	Pre-attached caps are screwed on and Non graduated		T338-6S Sterile	Caps are slightly screwed on and Non graduated		T339-6S Sterile	Caps are screwed on and Non graduated	
T335-6SPR Sterile	Caps are screwed on, white marking area and graduations		T336-6SPR Sterile	Pre-attached caps are screwed on, white marking area and graduations		T338-6SPR Sterile	Caps are slightly screwed on, white marking area and graduations		T339-6SPR Sterile	Caps are screwed on, white marking area and graduations	
T335-7 Non sterile	Cap not assembled and Non graduated		T336-7 Non sterile	Cap loops are pre-attached but caps are not screwed on and Non graduated		T338-7 Non sterile	Cap not assembled and Non graduated		T339-7 Non sterile	Cap not assembled and Non graduated	
T335-7S Sterile	Caps are screwed on and Non graduated		T336-7S Sterile	Pre-attached caps are screwed on and Non graduated		T338-7S Sterile	Caps are slightly screwed on and Non graduated		T339-7S Sterile	Caps are screwed on and Non graduated	
T335-7SPR Sterile	Caps are screwed on, white marking area and graduations		T336-7SPR Sterile	Pre-attached caps are screwed on, white marking area and graduations		T338-7SPR Sterile	Caps are slightly screwed on, white marking area and graduations		T339-7SPR Sterile	Caps are screwed on, white marking area and graduations	
Qty/Pk Qty/Cs			Qty/Pk Qty/Cs			Qty/Pk Qty/Cs			Qty/Pk Qty/Cs		
Non sterile - 1000			Non sterile - 1000			Non sterile - 1000			Non sterile - 1000		
Sterile 50 500			Sterile 50 500			Sterile 50 500			Sterile 50 500		



T341T

MICREWUBE® Plain

Made of polypropylene

Can be used at extreme temperatures from -196 °C to +121 °C.

Cat. #	Style	Volume (ml)	Qty/Pk
T341-2T	Self-standing	0.5	1000
T341-4T	Self-standing	1.5	1000
T341-5T	Conical bottom	1.5	1000
T341-6T	Self-standing	2.0	1000
T341-7T	Conical bottom	2.0	1000



Maximum centrifugation RCF: 20,000 x g (17,000 x g skirted tubes).
Dimensions: 44 mm H x 11 mm dia.

T341TPR

MICREWUBE® Graduated

Made of polypropylene

These tubes are identical to the T341 Series but are graduated and are provided with a white marking area for sample identification. Can be used at extreme temperatures from -196 °C to +121 °C.

Cat. #	Style	Volume (ml)	Qty/Pk
T341-2TPR	Self-standing	0.5	1000
T341-4TPR	Self-standing	1.5	1000
T341-5TPR	Conical bottom	1.5	1000
T341-6TPR	Self-standing	2.0	1000
T341-7TPR	Conical bottom	2.0	1000



Maximum centrifugation RCF: 20,000 x g (17,000 x g skirted tubes).
Dimensions: 44 mm H x 11 mm dia.

T341TBR

MICREWUBE® For Light Sensitive Material

Made of polypropylene

These ungraduated tubes are identical to series T341 but their dark brown color allows them to be used when storing light-sensitive material. Can be used at extreme temperatures from -196 °C to +121 °C.

Cat. #	Style	Volume (ml)	Qty/Pk
T341-2TBR	Self-standing	0.5	1000
T341-4TBR	Self-standing	1.5	1000
T341-5TBR	Conical bottom	1.5	1000
T341-6TBR	Self-standing	2.0	1000
T341-7TBR	Conical bottom	2.0	1000



Maximum centrifugation RCF: 20,000 x g (17,000 x g skirted tubes).
Dimensions: 44 mm H x 11 mm dia.

T341TLST

MICREWUBE® With Low Adhesion Surface

Made of polypropylene

Having all the advantages of our popular T341T Series, the specially formulated polypropylene used to manufacture these tubes provides a low adhesion surface to obtain maximum sample yield. Ideal for research procedures such as nucleic acid amplifications, protein work and others. No lubricants (such as silicone) necessary, thereby eliminating the danger of sample contamination. Can be used at extreme temperatures from -196 °C to +121 °C.

Cat. #	Style	Volume (ml)	Qty/Pk
T341-2TLST	Self-standing	0.5	1000
T341-4TLST	Self-standing	1.5	1000
T341-5TLST	Conical bottom	1.5	1000
T341-6TLST	Self-standing	2.0	1000
T341-7TLST	Conical bottom	2.0	1000



Maximum centrifugation RCF: 20,000 x g (17,000 x g skirted tubes).
Dimensions: 44 mm H x 11 mm dia.

Products on this page
are certified, RNase, DNase,
Pyrogen and DNA-free



T361T

MICREWUBE® with Molded Ridges

These new tubes have molded ridges matching serrations on racks such as the Simport T360 OneHand™ Microtube Rack, thus allowing the removal of caps with one hand. All Simport Micrewtube® closures (below and on page 138) can be used on these tubes. Made of polypropylene.



T361T

MICREWUBE® Plain



Products on this page are certified, RNase, DNase, Pyrogen and DNA-free

Cat. #	Style	Volume (ml)	Qty/Pk
T361-2T	Self-standing	0.5	1000
T361-4T	Self-standing	1.5	1000
T361-5T	Conical bottom	1.5	1000
T361-6T	Self-standing	2.0	1000
T361-7T	Conical bottom	2.0	1000

T361TPR

MICREWUBE® Graduated

Cat. #	Style	Volume (ml)	Qty/Pk
T361-2TPR	Self-standing	0.5	1000
T361-4TPR	Self-standing	1.5	1000
T361-5TPR	Conical bottom	1.5	1000
T361-6TPR	Self-standing	2.0	1000
T361-7TPR	Conical bottom	2.0	1000

Tubes with ribs lock in place when engaged in serrated holes. For details on OneHand™ Microtube Rack, see page 139.



T347AQX

Septum Screw Cap For Microcentrifuge Tubes

Made of polypropylene

The T347AQX screw cap incorporates a pierceable septum made of chemically resistant PTFE on the outside and silicone on the inside, both components being stable over a broad range of temperatures. The septum also acts as a silicone o-ring for better sample protection. It is especially made to fit and be used with all Simport Micrew™ Microcentrifuge Tubes. The cap is pierceable with pipet tips as well as with syringe needles.

Cat. #	Description	Qty/Pk
T347AQX	Septum Screw Cap for Micrew Microcentrifuge Tubes	250





T340 Colored Closures

3 styles of caps to choose from and two sealing types: washer seal and lip seal.

The cap is molded with a deep internal lip that fits snugly against the interior wall of the tube thus preventing the contents from coming in contact with the seal or threads, thereby reducing the chances of sample contamination. The cap's high profile facilitates manipulation especially in aseptic procedures and can remain attached to the tube in order to eliminate mix-ups and contamination. Closures can be COLOR CODED by the use of T345 Series Colored Capinsert™ inserted on the top of the closure. This is accomplished without removing the cap. Colored caps are also available in all models as listed below.



Cat. #	Cat. #	Color	Qty/Pk
T340NOS	T340NLS	Natural	1000
T340BOS	T340BLS	Blue	1000
T340GOS	T340GLS	Green	1000
T340LOS	T340LLS	Lilac	1000
T340OOS	T340OLS	Orange	1000
T340ROS	T340RLS	Red	1000
T340YOS	T340YLS	Yellow	1000
T340WOS	T340WLS	White	1000
T340BROS	T340BRLS	Brown	1000



Cat. #	Cat. #	Color	Qty/Pk
T340NOSL	T340NLS	Natural	1000
T340BOSL	T340BLSL	Blue	1000
T340GOSL	T340GLSL	Green	1000
T340LOS	T340LLSL	Lilac	1000
T340OOSL	T340OLSL	Orange	1000
T340ROS	T340RLSL	Red	1000
T340YOSL	T340YLSL	Yellow	1000
T340WOSL	T340WLSL	White	1000
T340BROSL	T340BRLSL	Brown	1000

The following closures have a flat top to accommodate automatic capping machines in packaging industries.



Cat. #	Cat. #	Color	Qty/Pk
T340NOSFT	T340NLSFT	Natural	1000
T340BOSFT	T340BLSFT	Blue	1000
T340GOSFT	T340GLSFT	Green	1000
T340LOSFT	T340LLSFT	Lilac	1000
T340OOSFT	T340OLSFT	Orange	1000
T340ROSFT	T340RLSFT	Red	1000
T340YOSFT	T340YLSFT	Yellow	1000
T340WOSFT	T340WLSFT	White	1000
T340BROSFT	T340BRLSFT	Brown	1000

T345

Color coding Capinsert™

Made of polypropylene

The Capinsert™ is used to color code a Microwtube® and a multitude of other Simport products according to your specific needs. It is inserted on top of the closure and has a write-on frosted area for sample identification.



Cat. #	Color	Qty/Bag	Cat. #	Color	Qty/Bag
T345B	Blue	500	T345P	Pink	500
T345GY	Gray	500	T345R	Red	500
T345G	Green	500	T345V	Violet	500
T345L	Lilac	500	T345W	White	500
T345O	Orange	500	T345Y	Yellow	500
			T345AS	Assorted*	500

* Blue, lilac, red, yellow and white



T360

OneHand™ Microtube Rack

Made of acetal

A newly designed microtube rack that can be used all around the lab. As well as being one of the most attractive racks available today, it offers all the advantages required by the modern laboratory. Made of highly resistant acetal, it will not shatter or stain in contact with most laboratory chemicals. No coating to worry about, which can chip, peel or rust in a water bath.

The OneHand™ Microtube Rack is compact, lightweight and stackable in order to save as much space as possible. This is why it is ideal for incubators, refrigerators, freezers, under lab hoods and on bench tops. Not only is it submersible but will also sink and maintain stability without tipping over.

The OneHand™ Microtube Rack is made of 2 tiers to facilitate the insertion and stability of microtubes. Now with one hand, you can easily unscrew just about any type of microcentrifuge tube with a screw-on closure. Thanks to an innovative locking system, the Simport self-standing Microwtubes® will securely lock in each well of the base tier and will not turn. All models of microtubes made by various manufacturers will lock in the upper tier, thanks to a series of teeth grasping the collar of the microtube. Convenient handles on each side of the rack will ensure a safe grip when carrying it around. Interlocking feet allow safe stacking.

Available in 5 attractive colors. Individually wrapped.

Not autoclavable.

Size: 293 mm x 115 mm x 39 mm H (11 1/2 x 4 1/2 x 1 1/2 in. H)

ONE HAND OPENING AND CLOSING OF MICROTUBES



Tubes with ribs lock in place when engaged in serrated holes.



The locking base of the OneHand™ Rack locks self standing Simport Microwtubes in place.

Cat. #	Capacity	Color	Qty/Cs
T360-50B	50	Blue	10
T360-50G	50	Green	10
T360-50L	50	Lilac	10
T360-50O	50	Orange	10
T360-50Y	50	Yellow	10



T350 MICREWUBE® Storage Box

Made of polycarbonate

100-place MICREWUBE® Storage Box for tubes ranging from 0.5 ml. to 2 ml (except 1.5 ml conical bottom tubes). Made of extra strong polycarbonate, this durable storage box is designed to be used at temperatures between -196 °C and +121 °C and is autoclavable.

A transparent cover allows the user to see the contents of the box, and is keyed to the base to prevent misalignment. Printed with a series of squares (numbered from 1 to 100), the surface accepts writing with markers, for better inventory control.

Samples can be classified more easily, thanks to a series of colored bases. A choice of four popular colors is available: blue, green, red and yellow.

Size: 134 mm x 134 mm x 52 mm H (5 1/4 x 5 1/4 x 2 1/16 in. H)

Cat. #	For Microwtubes	Color of base	Qty/Pk	Qty/Cs
T350-100B	0.5 to 2 ml	Blue	4	24
T350-100G	0.5 to 2 ml	Green	4	24
T350-100R	0.5 to 2 ml	Red	4	24
T350-100Y	0.5 to 2 ml	Yellow	4	24



T365 Series

5.0 ml MacrewTube™ with screw cap

Tube made of polypropylene
Cap made of high density polyethylene

The Simport 5.0 ml, MacrewTube™ have been designed for the simple and safe processing of medium-sized sample volumes. Up until now, for samples larger than 2.0 ml, the only choice was to use large conical screw-cap tubes (15 ml for example) which were both impractical and prone to contamination.

The potential pipettor shaft contamination is greatly reduced since the 59 mm and 62 mm total tube length (vs. 120 mm for 15 ml tubes) is short enough for standard 1 ml or 5 ml tips to reach the tube's conical bottom.

The 16 mm tube diameter is identical to the diameter of standard 15 ml tubes, ensuring further compatibility with centrifuge rotors, etc.

**NEW
PRODUCT**




Features and Benefits

- RNase, DNase, Pyrogen and DNA free
- Manufactured of exceptionally high-quality, transparent polypropylene without the use of slip agents, plasticizers, mold release agents and biocide substances
- Writing surface on flat cap and side wall for quick sample identification
- Sample identification is easily achieved by the use of a CAPINSERT™, or with a 2D Datamatrix laser etched barcode insert
- Precise lid sealing for minimal evaporation rate during long-term storage
- Center of cap with "membrane" area designed for easy puncture and access with a syringe/needle
Once punctured, the opening can be useful for venting the internal pressure during heating
- Exceptional centrifugation stability of up to 25,000 x g
- Autoclavable at 121 °C, 20 min.
- Withstands temperatures from +121 °C to -196 °C (not to be immersed in LN₂ liquid phase)

T365 Anatomy of a MacrewTube™

- 1 Smooth bottom has no sharp points hurting your fingers
- 2 Ultra clear resin for a better view
- 3 Slim design with high capacity rotors
- 4 Graduated every 0.5 ml
- 5 90° hinge orients cap for easy fit
- 6 ¾ turn leakproof screw cap
- 7 Center of cap with "membrane" area




Cat #	Description	Qty/Pk	Qty/Cs
Tubes only			
T365-5TN	5.0 ml. MacrewTube™ Tube only, Polypropylene ○ Natural	100	200
T365-5AM	5.0 ml. MacrewTube™ Tube only, Polypropylene ● Amber	100	200
Sterile tubes with attached caps			
T365-5NLSS	MacrewTube™ ○ Natural with Natural Lip Seal Screw Cap – Sterile	20	200
T365-5AMISS	MacrewTube™ ● Amber with Amber Lip Seal Screw Cap – Sterile	20	200



Flat Top Closure Designed to receive either a Color CapInsert (M957Series) or 2D Insert (M957BK-2D)

Cat #	Description	Qty/Pk	Qty/Cs
T366NLS	Lip Seal Screw Cap ○ Natural	100	200
T366AMIS	Lip Seal Screw Cap ● Amber	100	200
T366BLS	Lip Seal Screw Cap ● Blue	100	200
T366GLS	Lip Seal Screw Cap ● Green	100	200
T366RLS	Lip Seal Screw Cap ● Red	100	200
T366WLS	Lip Seal Screw Cap ● White	100	200
T366YLS	Lip Seal Screw Cap ● Yellow	100	200



Flat Top Tethered Closure Designed to receive either a Color CapInsert (M957Series) or 2D Insert (M957BK-2D)

Cat #	Description	Qty/Pk	Qty/Cs
T366NLSL	Lip Seal Screw Cap with Loop ○ Natural	100	200
T366AMISL	Lip Seal Screw Cap with Loop ● Amber	100	200
T366BLSL	Lip Seal Screw Cap with Loop ● Blue	100	200
T366GLSL	Lip Seal Screw Cap with Loop ● Green	100	200
T366RLSL	Lip Seal Screw Cap with Loop ● Red	100	200
T366WLSL	Lip Seal Screw Cap with Loop ● White	100	200
T366YLSL	Lip Seal Screw Cap with Loop ● Yellow	100	200



M957BK-2D

2D DataMatrix Code Inserts

The 2D Barcode Inserts are manually pushed in and locked in place on top of tube closure.

They are generated by a permanent laser etching system providing a sharper detail, and are tested to ensure readability and uniqueness. Barcode identification can be simply stored in an electronic spreadsheet or any other data collection system.

Pk of 100, Cs of 500



M957 Series Color Coded CapInsert™

At any time the Color Coded Insert could be applied to the tube closure, which eliminates jeopardizing the integrity of your sample by transferring it to another vial. It is manually press fit and locks into place on top of closure. **Pk of 100, Cs of 500.**

M957B Blue **M957L** Lilac **M957Y** Yellow
M957G Green **M957R** Red

T450

Series Rack 5.0ml


Made of polypropylene

Reusable, autoclavable and freezable (-90 °C).

Wells are numbered for easier identification 25 tubes.

Cs of 5

T450-25B Blue
T450-25R Red
T450-25O Orange



Universal Centrifuge adapters

Made of acetal plastic

Reusable and freezable (-90 °C) **Pk of 8**

T330AD15 For 15 ml rotor bores or adapters.

T330AD50 For 50 ml rotor bores or adapters.

5.0 ml Tube Storage Boxes

Cover made of polystyrene / Base made of high impact polystyrene

Color your world with a wide variety of economical storage boxes for your snap or screw cap 5.0 ml tubes.


These storage boxes are designed to be used at temperatures between -90 °C and +80 °C.

A transparent cover allows the user to see the contents of the box, and is keyed to the base to prevent misalignment. Printed with a series of squares numbered from 1 to 25, the surface accepts writing with markers, facilitating inventory control.

A unique color coding system uses colored plastic grids to separate the cover from the base.

Cat No.	Description	Qty/Pk	Qty/Cs.
T330-25B	Blue grid	3	18
T330-25G	Green grid	3	18
T330-25P	Pink grid	3	18
T330-25Y	Yellow grid	3	18

Anatomy of a 5.0 ml Tube Storage boxes



- Cover has numbered squares for easy sample identification
- Two corners of cover and base are cut to prevent misalignment
- Writing surface for identifying base and/or cover
- Tubes readily visible through transparent cover
- Air vents minimizing condensation
- Drain holes under base
- Stackable
- Color coded grid





T400

Disposable Culture Tubes – NON STERILE

Made of either polystyrene or polypropylene

Ideal for use in bacteriology, RIA, coagulation and other routine laboratory procedures. Simport uses no mold release agents that could cause errors and interferences in RIA tests. Precision molding with virgin thermoplastics ensures that our tubes are uniform in size and shape as well as being chemically clean and ready to use.

The polypropylene tubes are translucent and will withstand over 3000 x g during centrifugation. They will also accept most common acids, solvents and alkalis at room temperature. They are almost unbreakable and can be sterilized at 120 °C.

Polystyrene tubes are transparent and will withstand centrifugation speeds up to 1400 x g. Clear plastic guarantees no danger of glass activation during testing. Polystyrene will tolerate aqueous solutions, mild bases and weak acids, but not organic solvents, aromatic or chlorinated hydrocarbons, and cannot be autoclaved.

The T400-3ALST 12 mm x 75 mm tubes are made with a specially formulated polypropylene providing a low surface tension to obtain optimum sample yield. No lubricants have to be added, thereby eliminating the danger of sample contamination.



T400-3AAM 12 X 75 mm
polypropylene amber tube

12 x 75 mm dia. tubes

Cat. #	Material	Vol. (ml)	Color	Qty/Pk	Qty/Cs
T400-3	Polystyrene	5	Natural	250	1000
T400-3B	Polystyrene	5	Blue	250	1000
T400-3G	Polystyrene	5	Green	250	1000
T400-3O	Polystyrene	5	Orange	250	1000
T400-3Y	Polystyrene	5	Yellow	250	1000
T400-3A	Polypropylene	5	Natural	250	1000
T400-3AAM	Polypropylene	5	Amber	250	1000
T400-3AB	Polypropylene	5	Blue	250	1000
T400-3AG	Polypropylene	5	Green	250	1000
T400-3AO	Polypropylene	5	Orange	250	1000
T400-3AY	Polypropylene	5	Yellow	250	1000

13 x 100, 16 x 100 and 17 x 95 mm dia. tubes

Cat. #	Material	Dim (mm)	Vol. (ml)	Color	Qty/Pk	Qty/Cs
T400-4	Polystyrene	13 x 100	7.2	Natural	250	1000
T400-4V	Polystyrene	13 x 100	8	Natural	250	1000
T400-7	Polystyrene	16 x 100	12	Natural	250	1000
T400-10	Polystyrene	17 x 95	14	Natural	250	1000
T400-4A	Polypropylene	13 x 100	7.2	Natural	250	1000
T400-4AV	Polypropylene	13 x 100	8	Natural	250	1000
T400-7A	Polypropylene	16 x 100	12	Natural	250	1000
T400-10A	Polypropylene	17 x 95	14	Natural	250	1000

12 x 75 mm with low surface tension

Cat. #	Material	Vol. (ml)	Color	Qty/Cs
T400-3ALST	Polypropylene	5	Natural	1000

12 x 75 mm with 2-position polyethylene snap cap

Cat. #	Material	Vol. (ml)	Color	Qty/Cs
T400-3DS	Polystyrene	5	Natural	1000
T400-3ADS	Polypropylene	5	Natural	1000


T400-3S & -3AS

Disposable Culture Tubes – NON STERILE


Made of either polystyrene or polypropylene

These natural color 12 x 75 mm tubes are identical to T400-3 & T400-3A, but are neatly packaged with the same orientation in boxes of 125.

Cat. #	Material	Vol. (ml)	Color	Qty/Pk	Qty/Cs
T400-3S	Polystyrene	5	Natural	125	1000
T400-3AS	Polypropylene	5	Natural	125	1000



Have you ever considered
our MultiRack™?
See S600 Series on page 143.





T401

Caps and Stoppers

Made of polyethylene

Plug type push-in caps and 2-position snap caps are made of polyethylene for test tubes with outside diameters of 12 mm. **Caps T401-10N to T401-10Y are specifically designed for urine tubes T408 on page 142.**

Dual position caps offer two possibilities: the closed but unsealed position where samples are maintained aerobic for microbiological procedures; and the fully sealed position where the cap is pushed tight to seal the tube for anaerobic use or for storage, transfer and centrifuge applications. Not autoclavable.



Cat. #	For tubes	Cat. #	For tubes	Color	Qty/Bag	Qty/Cs
T401-3N	12 mm	T401-10N	T408	Natural	1000	4000
T401-3B	12 mm	T401-10B	T408	Blue	1000	4000
T401-3G	12 mm	T401-10G	T408	Green	1000	4000
T401-3R	12 mm	T401-10R	T408	Red	1000	4000
T401-3W	12 mm	T401-10W	T408	White	1000	4000
T401-3Y	12 mm	T401-10Y	T408	Yellow	1000	4000

Two-Position Snap Caps

Cutaway View



Sealed position for anaerobic cultures



Loose position for aerobic work



Cat. #	For tubes made of	For tubes	Color	Qty/Bag
T401-3DSPE	Polystyrene	12 mm	Natural	1000
T401-3DSPP	Polypropylene	12 mm	Natural	1000
T401-10DSPE	Polystyrene	17 mm	Natural	1000
T401-10DSPP	Polypropylene	17 mm	Natural	1000

T402

VACUCAP™ Tube Closures

Made of polyethylene

An economical way to recap blood drawing tubes, disposable glass test tubes and plastic culture tubes. Flexible VACUCAP™ closures protect from aerosols of highly infectious microorganisms. They guard samples against cross-contamination and laboratory work areas against infection and spillage. Precision molded from low-density polyethylene, with a double-flanged seal, VACUCAP™ clamps firmly on the tube. VACUCAP™ holds fast under most rigorous procedures, including centrifugation. Designed for easy-on, easy-off use, due to the exclusive Dual Thumb Tab. Cap removal is simple and quick. VACUCAP™ closure is ideal for recapping most 13 mm and 16 mm O.D. evacuated glass blood collection tubes. 13 mm style can also be used on most 12 mm plastic test tubes.

Not autoclavable



Cat. #	For tubes	Cat. #	For tubes	Color	Qty/Pk	Qty/Cs
T402-13N	13 mm	T402-16N	16 mm	Natural	1000	6000
T402-13B	13 mm	T402-16B	16 mm	Blue	1000	6000
T402-13G	13 mm	T402-16G	16 mm	Green	1000	6000
T402-13GY	13 mm	T402-16GY	16 mm	Gray	1000	6000
T402-13L	13 mm	T402-16L	16 mm	Lavender	1000	6000
T402-13R	13 mm	T402-16R	16 mm	Red	1000	6000
T402-13Y	13 mm	T402-16Y	16 mm	Yellow	1000	6000

T404


Flange Plug Caps

Made of polyethylene

These caps have two flexible flanges to ensure a leakproof seal. They will fit into test tubes and also in round cuvettes and centrifuge tubes.



Cat. #	For tubes	Cat. #	For tubes	Color	Qty/Cs
T404-3N	12 mm	T404-10N	16 mm	Natural	1000
T404-3B	12 mm	T404-10B	16 mm	Blue	1000
T404-3G	12 mm	T404-10G	16 mm	Green	1000
T404-3R	12 mm	T404-10R	16 mm	Red	1000
T404-3W	12 mm	T404-10W	16 mm	White	1000
T404-3Y	12 mm	T404-10Y	16 mm	Yellow	1000
Cat. #	For tubes		Color	Qty/Pk	Qty/Cs
T401-4S	13 mm		Natural	1000	4000



T403 FitsAll™ Universal Cap

Made of polyethylene

Designed for easy-on, easy-off use. Cap removal is simple and quick. FitsAll™ closure is ideal for recapping most 12 mm and 16 mm O.D. evacuated glass blood collection tubes.

Flexible FitsAll™ closures protect from aerosols of highly infectious microorganisms. They guard samples against cross-contamination and laboratory work areas against infection and spillage. Precision molded from low-density polyethylene, FitsAll™ fits firmly on the tube. FitsAll™ caps are very sturdy under most rigorous procedures, including centrifugation.

Available in 8 colors for easy sample identification. Not autoclaving.

Cat. #	For tubes	Color	Qty/Pk	Qty/Cs
T403N	12 - 16 mm	Natural	1000	10,000
T403BK	12 - 16 mm	Black	1000	10,000
T403B	12 - 16 mm	Blue	1000	10,000
T403GY	12 - 16 mm	Gray	1000	10,000
T403G	12 - 16 mm	Green	1000	10,000
T403L	12 - 16 mm	Lavender	1000	10,000
T403R	12 - 16 mm	Red	1000	10,000
T403Y	12 - 16 mm	Yellow	1000	10,000



T407 Pierce-It™ Closure

Made of thermoplastic elastomer

These disposable closures produce a firm, leak-resistant seal for glass and plastic tubes. They will protect samples from evaporation and contamination. They can be easily applied and removed with one hand. They can be punctured to allow through-cap sampling via closed-tube instrumentation systems. Will not interfere with most common chemistry, coagulation, and drug monitoring methodologies.

They can be stored in the refrigerator, in the freezer or at room temperature. They even withstand agitation in a test tube Vortex mixer. Two sizes, 13 and 16 mm fit a variety of tubes including glass evacuated blood drawing tubes. Available in 8 colors for easy identification.

Cat. #	For tubes	Cat. #	For tubes	Color	Qty/Pk
T407-12BK	13 mm	T407-16BK	16 mm	Black	1000
T407-12B	13 mm	T407-16B	16 mm	Blue	1000
T407-12GY	13 mm	T407-16GY	16 mm	Gray	1000
T407-12G	13 mm	T407-16G	16 mm	Green	1000
T407-12L	13 mm	T407-16L	16 mm	Lavender	1000
T407-12R	13 mm	T407-16R	16 mm	Red	1000
T407-12W	13 mm	T407-16W	16 mm	White	1000
T407-12Y	13 mm	T407-16Y	16 mm	Yellow	1000



T417 Culture Tubes 13 x 100 mm with Screw Cap

Tube made of polystyrene / Cap made of polyethylene

These 8 ml screw cap tubes are available either sterile or non sterile. A special tamper evident cap is offered for applications needing the utmost security where sample integrity is of high importance. Tubes are made of optically clear polystyrene and can be centrifuged up to 3000 x g. These are not treated for cell culture. Pyrogen Free.

Cat. #	Sterile	Tamper Evident	Qty/Bag	Qty/Cs
T417-4	No	No	Bulk	1000
T417-4S	Yes	No	125	1000
T417-4TP	No	Yes	Bulk	1000

For color coding purposes, use a Capinsert™ on top of the closure. Ten different colors are available. (see T345 Series) For more details and colors available please refer to page 138.



T415, T416, T425 & T426

Cultubes™ Sterile Culture Tubes

Made of polystyrene or polypropylene


These disposable sterile tubes can be used for most routine laboratory procedures. They are biologically inert and exempt from mold release agents. Precision molding with virgin thermoplastics ensures that our tubes will be uniform in size and shape. High resistance to breakage reduces danger in handling infectious or other potentially harmful cultures.

Transparent polystyrene tubes will withstand moderate centrifugation speeds (1400 x g) and temperatures to 70 °C. Translucent polypropylene tubes can be centrifuged at higher speeds (3000 x g) and resist temperatures from -190 °C to 120 °C.

Tubes are supplied with either a 2-position ribbed polyethylene cap (which can be left loose for aerobic work or sealed for anaerobic cultures) or without caps for general purpose work. Non printed Cultubes™ also available.

Pyrogen Free.

For individually wrapped Cultubes™
please refer to T405-1, T405-1A,
T406-1 and T406-1A below.



Cultubes™ are packaged in economical resealable ziplock bags.

Graduated Culture Tubes with White Marking Area

Cat. #	Size (mm)	Material	Vol	Cap	Qty/Bag	Qty/Cs
T415-2	12 x 75	PS	5	Yes	25	500
T415-3	12 x 75	PS	5	Yes	125	1000
T415-6	12 x 75	PS	5	No	125	1000
T415-2A	12 x 75	PP	5	Yes	25	500
T415-6A	12 x 75	PP	5	No	125	1000
T405-33	12 x 75	PS	5	Yes	Bulk	500

Graduated Culture Tubes with White Marking Area

Cat. #	Size (mm)	Material	Vol	Cap	Qty/Bag	Qty/Cs
T416-2	17 x 95	PS	14	Yes	25	500
T416-3	17 x 95	PS	14	Yes	125	1000
T416-6	17 x 95	PS	14	No	125	1000
T416-2A	17 x 95	PP	14	Yes	25	500
T416-6A	17 x 95	PP	14	No	125	1000
T406-33	17 x 95	PS	14	Yes	Bulk	500

NON Printed Culture Tubes

Cat. #	Size (mm)	Material	Vol	Cap	Qty/Bag	Qty/Cs
T425-2	12 x 75	PS	5	Yes	25	500
T425-3	12 x 75	PS	5	Yes	125	1000
T425-6	12 x 75	PS	5	No	125	1000
T425-2A	12 x 75	PP	5	Yes	25	500
T425-6A	12 x 75	PP	5	No	125	1000
T425-33	12 x 75	PS	5	Yes	Bulk	500

NON Printed Culture Tubes

Cat. #	Size (mm)	Material	Vol	Cap	Qty/Bag	Qty/Cs
T426-2	17 x 95	PS	14	Yes	25	500
T426-3	17 x 95	PS	14	Yes	125	1000
T426-6	17 x 95	PS	14	No	125	1000
T426-2A	17 x 95	PP	14	Yes	25	500
T426-6A	17 x 95	PP	14	No	125	1000
T426-33	17 x 95	PS	14	Yes	Bulk	500



T405 & T406

Cultubes™ Sterile Culture Tubes

Made of either polystyrene or polypropylene

For users who prefer a more compact packaging with tubes oriented horizontally. Tubes are placed in a convenient space saving plastic tray. State of the-art packaging keeps your tubes neatly aligned for easing manipulation. For further details on the Cultubes™, please refer to description above.

T405-1, T405-1A, T406-1 and T406-1A are all individually wrapped.

With printed graduations
and white marking area

Cat. #	Size (mm)	Vol. (ml)	Material	Cap	Qty/Tray	Qty/Cs
T405-1	12 x 75	5	PS	Yes	1	500
T405-2	12 x 75	5	PS	Yes	25	500
T405-3	12 x 75	5	PS	Yes	125	1000
T405-6	12 x 75	5	PS	No	125	1000
T405-1A	12 x 75	5	PP	Yes	1	500
T405-2A	12 x 75	5	PP	Yes	25	500
T405-6A	12 x 75	5	PP	No	125	1000

Cat. #	Size (mm)	Vol. (ml)	Material	Cap	Qty/Tray	Qty/Cs
T406-1	17 x 95	14	PS	Yes	1	500
T406-2	17 x 95	14	PS	Yes	25	500
T406-3	17 x 95	14	PS	Yes	125	1000
T406-6	17 x 95	14	PS	No	125	1000
T406-1A	17 x 95	14	PP	Yes	1	500
T406-2A	17 x 95	14	PP	Yes	25	500
T406-6A	17 x 95	14	PP	No	125	1000



These leakproof tubes with silicone washer screw caps are tested at 13.8 PSI (95 kPa).

Screw caps sold separately

T500 Sample Tubes with Internal Threads

Made of polypropylene

**95 kPa
TESTED**

- For storing and transporting biological material
- All polypropylene construction
- Withstand temperatures from -196 °C to 121 °C
- Withstand centrifugation
- Autoclavable
- Non sterile

High quality screw cap sample tubes manufactured of translucent autoclavable polypropylene. Tube with internal threads. A 1¼ turn of the cap is sufficient to seal the vial. Since both closures and tubes are manufactured of the same material, they have the same coefficient of expansion to guarantee an equally secure seal both at room or at low temperatures. Round bottom tubes only can be centrifuged up to 14,000 x g. **Order caps separately.**

Cat. #	Vol. (ml)	Style	Size (mm)*	Qty/Pk
T500-1T	1.2	Self standing	12.5 x 43	1000
T500-2T	2	Self standing	12.5 x 49	1000
T500-3T	2	Round bottom	12.5 x 49	1000
T500-4T	4	Round bottom	12.5 x 72	1000
T500-4AT	4	Self standing	12.5 x 72	1000
T500-5T	5	Round bottom	12.5 x 92	1000

*For size only, cap is included.

T500

Screw Caps for Internal Thread Sample Tubes

Made of polypropylene

Caps are available with a silicone washer seal ensuring a positive leakproof seal at all temperatures. Closures and tubes are both manufactured of polypropylene, providing the same coefficient of expansion. The cap features a long skirt and a superfast thread design allowing it to be removed or screwed on with a single turn. Autoclavable.

THESE SILICONE WASHER CAPS WILL GUARANTEE A POSITIVE LEAKPROOF SEAL AT ALL TEMPERATURES



Cat. #	Color	Qty/Pk
T500NOS	Natural	1000
T500BOS	Blue	1000
T500GOS	Green	1000
T500LOS	Lilac	1000
T500OOS	Orange	1000
T500ROS	Red	1000
T500YOS	Yellow	1000
T500WOS	White	1000

**95 kPa
TESTED**



This cap offers a positive seal using a white silicone washer.



When the cap is screwed on, the white washer is tightly secured between cap and top of tube.



Have you also considered our Transport Tubes?

See T550 & T552 on pages 156-157.



Have you also considered our Storage Boxes?

See T514 Series on pages 150-151.



T501 Sample Tubes with External Threads

Made of polypropylene

**95 kPa
TESTED**

Designed for the storage and transportation of biological material. Manufactured from non-toxic polypropylene, the tube provides strength and clarity and exhibits some unique design features. The vial has external threads, providing a smooth and uniform inner surface, thus reducing the risk of contamination. Tubes can be autoclaved (121 °C) in upright position with caps loosened. Height of tube is with cap. Round bottom tubes only can be centrifuged up to 17,000 x g. **Order caps separately.**

**Screw caps
sold separately**



**Screw caps
sold separately**



Tubes only, not printed

Cat. #	Vol. (ml)	Style	Size (mm)*	Qty/Pk
T501-1AT	1.2	Self standing	12.5 x 43	1000
T501-2T	2.0	Round bottom	12.5 x 48	1000
T501-2AT	2.0	Self standing	12.5 x 49	1000
T501-3AT	3.0	Self standing	12.5 x 72	1000
T501-4T	4.0	Round bottom	12.5 x 75	1000
T501-4AT	4.0	Self standing	12.5 x 76	1000
T501-5T	5.0	Round bottom	12.5 x 92	1000
T501-5AT	5.0	Self standing	12.5 x 93	1000

*For size only, cap is included.

Tubes only, graduated and with white marking area

Cat. #	Vol. (ml)	Style	Size (mm)*	Qty/Pk
T501-1ATPR	1.2	Self standing	12.5 x 43	1000
T501-2TPR	2.0	Round bottom	12.5 x 48	1000
T501-2ATPR	2.0	Self standing	12.5 x 49	1000
T501-3ATPR	3.0	Self standing	12.5 x 72	1000
T501-4TPR	4.0	Round bottom	12.5 x 75	1000
T501-4ATPR	4.0	Self standing	12.5 x 76	1000
T501-5TPR	5.0	Round bottom	12.5 x 92	1000
T501-5ATPR	5.0	Self standing	12.5 x 93	1000

*For size only, cap is included.

T501 & 502 Screw Caps for Sample Tubes

Made of polypropylene


Caps are available either with or without a silicone washer between the cap and the tube to ensure a positive leakproof seal at all temperatures. As for tubes, these closures are also made of polypropylene, providing the same coefficient of expansion for both, which further enhances the leakproof qualities of the vials at changing temperatures. The cap features a long skirt and a super-fast thread design that allows it to be removed or sealed with a single turn.



Polypropylene inner lip
ensures a leakproof seal.



Specially designed silicone
washer for increased safety.



With a lip seal

Cat. #	Color	Qty/Pk	Cat. #	Color	Qty/Pk
T501N	Natural	1000	T501O	Orange	1000
T501B	Blue	1000	T501R	Red	1000
T501DG	Dark Green	1000	T501W	White	1000
T501GY	Gray	1000	T501Y	Yellow	1000
T501L	Lilac	1000			

With a silicone washer

Cat. #	Color	Qty/Pk	Cat. #	Color	Qty/Pk
T502N	Natural	1000	T502O	Orange	1000
T502B	Blue	1000	T502R	Red	1000
T502DG	Dark Green	1000	T502W	White	1000
T502GY	Gray	1000	T502Y	Yellow	1000
T502L	Lilac	1000			



T514

StoreBox™ Storage Boxes

Cover made of polystyrene

Base made of high impact polystyrene


These storage boxes are designed to be used at temperatures between -90 °C and +80 °C. Different models are available to accommodate either 25, 42, 81 or 100 sample tubes.

A transparent cover allows the user to see the contents of the box, and is keyed to the base to prevent misalignment. Printed with a series of squares (numbered from 1 to 25, 1 to 42, 1 to 81, or 1 to 100), the surface accepts writing with markers, facilitating inventory control.

A unique color coding system uses colored plastic grids to separate the cover from the base on the 25, 42 and 81-place boxes. Those made to accept 100 tubes (series 2100) have a colored base instead of a grid. Removal of vials facilitated by an innovative vial picker supplied with each storage box (not available with box T514-542). A choice of four popular pastel colors is available. Not autoclavable.




Features and benefits of Series 225, 281, 542 & 581 Storage Boxes



- 1 Cover has numbered squares for easy sample identification
- 2 Two corners of cover and base are cut to prevent misalignment
- 3 Writing surface for identifying base and/or cover
- 4 Vials readily visible through transparent cover
- 5 Air vents minimizing condensation
- 6 Drain holes under base
- 7 Stackable
- 8 Four pastel colors available for better color-coding



A Vial Picker is included with each StoreBox™



All StoreBox™ Storage Boxes are easily stackable



StoreBox™ Selection Guide

Please note that tubes and caps are sold separately

	T500-1T	T500-2T	T500-3T	T500-4T	T500-4AT	T500-5T -1ATPR	T501 -2TPR	T501 -2ATPR	T501 -3ATPR	T501 -4TPR	T501 -4ATPR	T501 -5TPR	T501 -5ATPR	T501 -10A	T550
Tube Capacity (ml)	1.2	2	2	4	4	5	1.2	2	2	3	4	4	5	5	10
25-place Storage Box Series T514-225	•	•	•				•	•	•						
81-place Storage Box Series T514-281	•	•	•				•	•	•						
42-place Storage Box Series T514-542															•
81-place Storage Box Series T514-581				*	*	•				•	*	*	•	•	
100-place Storage Box Series T514-2100	•	•													

* For these tubes, also available T314-481 polycarbonate boxes on pages 104-105.

25 place Series 225: 76 mm x 76 mm x 52 mm H (3 x 3 x 2¹/₁₆ in. H)

Cat. No.	For sample tubes	Color of base	Qty/Pk	Qty/Cs
T514-225B	1 to 2 ml	Blue	8	48
T514-225G	1 to 2 ml	Green	8	48
T514-225P	1 to 2 ml	Pink	8	48
T514-225Y	1 to 2 ml	Yellow	8	48

81 place Series 281: 133 mm x 133 mm x 52 mm H (5¹/₄ x 5¹/₄ x 2¹/₁₆ in. H)

Cat. No.	For sample tubes	Color of base	Qty/Pk	Qty/Cs
T514-281B	1 to 2 ml	Blue	4	24
T514-281G	1 to 2 ml	Green	4	24
T514-281P	1 to 2 ml	Pink	4	24
T514-281Y	1 to 2 ml	Yellow	4	24

42 place Series 542: 133 mm x 133 mm x 95 mm H (5¹/₄ x 5¹/₄ x 3³/₄ in. H)

Cat. No.	For sample tubes	Color of base	Qty/Pk	Qty/Cs
T514-542B	10 ml	Blue	5	10
T514-542G	10 ml	Green	5	10
T514-542P	10 ml	Pink	5	10
T514-542Y	10 ml	Yellow	5	10

81 place Series 581: 133 mm x 133 mm x 95 mm H (5¹/₄ x 5¹/₄ x 3³/₄ in. H)

Cat. No.	For sample tubes	Color of base	Qty/Pk	Qty/Cs
T514-581B	3 to 5 ml	Blue	5	10
T514-581G	3 to 5 ml	Green	5	10
T514-581P	3 to 5 ml	Pink	5	10
T514-581Y	3 to 5 ml	Yellow	5	10

100 place Series 2100 : 133 mm x 133 mm x 52 mm H (5¹/₄ x 5¹/₄ x 2¹/₁₆ in. H)

Cat. No.	For sample tubes	Color of base	Qty/Pk	Qty/Cs
T514-2100B	1 to 2 ml	Blue	4	24
T514-2100G	1 to 2 ml	Green	4	24
T514-2100P	1 to 2 ml	Pink	4	24
T514-2100Y	1 to 2 ml	Yellow	4	24

T504AQX

Septum Screw Cap For Sample Tubes

Made of polypropylene

The T504AQX screw cap incorporates a pierceable septum made of chemically resistant PTFE on the outside and silicone on the inside, both components being stable over a broad range of temperatures. The septum also acts as a silicone washer seal for better sample protection. It is especially made to fit and be used with all Simport Sample Tubes. The cap is pierceable with pipet tips as well as with syringe needles.

Cat. #	Description	Qty/Pk
T504AQX	Septum Screw Cap for Sample Tubes	250



The cap is pierceable with pipet tips as well as with syringe needles.



NEW
PRODUCT**T525 WeeTube™**

The Simport WeeTube™ 0.5, 1.0 and 1.40 ml transparent storage tubes are designed for storing biological material, human or animal cells, at temperatures as low as -196 °C (gas phase of liquid nitrogen).

They are available with a flat exterior tube bottom which makes them self-standing.

The cap features a long skirt for easy one hand aseptic methods and a double start thread. This same rapid thread design allows it to be removed or sealed with a mere 1 turn, and will not contribute to possible contamination.

The leakproof closure is achieved by a deforming compression of the cap on the tube, rather than an "O" ring. This results in a tighter and more effective seal with consistent torque.

The cap is compatible with automation environments.

95 kPa
TESTED**Anatomy of a WeeTube**

Closures and tubes are both made of polypropylene homopolymer, having the same coefficient of expansion, ensuring an equally secure seal both at room temperature and at low cryogenic temperatures.

Ideal for ultra-cold storage of DNA and RNA samples (-196 °C).

Tubes are available with or without a white marking area for sample identification.


Autoclavable when open (121 °C, 20 min).

Material: Highest purity Polypropylene

Inner tube shape: Round bottom

Temperature range: Vapor phase LN₂ to +121°C

- Inner diameter: 6.8 mm
- Outer diameter: 8.4 mm
- Centre to centre in rack: 9.0 mm
- 3 different capacities: 0.5, 1.0 ml and 1.4 ml. (with screw cap)
- Choice of Screw caps (external thread) or Septum Push Caps.

**Caps sold separately****T525 WeeTube™ Superior features**

- RNase, DNase, DNA and Pyrogen free
- TubeLock™ base offers the possibility of keeping the tubes in locked or unlocked position.

Thread is on the outside of the tube so there is no loss in working volume when a cap is added. No silicone seal is used, the cap cannot be overtightened.

Racks with the TubeLock feature offers two stable tube positions, either locked or non-locked. It is activated by applying pressure to tube top, clicks the tube into place.

Snap tubes; tubes are locked into the rack wells to prevent sample loss from overturned racks. Tubes work equally well with either TPE septum caps or screw caps.



Cat #	Description	Qty/Pk
T525-05T	Tubes external Thread, 0.5 ml Plain	960
T525-10T	Tubes external Thread, 1.0 ml Plain	960
T525-10TPR	Tubes external Thread, 1.0 ml with writing surface	960
T525-14T	Tubes external Thread, 1.4 ml Plain	960
T525-14TPR	Tubes external Thread, 1.4 ml with writing surface	960



T525 WeeTube™ Screw Caps

Excellent Seal Performance

Made of polypropylene

Cap head with internal 8-face Torx Socket for positive contact with appropriate tool, or cappers/decappers

Other Available Options (Minimum quantity required)

- Amber Tubes
- Sterile, gamma radiated
- Precapped with Screw or Septum Push Caps
- Pre-Racked tubes :in either locked or non-locked position

Screw Caps

Cat #	Color	Qty/Pk
T525-2N	○ Natural	960
T525-2B	● Blue	960
T525-2G	● Green	960
T525-2L	● Lilac	960
T525-2O	● Orange	960
T525-2R	● Red	960
T525-2Y	● Yellow	960
T525-2W	● White	960



T470 EasyCap™

TPE Pierceable Septum seals

A tube sealing solution that complements our line of innovative storage tubes closures.

They offer the flexibility of individual tube capping with the ability to apply 96 caps at once.

- Colors enable different experiments and conditions to be identified at a glance
- Compatible with manual and automated workflow
- Manufactured from chemically resistant and hydrophobic polymer
- Pierceable, ensuring long-term sample integrity

After the mat is applied, simply remove the backing sheet to leave each tube individually sealed.

Temperature range: -80 °C to +100 °C

EasyCap™ Pierceable Septum seal

Individual EasyCap™	Qty/Pk	EasyCap™ Mat	Qty/Pk	Color
T470-3B	96	T470-4B	10	● Blue
T470-3BK	96	T470-4BK	10	● Black
T470-3GY	96	T470-4GY	10	● Gray
T470-3G	96	T470-4G	10	● Green
T470-3LB	96	T470-4LB	10	● Light Blue
T470-3O	96	T470-4O	10	● Orange
T470-3P	96	T470-4P	10	● Pink
T470-3R	96	T470-4R	10	● Red
T470-3W	96	T470-4W	10	● White

* Total of 960 septum seals

Features and Benefits:

Low vapor transmission rates minimize evaporation and water uptake in DMSO based samples

Pierceable design allows samples to be accessed without removing caps

Thermoplastic elastomer construction ensure sealing





T470 Rack with Cover

SBS footprint standard and stackable

Made of polypropylene

- Lid equipped with a robust locking mechanism
- Tubes have a stable position in rack but can be easily removed
- Rack and tubes can be stored over liquid nitrogen at temperatures down to -196 °C

Cat #	Description	Qty/Cs
T470-805HAQ	Rack for 0.5 ml tube with Screw Cap	10
T470-805LAQ	Rack for 0.5 ml tube with Septum Cap	10
T470-810HAQ	Rack for 1.0 ml tube with Screw Cap	10
T470-810LAQ	Rack for 1.0 ml tube with Septum Cap	10
T470-814HAQ	Rack for 1.4 ml tube with Screw Cap	10
T470-814LAQ	Rack for 1.4 ml tube with Septum Cap	10



Tubes and caps sold separately

LidLock Features

Racks fitted with our LidLock latch are designed to withstand "drop test" for added sample security.


Ideal for Cold Storage. Temperature range -196 °C (with screw cap) to 110°C. Suitable for cryogenic storage, but not for submersion in liquid phase Nitrogen.

Can be autoclaved.



TubeLock not activated.
Tubes unlocked.

TubeLock activated.
Tubes locked into position.



Automation friendly

Compatible with tube capper/decappers to automated.

TwistLock feature prevents tubes rotating within the rack during capping or decapping.

Bar coding of Racks

Cutout windows on the rack sides allow the linear barcode to be read more easily. Linear barcodes are easily written directly onto the rack.

T471 Manual Push Cap Decappers

Made of Acetal

Designed to remove EasyCap™ Pierceable Septum one by one or eight at a time to help save time in the laboratory.



T471-1



T471-8

Cat. #	Description	Qty/Pk
T471-1	One position	10
T471-8	Eight position	10

T329-9 AMPLATE™ Roller

For ensuring a perfect seal. Roller made of medium hard rubber.



Cat. #	Size	Qty/Pk
T329-9	10.16 cm (4 in.)	1

A picture is worth a thousand words. A sample, a thousand pictures...

You might look at a picture and read the words under it a thousand times, nothing beats having the product in your own hands for evaluation.

Simport® is proud to offer you the most comprehensive sample program ever developed in the industry. Just by asking, you can get free of charge a sample of any Simport® product along with a specially designed card describing all the features, benefits and ordering information.





5 ml



7 ml



10 ml



12 ml



30 ml

T550 & T552

Self-Standing Non Sterile Transport Tubes

Tube made of polypropylene / Cap made of polyethylene

Designed for storage and transportation of biological material. Manufactured from non-toxic polypropylene, tubes provide strength and clarity and exhibit some unique design features. Five sizes are available from 5 to 30 ml. The T550-10ATPR tube has a white marking area to make sample identification more convenient. All graduated tubes are in 0.5 ml increments. They have external threads to provide a smooth and uniform inner surface.

A perfect leakproof seal is obtained by the use of a specially designed flexible sealing lip inside the polyethylene closures. Cap also feature a long skirt and a super fast thread design allowing them to be removed or sealed with a single turn. Tubes and caps are sold separately.

Screw caps sold separately



**95 kPa
TESTED**



Tubes

Cat. #	Dim. (mm)*	Graduations	Volume	Qty/Pk
T552-5ATTP	16.6 x 65	Etched on tube	5 ml	1000
T552-7AT	13.4 x 84	Non graduated	7 ml	1000
T550-10AT	16.6 x 85	Non graduated	10 ml	1000
T550-10ATPR	16.6 x 85	Printed on tube	10 ml	1000
T552-10ATTP	16.6 x 84	Etched on tube	10 ml	1000
T552-12ATTP	16.6 x 102	Etched on tube	12 ml	1000
T552-30AT	25.3 x 111	Etched on tube	30 ml	5 Pk of 100 500/Cs

*For dimensions only, cap is included but should be ordered separately

Caps

Cat. #	Description	For Tubes	Capinsert	Qty/Pk
T550W	White Cap with Lip Seal	T550-10AT & -ATPR	No	1000
T550WOS	White Cap with Washer Seal	T550-10AT & -ATPR	No	1000
T552W	White Cap with Lip Seal	T552-5ATTP, -10ATTP, -12ATTP	No	1000
T552-7W*	White Cap with Lip Seal	7 ml tube	Yes	1000
T552-30W*	White Cap with Lip Seal	30 ml tube	Yes	500

*Will accept a Color Coding Capinsert™ a (see page 138 for further details)

STERILE



**95 kPa
TESTED**

T553

Sterile Specimen Collection Tubes For Urinalysis

Tube made of polypropylene / Cap made of polyethylene

Simport Urinalysis Specimen Collection Tubes have a conical bottom to facilitate sample removal. Their design offers a skirted free-standing base. These graduated tubes contain a 75 mg tablet of boric acid in order to preserve urine specimens for up to 72 hours without refrigeration. Offered in two popular sizes. Amber color tubes are available for light sensitive specimens. A white leakproof screw cap is supplied on each tube along with a fill line label. Sterile.

Cat. #	Dim. (mm)*	Graduations	Color	Volume	Qty/Cs
T553-10A	16.6 x 84	Etched on tube	Natural	10 ml	500
T553-10AA	16.6 x 84	Etched on tube	Amber	10 ml	500
T553-12A	16.6 x 102	Etched on tube	Natural	12 ml	500
T553-12AA	16.6 x 102	Etched on tube	Amber	12 ml	500

*Dimensions include tube with cap



T552TP

Tamper Evident Self-Standing
Non Sterile Transport Tubes

Tube made of polypropylene / Cap made of polyethylene

At last, a tamper evident sample and transport tube design, incorporating all the features and benefits of the Simport line of the sample tube family. They are ideal for all applications requiring a tamper evident seal in order to guarantee the utmost security and where sample integrity is of high importance:

- As a safer transport tube
- For secure short and long term storage
- In clinical trials
- As a perfect vial for containing expensive reagents in diagnostic kits

These unique transport tubes incorporate a seal that needs to be broken in order to open it, which leaves an obvious visual indication that the vial has been opened.

The ease of operation is due in part to the closure's unique frangible band design. This produces a combination tamper evident and resistant closure system that provides benefits of safety and peace of mind.

Manufactured from non-toxic polypropylene, these tubes provide strength and clarity and exhibit some unique design features. Five sizes are available from 5 to 30 ml. They have external threads to provide a smooth and uniform inner surface.

A perfect leakproof seal is obtained by the use of a specially designed flexible sealing lip inside the polyethylene closures. The cap also features a long skirt and a super fast thread design allowing them to be removed or sealed with a single turn.

Tamper Evident Tubes

Cat. #	Dimensions (mm)*	Graduations	Volume	Qty/Pk
T552-5ATTP	16.6 x 65	Etched on tube	5 ml	1000
T552-7ATTP	13.4 x 84	Non graduated	7 ml	1000
T552-10ATTP	16.6 x 84	Etched on tube	10 ml	1000
T552-12ATTP	16.6 x 102	Etched on tube	12 ml	1000
T552-30ATTP	25.3 x 111	Etched on tube	30 ml	5 Pk of 100 500/Cs

*For dimensions only, cap is included but should be ordered separately

Tamper Evident Caps

Cat. #	Description	For tubes	Qty/Pk
T552WTP	White Cap with Lip Seal	5, 10 and 12 ml	1000
T552-7WTP*	White Cap with Lip Seal	7 ml	1000
T552-30WTP*	White Cap with Lip Seal	30 ml	500

*Will accept a Capinsert™

**TAMPER
EVIDENT**



*If you **TRULY** care about
your sample, let us help
you **PROTECT** its integrity!*

Screw caps sold separately



**95 kPa
TESTED**

Graduations:

T552-5ATTP: Every 0.5 ml from 1 to 5
T552-10ATTP: Every 0.5 ml from 1 to 8.5
T552-12ATTP: Every 0.5 ml from 1 to 10.5
T552-30ATTP: Every 2.5 ml from 5 to 30

Note: T552-7ATTP is not graduated



These unique transport tubes and caps incorporate a ring that needs to be broken in order to open it, which leaves an obvious visual indication that the vial has been opened.



For color coding purposes, use a Capinsert™ on top of the closure. (see T345 Series).

**95 kPa
TESTED**

T307 Q-Swab™

Made of polypropylene (cap for T307-10A made of polyethylene)

The Simport Q-Swab™ are self-standing but with round bottom. The cotton swab holds securely inside the screw cap, making it ideal for specimen collection and protection from contamination. The polypropylene tubes are translucent, making it easy to see through. The cap features an exclusive silicone washer fitted inside to ensure a positive seal at any temperature. Sterile. Non graduated.

Cat. #	Volume	Dimensions	Qty/Pk	Qty/Cs
T307-5A	5 ml	12.5 x 93 mm	100	500
T307-10A	10 ml	16.6 x 85 mm	50	500





T408 15 ml Centrifuge Tubes

Made of polystyrene and polypropylene

Suitable for general centrifugation, urinalysis procedures and serum separation. These conical bottom tubes are chemically clean and metal free, ready to use and uniform in size and shape, measuring 17 x 120 mm. Graduations are at 0.25, 0.5, 1.0, 2.5, 5, 10, 12 and 15 ml. Polystyrene tubes resist a centrifuge speed of 1200 x g while polypropylene tubes resist speeds of up to 3000 x g.

Cat. #	Material	Size (mm)	Qty/Pk	Qty/Cs
T408	Polystyrene	17 x 120	100	1000
T408-1	Polystyrene	17 x 120	Bulk	1000
T408-2	Polypropylene	17 x 120	Bulk	1000



T410 Urine Collection System

Tube made of polystyrene

The Simport Urine Collection System contains 100 disposable 15 ml heavy-wall polystyrene tubes, snap caps, self-adhesive identification labels, and 3 oz. plastic collection cups all packed in a plastic bag (5 bags per case). Urine tubes are made of virgin polystyrene and are free of any mold release agents, metals or additives that could contaminate samples. They are made of heavy wall construction, graduated at 1/4, 1/2, 1, 2 and every 2 ml thereafter up to 12 ml, and can be safely centrifuged at speeds up to 2000 x g. The tubes are flared at the top to make filling and drip-free pouring easier. Designed to allow the use of midget urinometers and reagent test strips requiring only 1/4 or 1/2 ml of sample. The use of Simport tight-fitting plastic caps makes these tubes suitable for transportation in pneumatic tube systems. Size of tube: 105 mm H x 21 mm dia.

Cat. #	Description	Qty/Cs
T410	Urine collection system	500
T410-1	Urine tubes only	500
T410-2	Caps only	1000
T410-3	Tubes & closures only	500



T420 50 ml Centrifuge Tubes

Tubes made of either polystyrene or polypropylene
Caps made of high density polyethylene

These centrifuge tubes are also useful for collecting and transporting biological specimens. Leakproof characteristics are ensured by a flat top plastic screw cap with an inner sealing lip. Tubes are made of translucent polypropylene or optically clear polystyrene with molded graduations from 2.5 to 50 ml. Polypropylene tubes can be autoclaved and will resist temperatures up to 121 °C; they will also resist acids, solvents and alkalies at room temperature. They withstand centrifugation speeds of 3000 x g. Polystyrene tubes can tolerate aqueous solutions of mild bases or weak acids, but not organic solvents, aromatic or chlorinated hydrocarbons, and they cannot be autoclaved. They withstand centrifugation speeds up to 1000 x g.

Tubes are available in bags or in polypropylene racks for better protection during transport, storage and for convenient laboratory use. Racks can hold up to 25 tubes. Tubes are supplied sterile with green caps or non sterile with yellow caps. External Diameter: 29 mm. Height: 118 mm.

Cat. #	Description	Material	Cap color	Packaging	Qty/Cs
T420-1	Sterile	Polystyrene	Green	Rack/25	500
T420-3	Sterile	Polypropylene	Green	Rack/25	500
T420-4	Sterile	Polypropylene	Green	Bags/25	500
T420-5	Non sterile	Polypropylene	Yellow	Rack/25	500
T420-6	Non sterile	Polystyrene	Yellow	Bulk	500
T420-7	Non sterile	Polypropylene	Yellow	Bulk	500






S207

SNAPTWIST® Scintillation Vials 6.5 ml

Made of polypropylene and high density polyethylene

This general purpose vial can be used for liquid scintillation counting, gamma counting, chromatography, sample storage and culturing. It will fit very nicely into the LKB and Packard Varisette counters. The shoulderless vial features a full width opening of 12.5 mm and the scintillation overall dimensions are 16 x 57 mm. The exclusive SNAPTWIST® closures are made of high-flow polypropylene and are a true time saver.

The vials can be securely sealed by simply snapping the caps on; removal of caps requires an easy 1/4 turn (twist). The ease with which these caps can be manipulated eliminates the danger of spillage associated with other push-on/pull-off caps. A built-in positive lock prevents the cap from popping off because of a small build-up of pressure in the vial. The quality of the sealing system is such that it is not necessary to tighten the closure with pressure to achieve a leakproof seal.



Cat. #	Tube	Cap	Size (mm)	Qty/Cs
S207	Polyethylene	Polypropylene	16 x 57	1000
S207-5	Polypropylene	Polyethylene	16 x 57	1000



S220

Scintillation Vials 20 ml

Vial made of polypropylene / Cap made of high density polyethylene

This shoulderless vial features a full width opening of 23 mm for ease of access, a high degree of resistance to organic solvents, and sufficient translucence so that reagent levels or the presence of filter paper can be easily detected. The unique thread design of the closure allows the vial to be sealed, and opened with an easy 1/4 turn. The quality of the sealing system is such that it is not necessary to tighten the closure with a lot of pressure to achieve a leakproof seal. Polyethylene closure may not be autoclaved.

Cat. #	Volume (ml)	Size (mm)	Packaging	Qty/Cs
S220	20	26 x 61	Bulk	500
S220-1	20	26 x 61	Tray/100	500



V130

Dilution Vials

Made of polystyrene

With optically clear parallel sides. The snap cap is spill proof but easily removed. Guaranteed to meet or exceed O.E.M. specifications. Available in specially designed vacuum formed trays or in bulk packaging. Dimensions: 35 mm x 56 mm H Volume: 25 ml

Cat. #	Packaging	Qty/Cs
V130	Trays of 50 / 20 trays per case	1000
V130-1	Bulk pack	1000



The UniRack™ can also be placed at an angle for easier handling of tubes.

S500-80 The UniRack™

Made of polypropylene

On one side, the UniRack™ can hold up to 80 polystyrene or polypropylene 10 and 12 mm tubes, such as 10 x 75 mm or 12 x 75 mm sizes. This rack will accommodate all types of screw cap microtubes from 0.5 to 2 ml as well as 1 to 5 ml cryogenic vials. Flip the UniRack™ over and you can store up to 60 PCR or microcentrifuge tubes from 0.2 to 0.5 ml.

Units can be firmly anchored laterally to one another, thanks to special anchor pins supplied with each rack. This innovative concept will allow the user to store 80, 160, 240 and even 320 tubes of different shapes, sizes and volumes since the units can be attached to each other either on the 80- or 60- position side facing upward, thus ensuring maximum versatility.

It is supplied with two removable handles allowing for better safety characteristics. The handles of the lower rack make a perfect fit with those of the upper one, ensuring a stable unit which can easily and safely be moved around. An additional protection level is possible by using a very resistant and quite affordable transparent lid allowing a clear view of the contents.



There is a frosted area on both sides for bar coding, labeling or writing, enabling the user to identify the contents. It is easy to write on it with a felt-tip pen. Offered in a wide array of colors. Dimensions: 223 x 67 x 27 mm H (9 ³/₁₆ x 2 ⁵/₁₆ x 1 ¹/₁₆ in. H)

Cat. #	Color	Qty/Cs	Cat. #	Color	Qty/Cs
S500-80B	Blue	10	S500-80R	Red	10
S500-80G	Green	10	S500-80Y	Yellow	10
S500-80O	Orange	10	S500-80AS	Assorted*	10
S500-80P	Pink	10			

* Assorted colors : blue, green, orange, pink and yellow

Cat. #	Cover	Qty/Cs
S501-80	Transparent	10

A transparent lid can be placed on the UniRack™, allowing a clear view of the contents.



The handles of the lower rack make a perfect fit with those of the upper one, ensuring a stable unit which can easily and safely be moved around.



Units can be firmly anchored laterally to one another, thanks to special anchor pins supplied with each rack.



S500-25 The UniRack™ Jr.

Made of polypropylene

This smaller model of the UniRack™ can hold up to 25 polystyrene or polypropylene 10 and 12 mm tubes, such as 10 x 75 mm or 12 x 75 mm sizes. This rack will accommodate all types of screw cap microtubes from 0.5 to 2 ml made by manufacturers such as Simport, Sarstedt, Nalgene, Bio-Plas, SSI, Sorenson etc... as well as 1 to 5 ml cryogenic vials. Flip the UniRack™ over and you can store up to 16 PCR or microcentrifuge tubes from 0.2 to 0.5 ml. Supplied without handles or anchor pins.

Cat. #	Color	Qty/Cs
S500-25B	Blue	10
S500-25R	Red	10
S500-25Y	Yellow	10




S510-500 The SecuRack™

Made of high impact polystyrene

This special 50-place rack will hold your 12 x 75 mm and 13 x 100 mm tubes securely in place thanks to silicone tabs surrounding the base of each tube while in the rack. This makes it very convenient to empty tube content before discarding them. Also great for holding tubes in rack securely in place when in a water bath. Each position is alpha numerically identified. Units can be anchored laterally to one another, thanks to two screws supplied with each rack.

Dimensions: 250 x 128 x 50 mm H (9 ³/₄ x 5 x 2 in. H).

Silicone tabs around each opening securely hold tubes in place.



Cat. #	Color	Qty/Pk	Qty/Cs
S510-500	Orange	1	2



S600 The MultiRack™

Made of acetal

A newly designed tube support that can be used all around the lab. The MultiRack™ is available in three models to accommodate a full range of laboratory test tubes and centrifuge tubes up to 30 mm in diameter. As well as being one of the most attractive racks available today, it offers all the advantages required by the modern laboratory. Made of highly resistant acetal, it will not shatter or stain in contact with most laboratory chemicals. No coating to worry about, which can chip, peel or rust in a water bath.

The MultiRack™ is compact, lightweight and stackable in order to save as much space as possible. This is why it is ideal for incubators, refrigerators, freezers, under lab hoods and on bench tops. Not only is it submersible but will also sink and maintain stability without tipping over.

The MultiRack™ is made of three-tiers to facilitate the insertion and stability of tubes. The base tier has rounded wells with drain holes. Convenient handles on each side of the rack will ensure a safe grip when carrying it around. Interlocking feet allow stacking. Series S600-13 will accommodate all tubes up to a diameter of 13 mm while series S600-16 will accept tubes up to 16 mm in diameter including 15 ml centrifuge tubes. Model S600-30 is perfect for accommodating up to 18 x 50 ml centrifuge tubes. Available in five attractive colors.

Dimensions: 293 x 115 x 65 mm H (11 1/2 x 4 1/2 x 2 1/2 in. H)

S610 The MultiRack™ Jr.

Made of acetal

Also available is the MultiRack™ Jr. having the same features and benefits as the larger model but will hold half the number of tubes. A great acquisition when space is more limited.

6 models available to accommodate a full range of laboratory tubes up to 30 mm in diameter.

	Rack Cat. #	Capacity		Rack Cat. #	Capacity	For tubes	Color	Qty/Pk	Qty/Cs
	S600-13B	84		S610-13B	42	up to 13 mm	Blue	1	10
	S600-13G	84		S610-13G	42	up to 13 mm	Green	1	10
	S600-13L	84		S610-13L	42	up to 13 mm	Lilac	1	10
	S600-13O	84		S610-13O	42	up to 13 mm	Orange	1	10
	S600-13Y	84		S610-13Y	42	up to 13 mm	Yellow	1	10
	Rack Cat. #	Capacity		Rack Cat. #	Capacity	For tubes	Color	Qty/Pk	Qty/Cs
	S600-16B	60		S610-16B	30	up to 16 mm	Blue	1	10
	S600-16G	60		S610-16G	30	up to 16 mm	Green	1	10
	S600-16L	60		S610-16L	30	up to 16 mm	Lilac	1	10
	S600-16O	60		S610-16O	30	up to 16 mm	Orange	1	10
	S600-16Y	60		S610-16Y	30	up to 16 mm	Yellow	1	10
	Rack Cat. #	Capacity		Rack Cat. #	Capacity	For tubes	Color	Qty/Pk	Qty/Cs
	S600-30B	18		S610-30B	9	25 to 30 mm	Blue	1	10
	S600-30G	18		S610-30G	9	25 to 30 mm	Green	1	10
	S600-30L	18		S610-30L	9	25 to 30 mm	Lilac	1	10
	S600-30O	18		S610-30O	9	25 to 30 mm	Orange	1	10
	S600-30Y	18		S610-30Y	9	25 to 30 mm	Yellow	1	10



Twirl'em™

Sterile Sampling Bag by Labplas

Labplas TWIRL'EM Sterile Sampling Bags provide a secure, contaminant-free and pliable container that ensures reliable analysis results. The bags may be used for solid, semi-solid and liquid samples. They are free of RNase, DNase, pyrogens and BPA. TWIRL'EM sterile bags are a proven, economical and efficient way to collect, contain and carry samples.

CHARACTERISTICS

Labplas TWIRL'EM Sterile Sampling Bags are made with highly resistant FDA approved virgin polyethylene tubing which eliminates side seals and ensures maximum bag mouth opening to facilitate sample insertion. The polyethylene tubing is extruded at 240 Celsius, which guarantees internal sterility. Equally important, the inside is never exposed to the environment during our production process. TWIRL'EM Sterile Sampling Bags are available in many sizes and wall thicknesses. We also manufacture both clear bags and bags with write-on strips.

Safety Tabs - Clear - Closure with 2 round wires

Code	Packaging	oz	ml	in x in	mm x mm	mils	µm
EPL-3050	Cs/1000 (2 x 500)	2	60	3 x 5	76 x 127	2.5	63
EPL-3070	Cs/1000 (2 x 500)	4	130	3 x 7	76 x 178	2.5	63
EPL-3570	Cs/1000 (2 x 500)	7	210	3.5 x 7	89 x 178	3.0	76
EPL-4575	Cs/1000 (2 x 500)	12	355	4.5 x 7.5	114 x 190	2.5	63
EPL-4590	Cs/1000 (2 x 500)	15	450	4.5 x 9	114 x 229	2.5	63
EPL-4512	Cs/1000 (2 x 500)	27	800	4.5 x 12	114 x 305	2.5	63
EPL-4515	Cs/1000 (2 x 500)	40	1200	4.5 x 15	114 x 382	2.5	63
EPL-5590	Cs/1000 (2 x 500)	22	650	5.5 x 9	140 x 229	3.0	76
EPL45590	Cs/1000 (2 x 500)	22	650	5.5 x 9	140 x 229	4.0	101
EPL-5515	Cs/1000 (2 x 500)	50	1500	5.5 x 15	140 x 382	3.0	76
EPL-7012	Cs/1000 (4 x 250)	55	1650	7 x 12	178 x 305	3.0	76
EPL47012	Cs/1000 (4 x 250)	55	1650	7 x 12	178 x 305	4.0	101
EPL-7015	Cs/1000 (4 x 250)	85	2500	7 x 15	178 x 382	3.0	76

Safety Tabs - Printed - Closure with 2 round wires

Code	Packaging	oz	ml	in x in	mm x mm	mils	µm
EPR-3050	Cs/1000 (2 x 500)	2	60	3 x 5	76 x 127	2.5	63
EPR-3070	Cs/1000 (2 x 500)	4	130	3 x 7	76 x 178	2.5	63
EPR-3570	Cs/1000 (2 x 500)	7	210	3.5 x 7	89 x 178	3.0	76
EPR-4575	Cs/1000 (2 x 500)	12	355	4.5 x 7.5	114 x 190	2.5	63
EPR-4590	Cs/1000 (2 x 500)	15	450	4.5 x 9	114 x 229	2.5	63
EPR-4512	Cs/1000 (2 x 500)	27	800	4.5 x 12	114 x 305	2.5	63
EPR-4515	Cs/1000 (2 x 500)	40	1200	4.5 x 15	114 x 382	2.5	63
EPR-5590	Cs/1000 (2 x 500)	22	650	5.5 x 9	140 x 229	3.0	76
EPR45590	Cs/1000 (2 x 500)	22	650	5.5 x 9	140 x 229	4.0	101
EPR-5515	Cs/1000 (2 x 500)	50	1500	5.5 x 15	140 x 382	3.0	76
EPR-7012	Cs/1000 (4 x 250)	55	1650	7 x 12	178 x 305	3.0	76
EPR47012	Cs/1000 (4 x 250)	55	1650	7 x 12	178 x 305	4.0	101
EPR-7015	Cs/1000 (4 x 250)	85	2500	7 x 15	178 x 382	3.0	76

Safety Tabs - Clear - Closure with 1 round wire & 1 flat wire

Code	Packaging	oz	ml	in x in	mm x mm	mils	µm
EFL-3070	Cs/1000 (2 x 500)	4	130	3 x 7	76 x 178	2.5	63
EFL-4590	Cs/1000 (2 x 500)	15	450	4.5 x 9	114 x 229	2.5	63
EFL-5590	Cs/1000 (2 x 500)	22	650	5.5 x 9	140 x 229	3.0	76
EFL-5512	Cs/1000 (2 x 500)	36	1080	5.5 x 12	140 x 305	3.0	76
EFL-7012	Cs/1000 (4 x 250)	55	1650	7 x 12	178 x 305	3.0	76
EFL47012	Cs/1000 (4 x 250)	55	1650	7 x 12	178 x 305	4.0	101
EFL-1012	Cs/1000 (4 x 250)	76	2250	10 x 12	254 x 305	4.0	101
EFL-1015	Cs/1000 (4 x 250)	135	4000	10 x 15	254 x 382	4.0	101

TWIRL'EM Sterile Sampling Bags come with a range of different closure systems: our standard version with two round wires; 1 round and 1 flat wire; or for large and heavy bags, a very strong closure consisting of 2 flat wires.

Safety Tabs - Printed - Closure with 1 round wire & 1 flat wire

Code	Packaging	oz	ml	in x in	mm x mm	mils	µm
EFR-3070	Cs/1000 (2 x 500)	4	130	3 x 7	76 x 178	2.5	63
EFR-4590	Cs/1000 (2 x 500)	15	450	4.5 x 9	114 x 229	2.5	63
EFR-5590	Cs/1000 (2 x 500)	22	650	5.5 x 9	140 x 229	3.0	76
EFR-5512	Cs/1000 (2 x 500)	36	1080	5.5 x 12	140 x 305	3.0	76
EFR-7012	Cs/1000 (4 x 250)	55	1650	7 x 12	178 x 305	3.0	76
EFR47012	Cs/1000 (4 x 250)	55	1650	7 x 12	178 x 305	4.0	101
EFR-1012	Cs/1000 (4 x 250)	76	2250	10 x 12	254 x 305	4.0	101
EFR-1015	Cs/1000 (4 x 250)	135	4000	10 x 15	254 x 382	4.0	101



Twirl'em Opaque



For photosensitive samples

The Opaque TWIRL'EM line is used by the food, pharmaceutical and environmental industries. The Black resin is a light barrier that protects light-sensitive substances, such as vitamins, certain chemicals and pharmaceuticals, food supplements, plant extracts, and biological tissues.

Safety Tabs - Opaque - Printed - Closure with 2 round wires

Code	Packaging	oz	ml	in x in	mm x mm	mils	µm
EPN-4590	(Cs/1000 2x500)	15	450	4.5 x 9	114 x 229	2.5	63
EPN-4512	(Cs/1000 2x500)	30	900	4.5 x 12	114 x 305	2.5	63
EPN-4515	(Cs/1000 2x500)	40	1200	4.5 x 15	114 x 382	2.5	63

Twirl'em Clean Room



DOUBLE PACKAGING FOR INTERNAL AND EXTERNAL STERILITY!

With the TWIRL'EM Cleanroom application packaging, you can bring your sterile sampling bags into your cleanroom without any worries of possible contamination. The bags are sterile inside and out.

Safety Tabs - Clear - Closure with 2 round wires

Code	Packaging	oz	ml	in x in	mm x mm	mils	µm
EPL-4512S	(Cs/1000 40x25)	27	800	4.5 x 12	114 x 305	2.5	63
EPL-5590S	(Cs/1000 40x25)	22	650	5.5 x 9	140 x 229	3.0	76
EPL-5515S	(Cs/1000 40x25)	50	1500	5.5 x 12	140 x 382	3.0	76
EPL-7012S	(Cs/1000 40x25)	55	1650	7 x 12	178 x 305	3.0	76

Safety Tabs - Printed - Closure with 2 round wires

Code	Packaging	oz	ml	in x in	mm x mm	mils	µm
EPR-4512S	(Cs/1000 40x25)	27	800	4.5 x 12	114 x 305	2.5	63
EPR-5590S	(Cs/1000 40x25)	22	650	5.5 x 9	140 x 229	3.0	76
EPR-5515S	(Cs/1000 40x25)	50	1500	5.5 x 12	140 x 382	3.0	76
EPR-7012S	(Cs/1000 40x25)	55	1650	7 x 12	178 x 305	3.0	76

Safety tabs - Clear - Closure with 1 round wire & 1 flat wire

Code	Packaging	oz	ml	in x in	mm x mm	mils	µm
EFL-5590S	(Cs/1000 40x25)	22	650	5.5 x 9	140 x 229	3.0	76
EFL45590S	(Cs/1000 40x25)	22	650	5.5 x 9	140 x 229	4.0	101
EFL-5512S	(Cs/1000 40x25)	36	1080	5.5 x 12	140 x 305	3.0	76
EFL-7012S	(Cs/1000 40x25)	55	1650	7 x 12	178 x 305	3.0	76
EFL47012S	(Cs/1000 40x25)	55	1650	7 x 12	178 x 305	4.0	101
EFL-1012S	(Cs/1000 40x25)	76	2250	10 x 12	254 x 305	4.0	101
EFL-1015S	(Cs/1000 40x25)	135	4000	10 x 15	254 x 382	4.0	101

Safety tabs - Printed - Closure with 1 round wire & 1 flat wire

Code	Packaging	oz	ml	in x in	mm x mm	mils	µm
EFR-5590S	(Cs/1000 40x25)	22	650	5.5 x 9	140 x 229	3.0	76
EFR45590S	(Cs/1000 40x25)	22	650	5.5 x 9	140 x 229	4.0	101
EFR-5512S	(Cs/1000 40x25)	36	1080	5.5 x 12	140 x 305	3.0	76
EFR-7012S	(Cs/1000 40x25)	55	1650	7 x 12	178 x 305	3.0	76
EFR47012S	(Cs/1000 40x25)	55	1650	7 x 12	178 x 305	4.0	101
EFR-1012S	(Cs/1000 40x25)	76	2250	10 x 12	254 x 305	4.0	101
EFR-1015S	(Cs/1000 40x25)	135	4000	10 x 15	254 x 382	4.0	101



Water Sampling Kit



Labplas Water Sampling Kits are designed to collect, store and transport of chlorinated water samples. Our sterile kits contain a UPA-compliant non-toxic, neutralizing tablet of active sodium thiosulfate, used for drinking water analysis.

Safety Tabs - Stand-up bag - Printed - Closure with 2 round wires

Code	Packaging	Description	oz	ml	in x in	mm x mm	mils	µm
KWS-21100	Cs/100	1 x 10 mg Sodium Thiosulfate tablet	4	100	3 x 7	76 x 178	2.5	63
KWS-22200	Cs/100	1 x 30 mg Sodium Thiosulfate tablet	10	300	4.5 x 9	114 x 229	2.5	63

Sani-Sponge™



THE SANI-SPONGE KIT IS CONVENIENT, EASY TO USE, AND ELIMINATES SEVERAL TIME-CONSUMING STEPS.

The Labplas Sani-Sponge kit is designed to collect samples on almost any surface, to help detect microbiological contaminants such as Listeria, Salmonella, E. coli, and other food pathogens. These kits are widely used in the food, environmental and cosmetics industries. The Sani-Sponge kit is convenient and easy to use and eliminates several time-consuming steps. Sani-Sponge sampling kits are produced in accordance with HACCP, ASDA, ACIA and CFIA requirements.

SANI-SPONGE Kit with Dry Sponge

Code	Packaging	Description	oz	ml	in x in	mm x mm	mils	µm
KSS-61100	Cs/400 (4 x 100)	Dehydrated sponge	15	450	4.5 x 9	114 x 229	2.5	63
KSS-61105	Cs/400 (4 x 100)	Dehydrated sponge with gloves	15	450	4.5 x 9	114 x 229	2.5	63

SANI-SPONGE Kit with Dry Sponge


Code	Packaging	Description	oz	ml	in x in	mm x mm	mils	µm
KSS-67110-DE	Cs/100 (5 x 20)	DE-Neutralizing buffer	20	600	6.3 x 11	160 x 279	4.0	101
KSS-67110-LT	Cs/100 (5 x 20)	Lethen broth	20	600	6.3 x 11	160 x 279	4.0	101
KSS-67110-NE	Cs/100 (5 x 20)	Neutralizing buffer	20	600	6.3 x 11	160 x 279	4.0	101
KSS-67110-BPW	Cs/100 (5 x 20)	Buffered peptone water	20	600	6.3 x 11	160 x 279	4.0	101
KSS-67115-DE	Cs/100 (5 x 20)	DE-Neutralizing buffer with gloves	20	600	6.3 x 11	160 x 279	4.0	101
KSS-67115-LT	Cs/100 (5 x 20)	Lethen broth with gloves	20	600	6.3 x 11	160 x 279	4.0	101
KSS-67115-NE	Cs/100 (5 x 20)	Neutralizing buffer with gloves	20	600	6.3 x 11	160 x 279	4.0	101
KSS-67115-BPW	Cs/100 (5 x 20)	Buffered peptone water with gloves	20	600	6.3 x 11	160 x 279	4.0	101

SANI-SPONGE sampling kits are produced in accordance with HACCP, USDA, ACIA and CFIA requirements

INSTRUCTION STEP BY STEP



1
Remove the tear-off strip and carefully take the sponge out (sterile gloves are recommended). Do not touch the inside of the bag.



2
Swab the sampling surface (suggested 30 x 30 cm area/12"x12") with the sponge in a vertical (up and down) motion.



3
Turn the sponge over and swab the sample area again, this time in a horizontal (left to right) motion



4
Return the sponge in the sterile sampling bag with care



5
Identify the sample on the write-on area with a permanent marker





Sani-Stick™



ELIMINATES SEVERAL STEPS FROM YOUR PROCESS!

The Sani-Stick is designed to collect samples on any surface to help detect microbiological contamination. Use it to reach tight spaces or hard-to-reach areas thanks to its long handle. Stick sponges are widely used in the food, environmental and cosmetics industries. The Sani-Stick is convenient and easy to use and eliminates several time-consuming steps from your process!

Applications

- Ideal for surface samples;
- Strong clip designed to ensure the sponge never gets stuck;
- Handle can withstand a great deal of pressure without breaking.

SANI-STICK Kit with Wet Sponge							
Code	Packaging	Description	oz	ml	in x in	mm x mm	mils μm
KSS-67310-DE	Cs/100 (10x10)	Sponge on handle with DE-Neutralizing buffer	20	600	6.3 x 11	160 x 279	4.0 101
KSS-67310-LT	Cs/100 (10x10)	Sponge on handle with Letheen broth	20	600	6.3 x 11	160 x 279	4.0 101
KSS-67310-NE	Cs/100 (10x10)	Sponge on handle with Neutralizing buffer	20	600	6.3 x 11	160 x 279	4.0 101
KSS-67310-BPV	Cs/100 (10x10)	Sponge on handle with Buffered peptone water	20	600	6.3 x 11	160 x 279	4.0 101
KSS-67315-DE	Cs/100 (10x10)	Sponge on handle with DE-Neutralizing buffer with gloves	20	600	6.3 x 11	160 x 279	4.0 101
KSS-67315-LT	Cs/100 (10x10)	Sponge on handle with Letheen broth with gloves	20	600	6.3 x 11	160 x 279	4.0 101
KSS-67315-NE	Cs/100 (10x10)	Sponge on handle with Neutralizing buffer with gloves	20	600	6.3 x 11	160 x 279	4.0 101
KSS-67315-BPV	Cs/100 (10x10)	Sponge on handle with Buffered peptone water with gloves	20	600	6.3 x 11	160 x 279	4.0 101


-1.5" x 3" biocide-free cellulose sponge gamma irradiated. Pre-moistened with a variety of broths



Made to avoid sponge wedging



Polypropylene rigid handle for sampling hard-to-reach areas



Simply squeeze and release the sponge


No plastic residue will remain on sponge after sampling
Friendly to blending procedures




INSTRUCTION STEP BY STEP




1
Remove the tear-off strip and carefully take the sani-stick by the handle



2
The wet sponge is already on the handle, swiped on the determined surface



3
Press on the bottom of the handle to gently release the sponge in the sterile sampling bag



4
Twirl the bag 3 to 4 times and close it with the tabs



5
Identify the sample on the write-on area with a permanent marker



Secure-T™

Secure-T™

Labplas Secure-T blender bags are malleable, durable, contaminant-free containers for uniform mixing of samples. Applications vary from general mixing to preparation of samples for analysis testing. Secure-T products are manufactured to handle the most robust homogenizers. These sterile blender bags are designed for all laboratory uses and are available for all blender sizes. A tear-off barrier strip keeps the bags sterile until use.

- The virgin polyethylene tubing is extruded at temperatures ranging from 220 °C to 240 °C, guaranteeing internal sterility;
- A tear-off strip ensures internal sterility until use (except for open bags);
- Open bags are gamma irradiated;
- A maximized bag opening facilitates insertion of sample.

SECURE-T with Tear-Off Protection Strip - Clear

Code	Packaging	Description	oz	ml	in x in	mm x mm	mils	µm
SCL-4060	Cs/1000 (4x250)	For 80 series blenders	7	205	4 x 6	102 x 152	3.0	76
SCL-5512	Cs/1000 (2x500)	For 400 series blenders	36	1080	5.5 x 12	140 x 305	3.0	76
SCL-7012	Cs/1000 (4x250)	For 400 series blenders	55	1650	7 x 12	178 x 305	3.0	76
SCL47012	Cs/1000 (4x250)	For 400 series blenders	55	1650	7 x 12	178 x 305	4.0	101
SCL41214	Cs/500 (2x250)	For 3500 series blenders	151	4.5 L	12 x 14	305 x 356	4.0	101
SCL41218	Cs/250	For 3500 series blenders	228	6.75 L	12 x 18	305 x 457	4.0	101
SCL-1520	Cs/500 (2x250)	For 3500 series blenders	405	12 L	15 x 20	381 x 508	3.0	76
SCL41520	Cs/500 (2x250)	For 3500 series blenders	405	12 L	15 x 20	381 x 508	4.0	101

SECURE-T with Tear-Off Protection Strip - Printed

Code	Packaging	Description	oz	ml	in x in	mm x mm	mils	µm
SCR-7012	Cs/1000 (4x250)	For 400 series blenders	55	1650	7 x 12	178 x 305	3.0	76

BLENDER BAG with Open Top - Clear

Code	Packaging	Description	oz	ml	in x in	mm x mm	mils	µm
SCL07012	Cs/1000 (4x250)	For 80 series blenders	55	1650	7 x 12	178 x 305	3.0	76
SCL01520	Cs/500 (2x250)	For 400 series blenders	405	12 L	15 x 20	381 x 508	3.0	76

BLENDER BAG with Open Top - Printed

Code	Packaging	Description	oz	ml	in x in	mm x mm	mils	µm
SCRO7012	Cs/1000 (4x250)	For 400 series blenders	55	1650	7 x 12	178 x 305	3.0	76

SECURE-T are blender bags for all microbiological uses in laboratories.

- Virgin polyethylene tubing extruded at temperatures ranging from 220 °C to 240 °C which guaranties internal sterility;
- Open bags are gamma irradiated;
- Maximum bag mouth opening to facilitate insertion of sample;
- Sterility certificate in every box which eliminates the need to call for documentation;
- Tear-off top which ensures internal sterility right up until the time of use (except for open bags).





Secure-Strip



Secure-T™



THE DISPENSING SOLUTION FOR YOUR BLENDER BAG SUPPLIES!

SECURE-T blender bags are now available in a compact, easy-to-use Secure-Strip dispenser. This new approach to blender bag packaging offers quicker access at all times. The new Secure-Strip dispensing solution gives you all the benefits of blender bags in a safe, user-friendly dispenser.

SECURE-STRIP - Clear							
Code	Packaging	oz	ml	in x in	mm x mm	mils	µm
SCLR7012-B	For 400 series blenders 250 units in a box dispenser	55	1650	7 x 12	178 x 305	3.0	76
SCLR7012	For 400 series blenders 4 rolls of 250 units	55	1650	7 x 12	178 x 305	3.0	76
SA3-7012	Stainless Steel Dispenser						

Application

Labplas SECURE-T Blender Bags provide a malleable yet durable and contaminant-free container for the even blending of your samples.

Applications vary from general blending purposes to sample preparation for analysis testing.

The new dispenser solution, Secure-Strip, allows you to have all the product advantages of the blender bags in an easy, secure and friendly-use dispenser.

Features and benefits

- An easy-to-store roll of 250 bags you can take anywhere in the laboratory;
- Tear-off junction between each bag ensures internal sterility until use;
- Sterility confirmation document (CofA) in every box (traceable certificate);
- Meets USDA and CFIA industry standards and made of FDA-compliant material;
- All the benefits of a closed, sterile blender bag with the features and ease-to-use as an open blender bag;

Product technical specification

The plastic tubing used in manufacturing our sampling bags is extruded at temperatures ranging between 220 °C and 240 °C and is therefore internally sterile. Follow up tests are also performed to assure continued sterility after processing. Labplas Sterile Sampling Bags have consistently and successfully been tested for sterility after 5 years of shelf life.

- R-Nase, D-Nase, Pyrogen and BPA free;
- 250 sterile blender bags ready to use.



Looking for a permanent solution?

Ask us for the stainless steel dispenser.

Another way of insuring easiness of use in your workplace. Code: SA3-7012



Chemical Resistance and Physical Properties of Plastics

ABS: Acrylonitrile Butadiene Styrene

HIPS: High-Impact Polystyrene

PS: Polystyrene

Acetal: Polyoxymethylene

LDPE: Low-density polyethylene

PVC: Polyvinyl Chloride

EVA: Ethylene Vinyl Acetate

PC: Polycarbonate

HDPE: High-density polyethylene

PP: Polypropylene

Chemical Resistance Summary

Resin	Max use temp (°F/°C)	Brittleness temps (°F/°C)	Transparency						Specific gravity (g/ml)	Flexibility	Permeability (approximate) cc-mm m ² -24hr-Ba			Water absorption (%)
				Autoclave	Gaz	Sterilization Dry heat	Radiation	Disfectants			N ₂	O ₂	CO ₂	
HDPE	248/120	-148/-100	Translucent	No	Yes	No	Yes	Yes	0.95	Rigid	651	2868	8990	<0.01
LDPE	176/80	-148/-100	Translucent	No	Yes	No	Yes	Yes	0.92	Excellent	2790	7750	41,850	<0.01
PC	275/135	-211/-135	Translucent	Yes	Yes	No	Yes	Yes	1.20	Rigid	775	4650	16,663	0.35
PP	275/135	32/0	Translucent	Yes	Yes	No	No	Yes	0.90	Rigid	744	3720	12,400	<0.02
PS	194/90	68/20	Translucent	No	Yes	No	Yes	Some	1.05	Rigid	853	4650	17,825	0.05
PVC	158-70	-22/-30	Translucent	No	Yes	No	No	Yes	1.34	Rigid	31-310	62	62	0.15-0.75

Physical Properties

Classes of substances temperature 20 °C	LDPE	HDPE	PC	PP	PS	PVC
Acids, weak or dilute	E	E	E	E	E	E
Acids, strong or concentrated	E	E	G	E	E	E
Alcohols, aliphatic	E	E	G	E	E	E
Aldehydes	G	G	F	G	N	N
Bases	E	E	N	E	E	E
Esters	G	G	N	G	N	N
Hydrocarbons, aliphatic	G	F	F	G	N	E
Hydrocarbons, aromatic	G	F	N	F	N	N
Hydrocarbons, halogenated	F	N	N	F	N	N
Ketones	G	G	N	G	N	N
Oxidizing agents, strong	F	F	N	F	N	G

E - **No damage** after 30 days of constant exposure.

G - **Little or no damage** after 30 days of constant exposure.

F - **Some effect** after seven days of constant exposure. Depending on the plastic, the effect may be cracking, crazing, loss of strength, discoloration. Solvents may cause softening, swelling, and permeation losses with PPCO, PP, PMP, LDPE, and HDPE; the solvent effects on these materials are normally reversible.

N - **Not recommended** for continuous use. Immediate damage may occur.

Depending on the plastic, the effect will be severe cracking, crazing, loss of strength, discoloration, deformation, dissolution, or permeation loss.



Reagent	ABS	Acetal	HDPE	LDPE	PC	PP	Santo- prene	Sili- cone
Acetaldehyde	D	A	C	C	C ¹	A ¹	—	A
Acetamide	—	A	A	A	D	A ¹	—	B
Acetate Solvent	—	—	A	A	—	B ¹	—	C
Acetic Acid	D	D	A	A ²	B ¹	B	A	C
Acetic Acid 20%	C	C	A	A	A ¹	A	A	B
Acetic Acid 80%	D	D	A	D	B ¹	A	C	B
Acetic Acid, Glacial	D	A	D	B ¹	A ¹	D	B	—
Acetic Acid, Vapors	—	—	—	—	—	—	—	A
Acetic Anhydride	C ¹	D	C	D	D	B ¹	D	C
Acetone, 50% water	D	—	—	—	—	A	—	A ²
Acetone	D	A	D	B ¹	D	A	A	D
Acetonitrile	D	—	A	A	D	A ¹	D	D
Acetophenone	—	—	C	D	D	C	—	—
Acetyl Bromide	—	—	—	D	—	—	—	—
Acetyl Chloride (dry)	D	D	—	D	D	D	A	C
Acetylene	—	A	—	D	D	A ¹	—	B
Acrylonitrile	D	—	A	A	D	A ¹	D	D
Adipic Acid	—	—	A	A	—	B ²	—	—
Alanine	—	—	A	A	A	A	—	—
Alcohols:								
- Amyl	A ¹	A	A	B ²	B ¹	B ¹	A	D
- Benzyl	D	A	B	D	—	A	D	—
- Butyl	A ¹	A	—	A	A ²	A	B	B
- Diacetone	—	A	A	B ¹	—	B ²	—	D
- Ethyl	B ¹	A ¹	A	B	B ²	A	A	B
- Hexyl	—	A	—	A	—	—	—	B
- Isobutyl	B	A	A	A ²	—	A ¹	—	A
- Isopropyl	—	A	A	A ²	A ²	A ²	—	A
- Methyl	D	A	A	A ¹	B ¹	A ²	A	A
- Octyl	A ¹	A	—	—	—	—	—	B
- Propyl	B ¹	A	—	A ²	—	A	A	A
Allyl Chloride	D	—	A	—	—	A	—	—
Aluminium Acetate (saturated)	—	—	—	—	—	A	—	D
Aluminium Chloride	A	—	A	B ²	A ¹	A	—	B
Aluminium Chloride 20%	—	C	A	B ²	A ¹	A	—	B
Aluminium Fluoride	A	C	A	A ²	—	A	—	B
Aluminium Hydroxide	B	A	A	A ²	B ¹	A	—	—
Aluminium Nitrate	—	B ¹	—	A ²	A ¹	A ²	—	B
Aluminium Phosphate	—	—	—	—	—	—	—	A
Aluminium Potassium Sulfate 10%	—	C	A	A ²	A ¹	A	—	A
Aluminium Potassium Sulfate 100%	—	C	A	A ²	A ²	A	—	A
Aluminium Sulfate	A ²	B ¹	A	A ²	A	A	A	A
Alums	—	—	—	A	—	A	—	A ¹
Amines	—	D	B	C ¹	—	B ²	—	B
Ammonia 10%	—	D	A	C ¹	D	A ²	—	—
Ammonia Nitrate	—	C	—	A	—	A	—	—
Ammonia, anhydrous	D	D	A	B ²	D	A	—	C
Ammonia, liquid	—	D	A	C ¹	D	A ²	—	—
Ammonium Acetate	—	—	A	A	—	A	—	—
Ammonium Bifluoride	A ²	D	—	A ²	—	A	—	—
Ammonium Carbonate	A ²	D	B	B ²	—	A	—	C
Ammonium Caseinate	—	D	—	—	—	—	—	—
Ammonium Chloride	A ²	B	A	A ²	A ²	A	—	C
Ammonium Fluoride 25%	D	—	A	—	—	A ¹	—	—
Ammonium Hydroxide	B	C	A	A ¹	D	A	—	A
Ammonium Glycolate	—	—	A	A	B	A	—	—
Ammonium Nitrate	—	A ²	A	A ¹	—	A	—	—
Ammonium Oxalate	—	B	A	—	A ¹	A	—	—
Ammonium Persulfate	A ²	D	A	A ²	—	A	—	D
Ammonium Phosphate, Dibasic	A ²	B ²	—	A ²	A ²	A	—	A
Ammonium Phosphate, Monobasic	—	B	—	A	—	A	—	A
Ammonium Phosphate, Tribasic	—	B	—	C	—	A	—	A
Ammonium Sulfate	A ²	B ¹	A	A ¹	A ²	A	—	A
Ammonium Sulfite	—	D	B	B ²	—	A	—	—
Ammonium Thiosulfate	—	B	—	A	—	—	—	—
Amyl Acetate	D	B ¹	—	C ¹	D	B ¹	D	D
Amyl Alcohol	A ¹	A	A	B ²	B ¹	B ¹	A	D
Amyl Chloride	D	A	B	D	—	D	—	D
Aniline	D	A ¹	B	C	D	A ¹	D	B
Aniline Chlorohydrate	—	—	—	—	—	—	—	—
Aniline Hydrochloride	D	—	—	D	D	D	—	D
Antifreeze	B	D	—	—	—	D	—	C
Antimony Trichloride	A ²	—	B	B ²	A ²	A	A	—
Aqua Regia (80% HCl, 20% HNO ₃)	D	D	D	B ¹	D	B ¹	D	D
Aroclor 1248	—	—	—	C ¹	—	D	—	B
Aromatic Hydrocarbons	—	A	—	C	—	D	—	D
Arsenic Acid	A ²	D	B	B ²	A ¹	A	B	A
Arsenic Salts	—	—	—	B	—	—	—	—
Asphalt	—	B ²	—	A ¹	D	B ¹	—	D
Barium Carbonate	A ²	A	—	B ¹	A ²	A	—	—
Barium Chloride	A ²	A	B	A ¹	A	A	—	A
Barium Cyanide	—	B	—	B	—	D	—	—
Barium Hydroxide	A ²	D	—	B ²	D	B	—	A
Barium Nitrate	—	B ²	—	B ²	D	A	—	B
Barium Sulfate	A ²	B ²	B	B ²	D	B ¹	—	A
Barium Sulfide	A ²	A	A	B ²	—	B	—	A
Beer	A ²	A ¹	A	A ²	A ²	A ¹	—	A
Beet Sugar Liquids	B	B	—	A ¹	—	A ¹	—	A
Benzaldehyde	B	A	B	A ¹	D	D	D	D
Benzenamine	—	—	B	A	D	A	—	—
Benzene	D	A ¹	D	D	D	D	D	D
Benzene Sulfonic Acid	—	—	A	A ¹	D	D	—	D
Benzoic Acid	—	B	A	A ¹	B ¹	B ¹	—	B
Benzol	D	A	—	C ¹	D	B	D	D
Benzonitrile	—	—	—	—	A ¹	—	—	A ¹
Benzyl Chloride	D	A	—	—	—	C ¹	—	D
Bleach	B	D	—	—	—	D	—	—
Bleaching Liquors	—	—	—	A ¹	—	A ¹	—	B
Borax (Sodium Borate)	—	B	A	A ²	—	B	—	B
Boric Acid	—	A	A	A ²	—	A	A	A
Brewery Slop	—	B	—	—	—	—	—	—
Bromine	D	D	D	D	C ¹	D	—	D
Bromoform	—	—	D	D	D	D	—	—
Butadiene	—	A	D	D	D	C	—	D
Butane	B	A	—	C ¹	D	A ¹	—	D
Butanol (Butyl Alcohol)	—	A	—	B ²	B ¹	A ¹	B	B
Butter	B	A	—	—	—	—	D	B
Buttermilk	B	A	—	A ¹	A ¹	A ¹	—	A
Butyl Amine	—	C ¹	—	C ¹	D	B ¹	—	B ¹
Butyl Ether	—	D	—	—	—	D	—	D
Butyl Phthalate	—	—	A	C ¹	D	B ²	—	A ¹
Butyl acetate	—	A	B	C ¹	D	B ¹	—	D
Butylene	—	A	—	B ¹	D	—	—	D
Butyric Acid	D	A	D	D	D	B ¹	A	D
Calcium Bisulfate	—	—	—	—	D	—	—	C
Calcium Bisulfide	—	D	—	B ¹	—	A	—	C
Calcium Bisulfite	—	D	A	A ¹	D	A	—	A
Calcium Bromide 38%	—	—	—	—	—	—	—	—
Calcium Carbonate	—	A	—	B ¹	C ²	A	—	A
Calcium Chlorate	—	A	—	—	—	—	—	—
Calcium Chloride (30% in water)	B	D	A	B ²	—	A ²	—	A
Calcium Chloride (saturated)	A	D	A	—	—	A	—	A
Calcium Fluoride	—	—	—	—	—	—	—	—
Calcium Hydroxide 10%	—	A	A	—	—	A	—	A
Calcium Hydroxide (saturated)	A	—	A	—	—	A	—	A
Calcium Hydroxide	—	D	A	A ²	D	A ²	—	A
Calcium Hypochlorite 30%	—	—	A	—	—	A	—	—
Calcium Hypochlorite (saturated)	A	—	A	—	—	A	—	—
Calcium Hypochlorite	—	D	A	A ¹	D	A ¹	—	B
Calcium Nitrate	A	D	B	A ¹	A ²	A ²	—	B ¹
Calcium Oxide	D	A	—	B ¹	—	A	—	A
Calcium Sulfate	C	D	—	B ¹	A ²	A	—	—
Calcium Sulfide	—	—	—	—	—	A	—	—
Calgon	—	A	—	—	—	A	—	A
Cane Juice	—	A	—	—	—	C ¹	—	A
Carbolic Acid (Phenol)	D	D	—	D	D	B	—	D
Carbon Bisulfide	—	A	—	—	—	D	—	—
Carbon Dioxide (dry)	B	A	—	A ¹	—	A ²	—	B
Carbon Dioxide (wet)	B	A	—	A ¹	—	A ²	—	B
Carbon Disulfide	—	—	D	D	D	D	—	—
Carbon Monoxide	—	A	—	A ²	—	A	—	A ²
Carbon Tetrachloride	D	B ¹	C	D	D	D	—	D
Carbon Tetrachloride (dry)	D	—	C	D	—	D	—	D
Carbon Tetrachloride (wet)	D	A ¹	C	—	—	D	—	D
Carbonated Water	—	A	—	A	—	B	—	—
Carbonic Acid	—	B ¹	B	B ²	A ¹	A	—	A
Catsup	B	B	—	—	—	A	—	—
Cellulose Acetate	—	—	—	—	—	A	—	—
Chloral Hydrate	A	—	D	—	—	D	—	—
Chloric Acid	—	D	—	—	—	—	—	—
Chlorinated Glue	—	D	—	—	—	—	—	—
Chlorine Water	—	D	C	B ¹	—	D	—	D
Chlorine Anhydrous Liquid	—	A ¹	C	D	C	D	—	D
Chlorine (dry)	—	D	B	D	—	D	—	D
Chloroacetic Acid	—	D	A	D	D	C ¹	D	D
Chlorobenzene (Mono)	D	D	D	C ¹	D	C ¹	D	D
Chlorobromomethane	—	—	—	A	—	A	—	D
Chloroform	D	A	D	C ¹	D	C ¹	D	D
Chlorosulfonic Acid	—	D	D	D	C ¹	D	—	D
Chocolate Syrup	—	A	—	—	A	A ²	—	—
Chromic Acid 5%	B	D	A	A	B	D	D	C
Chromic Acid 10%	B	D	A	A	B	D	D	C
Chromic Acid 30%	B	D	A	A	C	D	D	C
Chromic Acid 50%	D	D	A	A	D	D	D	C
Chromium Salts	—	—	—	B	—	—	—	—
Cider	—	A	—	B	A	A	—	B ¹
Citric Acid	D	B ¹	A	D	A ¹	A	A	A
Citric Oils	—	B	B	—	—	A	—	—
Coffee	—	A	—	—	—	A	—	A
Copper Chloride	A	A	—	—	—	A	—	A ¹
Copper Cyanide	—	A	—	B ²	D	A	—	A
Copper Fluoborate	—	B	—	—	—	—	—	—
Copper Nitrate	—	A	—	B ²	D	A	—	—
Copper Sulfate 5%	—	D	A	A ²	A ¹	A	—	A
Copper Sulfate >5%	—	D	A	A ²	A ¹	A	—	A
Cream	—	A	—	—	—	A	—	—
Creosote	A	D	A	—	—	—	—	D
Cresols	D	D	D	C ¹	D	D	D	D
Cresylic Acid	—	D	—	B ¹	D	A ¹	—	A
Cupric Acid	—	—	—	B ¹	A ¹	A ²	—	A ¹
Cyanic Acid	—	D	—	—	—	—	—	A ¹
Cyclohexane	—	A ¹	D	B ¹	B	D	D	D
Cyclohexanone	D	A	B	D	D	D	—	D
Detergents	B	A ¹	A	D	A			



Reagent	ABS	Acetal	HDPE	LDPE	PC	PP	Santo- prene	Sili- cone	Reagent	ABS	Acetal	HDPE	LDPE	PC	PP	Santo- prene	Sili- cone
Dextrin	A	—	A	—	—	A	—	—	Hydrogen Sulfide (aque)	B	C	A	A	A	A ¹	—	C
Dextrose	A	—	A	—	—	A	—	A	Hydrogen Sulfide (dry)	—	—	A	A	—	A ¹	—	C
Diacetone Alcohol	—	—	A	A	D	A ¹	—	D	Hydroquinone	D	A	—	A	—	A	—	—
Dibenzyl Ether—	—	—	—	—	—	—	—	—	Ink	A	B	—	—	—	—	—	—
Dichlorobenzene	D	—	—	—	D	C ¹	D	D	Hydroxyacetic Acid 70%	—	A	—	A	—	—	—	—
Dichloroethane	D	A ¹	C	C ¹	D	D	D	—	Iodine	D	D	B	A ¹	—	C	—	—
Diesel Fuel	—	A	D	C ¹	A ²	A ¹	B	D	Iodine (in alcohol)	—	D	B	B	—	—	—	—
Diethyl Ether	D	—	D	—	D	A ¹	A	D	Iodoform	—	—	—	—	—	—	—	—
Diethylamine	D	B	D	D	D	A ¹	—	B	Isocetane	—	—	B	B	B ¹	A ²	D	D
Diethylene Glycol	B	A ¹	A	B ²	B ¹	A ²	A	B ¹	Isopropyl Acetate	—	D	B	B ¹	D	B ¹	—	D
Dimethyl Aniline	D	D	B	—	D	D	—	D	Isopropyl Ether	—	D	D	B	D	B	—	D
Dimethyl Ether	—	—	—	—	—	—	—	A	Isotane	—	—	—	—	—	D	—	—
Dimethyl Formamide	D	D	A	A	D	A	A	C	Jet Fuel (JP3, JP4, JP5, JP8)	—	A ¹	D	D	A ¹	A ¹	D	D
Diphenyl	—	—	—	—	—	D	—	D	Kerosene	D	A ²	B	C ¹	D	B	D	D
Diphenyl Oxide	—	D	—	—	—	D	—	C	Ketones	A	D	D	C ¹	D	C	D	—
Disodium Phosphate	A	—	A	—	—	A	—	—	Lacquer Thinners	A	D	D	A	B	D	—	D
Dyes	—	C	—	—	—	—	—	—	Lacquers	A	D	D	A	D	D	—	D
Epson Salts (Magnesium Sulfate)	B ²	B	—	A ²	A ¹	A	—	A	Lactic Acid	D	B	A	A ¹	B	B	—	A
Ethane	—	A ¹	—	—	—	D	—	D	Lard	—	A	A	A	A ¹	B ¹	A	B
Ethanol	B ¹	A ¹	A	B	B ²	A	A	B	Latex	B	B	—	—	—	A ²	—	A
Ethanolamine	—	D	—	—	—	D	—	B	Lead Acetate	B	B	A	A ²	—	A ¹	—	A
Ether	D	A ¹	D	D	—	D	—	D	Lead Nitrate	B	—	A	A ²	—	A ²	—	B ¹
Ethyl Acetate	D	A	A	A	D	A ¹	A	B	Lead Sulfamate	—	A	—	A ¹	A ¹	A ²	—	B
Ethyl Benzoate	D	—	B	C ²	D	B ¹	—	D	Ligroin	—	B	—	A	—	A ²	—	D
Ethyl Chloride	D	A ¹	C	C ¹	D	D	D	D	Lime	—	B	—	A	—	—	—	—
Ethyl Ether	D	A ¹	D	D	—	D	—	D	Linoleic Acid	A	B	—	A	—	B ¹	—	B ¹
Ethyl Sulfate	—	—	—	—	—	—	—	—	Lithium Chloride	—	A	D	A ²	B ¹	A ²	—	A ¹
Ethylene Bromide	D	—	—	D	D	D	—	D	Lithium Hydroxide	—	—	D	—	D	—	—	—
Ethylene Chloride	D	A ¹	C	D	D	C ¹	—	D	Lubricants	—	A	B	D	A ¹	A ¹	—	D
Ethylene Chlorohydrin	D	D	—	D	D	D	D	C	Lye: KOH Potassium Hydroxide	A	A	B	A	D	A	A	C
Ethylene Diamine	D	D	B	A	A ²	—	—	A	Lye: NaOH Sodium Hydroxide	C	C	B	D	D	A	A	A ¹
Ethylene Dichloride	D	B ¹	D	D	D	D	D	D	Lye: Ca(OH) ₂ Calcium Hydroxide	—	D	B	A ²	D	A ²	A	A
Ethylene Glycol	A	B	A	A ²	B ¹	A	A	A	Magnesium Bisulfate	—	—	—	—	A ¹	A ²	—	—
Ethylene Oxide	D	D	B	A	C ¹	D	—	D	Magnesium Carbonate	B	A	—	B	A ¹	A	—	—
Fatty Acids	A	A	A	D	B ¹	A	D	C	Magnesium Chloride	B	B ¹	A	A ¹	A ²	A ²	—	A
Ferric Chloride	A	D	D	A ¹	A ²	A	—	B	Magnesium Hydroxide	B	A	B	A ²	A ¹	A	—	A
Ferric Nitrate	A ²	D	—	A ²	A ¹	A	—	C	Magnesium Nitrate	B	A	B	A ²	A ¹	A	—	—
Ferric Sulfate	A ²	D	—	A ²	A ¹	A	—	B	Magnesium Oxide	—	A	—	—	—	—	—	—
Ferrous Chloride	A ²	D	A	A ²	D	A	—	—	Magnesium Sulfate (Epson Salts)	B ²	B	A	A ²	A ¹	A	—	A
Ferrous Sulfate	A ¹	D	—	A ²	A ¹	A	—	—	Maleic Acid	—	A	A	B ²	—	A	—	—
Fluoboric Acid	A ²	A ¹	A	A ²	—	A	—	—	Maleic Anhydride	—	D	A	D	—	D	—	—
Fluorine	A ¹	D	D	D	C	D	D	D	Malic Acid	—	A	—	B ²	—	A ¹	—	B
Fluosilicic Acid	A ²	A ¹	B	A ²	A ¹	A	—	—	Manganese Sulfate	B ²	A ¹	—	A ¹	A ¹	—	—	A ¹
Formaldehyde 40%	A ²	A ²	A	D	A ¹	A	—	—	Mash	—	A	—	A	—	—	—	—
Formaldehyde 100%	B	A	A	B	A ²	C	A	B	Mayonnaise	—	A	—	D	—	—	—	—
Formic Acid	D	A ²	A	D	A ¹	A ¹	—	B	Melamine	—	A	—	—	—	A	—	C
Freon® 11	D	D	A	C	—	A	B	D	Mercuric Chloride (dilute)	B	B	A	A	A	B	—	—
Freon® 12	A ¹	B	—	A ¹	—	A2	D	D	Mercuric Cyanide	B	—	—	A	—	B	—	A
Freon® 22	—	A	—	—	—	B	D	D	Mercurous Nitrate	C ²	—	—	A	A ²	A	—	—
Freon® 113	—	A	—	—	B ¹	D	D	D	Mercury	B	A	A	A	D	B	—	—
Freon® TF	—	A	B	—	—	D	D	D	Methane	—	A	—	—	—	A	D	D
Fruit Juice	B	D	—	A	—	B	—	—	Methanol (Methyl Alcohol)	D	A	A	A ¹	B ¹	A ²	A	A
Fuel Oils	D	A	C	B	B ¹	A	—	D	Methyl Acetate	D	B	C	B ¹	D	D	—	D
Furan Resin	—	D	—	D	—	D	A	D	Methyl Acetone	—	D	—	—	—	—	—	—
Furfural	D	A	A	D	D	D	A	D	Methyl Acrylate	—	B	—	—	—	D	D	D
Galllic Acid	—	—	A	A	—	A	—	D	Methyl Alcohol 10%	D	A	A	A ¹	B ¹	A ²	A	A
Gasoline (high-aromatic)	D	B	B	A	A	A	D	D	Methyl Bromide	D	D	—	C ¹	—	C	D	—
Gasoline, leaded, ref.	D	A	B	—	A2	B	D	D	Methyl Butyl Ketone	—	D	—	—	D	D	—	D
Gasoline, unleaded	D	A	B	—	A2	C ¹	D	D	Methyl Cellosolve	—	D	—	—	D	B	—	D
Gelatin	—	B	A	A2	—	A	—	A	Methyl Chloride	D	B	—	C ¹	D	D	D	D
Glucose	B	A	A	A2	A ¹	A	—	A	Methyl Dichloride	—	D	—	—	—	D	—	—
Glue, P.V.A.	—	A	A	A ¹	—	—	—	A	Methyl Ethyl Ketone	D	C	D	D	D	B ²	D	D
Glycerin	C	A	A	A ¹	A2	A	D	A	Methyl Ethyl Ketone Peroxide	—	—	—	—	—	—	—	B
Glycolic Acid	B	A	—	A2	—	A	—	A	Methyl Isobutyl Ketone	D	—	D	C	D	A	D	D
Gold Monocyanide	—	A	—	—	—	—	—	—	Methyl Isopropyl Ketone	—	—	—	D	D	—	—	C
Grape Juice	B	A	—	B	—	—	—	A	Methyl Methacrylate	—	D	—	—	—	D	C	C
Grease	—	D	—	—	—	—	—	D	Methylamine	D	D	—	A ¹	—	A ²	—	—
Heptane	D	A	B	B ¹	B	C2	A	D	Methylene Chloride	D	B	D	D	D	B ¹	D	—
Hexane	D	A	C	D	D	B ¹	A	D	Milk	B	A	—	A	A	B	—	A
Honey	—	A	—	B	A ¹	A	—	A	Mineral Spirits	D	A	D	B	C	B	—	D
Hydraulic Oil (Petro)	—	B	A	C	—	D	B	B	Molasses	B	A	A	A	—	B	—	—
Hydraulic Oil (Synthetic)	—	—	A	A	—	D	D	B	Monochloroacetic Acid	—	D	D	—	D	—	D	—
Hydrazine	—	B	D	—	D	C	—	B	Monoethanolamine	—	D	—	C	—	B	—	B
Hydrobromic Acid 20%	—	C	D	B2	—	A2	—	D	Morpholine	C	—	—	—	D	B ¹	—	—
Hydrobromic Acid 100%	B	D	D	B ¹	—	C ¹	—	D	Motor Oil	C	B	—	C ¹	A	A ¹	—	—
Hydrochloric Acid 20%	A	C	A	A2	B ¹	B2	A	D	Mustard	B	C	—	A	A	A	—	—
Hydrochloric Acid 37%	A	C	A	B2	D	C	A	B	Naphtha	D	A ¹	—	A ¹	B	B	D	D
Hydrochloric Acid 100%	A	C	D	—	D	B ¹	A	D	Naphthalene	D	A ¹	B	C	—	B	D	D
Hydrochloric Acid, Dry Gas	—	—	D	A2	—	B	A	—	Natural Gas	B	B	—	A	—	A	D	A
Hydrocyanic Acid	B	B	A	A2	—	A	A	C	Nickel Chloride	A	A	B	A	A ²	A	—	A
Hydrocyanic Acid (Gas 10%)	—	C	A	—	B ¹	A	A	D	Nickel Nitrate	A	—	B	A	D	A ²	—	—
Hydrofluoric Acid 20%	C	D	A	A2	D	A2	D	D	Nickel Sulfate	B	A	B	A	A	A	—	A
Hydrofluoric Acid 50%	C	D	A	A ¹	D	A2	D	D	Nitrating Acid (<1% Acid)	—	—	—	—	—	C	—	—
Hydrofluoric Acid 75%	C	D	B	C ¹	D	C ¹	D	D	Nitrating Acid (<15% H ₂ SO ₄)	—	—	—	—	—	C	—	—
Hydrofluoric Acid 100%	D	D	D	—	D	C ¹	D	D	Nitrating Acid (>15% H ₂ SO ₄)	—	D	—	—	—	C	—	—
Hydrofluosilicic Acid 20%	—	B	B	B2	—	A	—	D	Nitrating Acid (<15% HNO ₃)	—	—	—	—	—	C	—	—
Hydrofluosilicic Acid 100%	—	A	C	B ¹	—	A	—	D	Nitric Acid (5-10%)	B	D	A	B	A	A	D	C
Hydrogen Gas	—	—	A	A2	A2	A	—	C	Nitric Acid (20%)	B	D	B	C	B ¹	A ²	D	D
Hydrogen Peroxide 10%	A	D	A	A	A2	A	—	A	Nitric Acid (50%)	C	D	D	B ¹	B	B	D	D
Hydrogen Peroxide 30%	—	D	A	C2	A2	B ¹	—	B	Nitric Acid (Concentrated)	D	D	D	C ¹	C ¹	D	D	D
Hydrogen Peroxide 50%	—	D	A	C2	A2	B ¹	—	B	Nitrobenzene	D	C	D	C ¹	D	B ¹	—	D
Hydrogen Peroxide 100%	A	D	A	C2	A	B ¹	—	B	Nitrogen Fertilizer	—	—	—	—	—	—	—	—



Reagent	ABS	Acetal	HDPE	LDPE	PC	PP	Santo- prene	Sili- cone	Reagent	ABS	Acetal	HDPE	LDPE	PC	PP	Santo- prene	Sili- cone
Nitromethane	D	A	D	A	D	B ²	—	D	- Copper Plating (Misc):	—	A	—	—	—	A	—	—
Nitrous Acid	D	—	—	—	—	A	—	—	- Copper Pyrophosphate	—	D	—	—	—	A	—	—
Nitrous Oxide	—	—	—	C	—	D	—	—	- Copper (Electroless)	—	D	—	—	—	A	—	—
Oils:									- Gold Plating:	—	—	—	—	—	A	—	—
- Aniline	D	D	—	—	—	A	—	D	- Acid 75°F	—	—	—	—	—	A	—	—
- Anise	—	D	—	—	—	—	—	—	- Cyanide 150°F	—	—	—	—	—	A	—	—
- Bay	—	D	—	—	—	—	—	—	- Neutral 75°F	—	—	—	—	—	A	—	—
- Bone	—	D	—	—	—	A	—	—	- Indium Sulfamate Plating R.T.	—	—	—	—	—	A	—	—
- Cinnamon	—	D	D	D	D	D	—	—	- Castor	A	A	—	—	—	A	—	A
- Citric	D	A	—	A	A	A	—	—	- Iron Plating:	—	—	—	—	—	A	—	—
- Clove	—	—	—	—	—	—	—	—	- Ferrous Am Sulfate Bath 150°F	—	—	—	—	—	A	—	—
- Coconut	A	A	—	A	—	A ¹	—	A	- Ferrous Chloride Bath 130°F	—	—	—	—	—	C	—	—
- Cod Liver	A	B	—	—	—	A ¹	—	B	- Ferrous Sulfate Bath 150°F	—	—	—	—	—	A	—	—
- Corn	B	A	—	A	—	A ²	—	A	- Fluoborate Bath 145°F	—	—	—	—	—	A	—	—
- Cottonseed	A	A	—	A	—	A	—	A	- Sulfamate 140°F	—	—	—	—	—	A	—	—
- Creosote	—	D	—	C	—	C	—	D	- Sulfate-Chloride Bath 160°F	—	—	—	—	—	A	—	—
- Crude Oil	A	A	D	—	—	A	—	—	Plating Solutions, continued	—	—	—	—	—	—	—	—
- Diesel Fuel (20, 30, 40, 50)	—	D	—	A	—	A ¹	—	D	Lead Fluoborate Plating	—	—	—	—	—	A	—	—
- Fuel (1, 2, 3, 5A, 5B, 6)	D	D	—	B	B	B	—	C	- Nickel Plating:	—	—	—	—	—	—	—	—
- Ginger	—	A	—	—	—	—	—	—	- Electroless 200°F	—	—	—	—	—	D	—	—
- Hydraulic Oil (Petro)	—	B	—	C	—	D	—	B	- Fluoborate 100-170°F	—	—	—	—	—	A	—	—
- Hydraulic Oil (Synthetic)	—	—	—	A	—	D	—	B	- High-Chloride 130-140°F	—	—	—	—	—	A	—	—
- Lemon	C	D	—	—	—	—	—	—	- Watts Type 115-160°F	—	—	—	—	—	A	—	—
- Linseed	—	A	—	A	—	A	—	A	- Rhodium Plating 120°F	—	—	—	—	—	A	—	—
- Mineral	A	A	A	B ¹	B	A	—	C	- Silver Plating 80-120°F	—	—	—	—	—	A	—	—
- Olive	A	A	A	A ¹	A ²	A	—	D	- Tin-Fluoborate Plating 100°F	—	—	—	—	—	A	—	—
- Orange	—	D	C	C ¹	C ¹	A	—	D	- Tin-Lead Plating 100°F	—	—	—	—	—	A	—	—
- Palm	A	A	—	A	—	—	—	—	- Zinc Plating:	—	—	—	—	—	—	—	—
- Peanut	—	A	—	A	—	D	—	A	- Acid Chloride 140°F	—	—	—	—	—	A	—	—
- Peppermint	D	D	—	—	—	—	—	—	- Acid Fluoborate Bath R.T.	—	—	—	—	—	A	—	—
- Pine	D	A	B	D	A	B	—	D	- Acid Sulfate Bath 150°F	—	—	—	—	—	A	—	—
- Rapeseed	—	A	—	D	—	D	—	D	- Alkaline Cyanide Bath R.T.	—	—	—	—	—	A	—	—
- Rosin	—	—	—	B ²	—	A ²	—	—	Potash (Potassium Carbonate)	A	B	B	A ¹	—	A	—	—
- Sesame Seed	A	D	—	—	—	A	—	—	Potassium Bicarbonate	A	—	B	A	—	A	—	A ¹
- Silicone	A	A	A	A	—	A	—	C	Potassium Bromide	A ¹	A	B	A	A ¹	A	—	A ¹
- Soybean	A	A	—	A ¹	—	A ¹	—	A	Potassium Chlorate	A	B	B	A ¹	A ¹	A	—	B
- Sperm (whale)	A	D	—	—	—	—	—	—	Potassium Chloride	A	A	A	A ¹	A	A	—	A
- Tanning	—	D	—	—	—	—	—	—	Potassium Chromate	—	C	—	A	—	A	—	—
- Transformer	—	A	—	C ¹	—	B	—	B	Potassium Cyanide Solutions	A	C	—	A	—	A	—	A
- Turbine	—	A	—	C	—	B ¹	—	D	Potassium Dichromate	B ¹	A	B	A	A ¹	A	—	A
Oleic Acid	D	A	C	C ²	—	B ¹	—	D	Potassium Ferricyanide	B	B ¹	—	A ²	—	A ²	—	—
Oleum 25%	—	D	—	D	—	D	—	D	Potassium Ferrocyanide	—	—	—	A ¹	—	A	—	—
Oleum 100%	D	D	—	D	—	D	—	D	Potassium Hydroxide (Caustic Potash)	A	A	A	A	D	A	B	C
Oxalic Acid (cold)	A	B	A	A ²	—	A ²	A	B	Potassium Hypochlorite	—	—	—	C ¹	—	—	—	—
Ozone	B	C	A	C ¹	A ¹	B	D	A	Potassium Iodide	B	—	B	B ¹	—	A ²	—	—
Palmitic Acid	A	A	—	—	—	B ¹	A	D	Potassium Nitrate	B	A	B	A	A ¹	A	—	A
Paraffin	A	A	B	B	A ¹	A ¹	—	—	Potassium Oxalate	—	—	—	—	—	—	—	—
Pentane	—	B	—	D	A	D	B	D	Potassium Permanganate	B ¹	A	A	A	A ²	A ¹	—	—
Perchloric Acid	—	C	D	B	—	C	D	D	Potassium Sulfate	B	B	B	A ²	A ¹	A	—	A
Perchloroethylene	D	B	D	D	D	D	D	D	Potassium Sulfide	B	—	—	A ²	—	A	—	A
Petrolatum	—	B	—	B	—	D	—	D	Propane (liquefied)	—	A	D	C ¹	C ¹	A	—	D
Petroleum	B	B	D	C ¹	—	B ¹	C	D	Propylene	B	—	—	—	—	—	—	D
Phenol (10%)	D	B	D	B	B ¹	B ¹	D	D	Propylene Glycol	B	B	A	B ²	B ¹	A ²	—	A
Phenol (Carbolic Acid)	D	D	D	D	D	B	—	D	Pyridine	—	B	D	B ¹	D	A ²	A	D
Phosphoric Acid (<40%)	B	D	A	A	A	A ²	A	C	Pyrogallol Acid	—	D	—	—	—	A	D	—
Phosphoric Acid (>40%)	C	D	A	B ¹	A	A ²	C	D	Resorcinol	A	—	—	B ²	B ¹	A ²	—	—
Phosphoric Acid (crude)	C	D	B	B ¹	A	B ²	—	D	Rosins	—	B	B	B ¹	—	A ²	—	A
Phosphoric Acid (molten)	D	D	D	—	—	D	—	—	Rum	—	A	—	—	—	A	—	A
Phosphoric Acid Anhydride	—	D	A	—	D	A	—	—	Rust Inhibitors	—	A	—	—	—	A	—	—
Phosphorus	—	B	—	B	—	A	—	—	Salad Dressing	—	A	—	—	—	A	—	—
Phosphorus Trichloride	D	D	A	B	C	—	—	—	Salicylic Acid	A	D	—	B ²	A ¹	A ¹	—	—
Photographic Developer	B	D	—	A	A ²	A	—	B	Salt Brine (NaCl saturated)	—	—	A	A	A	A	A	A ¹
Photographic Solutions	—	D	A	A	A ¹	A ²	—	A	Sea Water	—	A	A	A ²	A ²	A	A	A ¹
Phthalic Acid	B	C	B	B ²	—	A	—	B ¹	Shellac (Bleached)	—	A	—	A ¹	—	A	—	—
Phthalic Anhydride	B	C	—	—	A ¹	D	—	—	Shellac (Orange)	—	A	—	A ¹	—	A	—	—
Picric Acid	A	A	D	A	D	B ¹	D	D	Silicone	D	A	—	—	A ²	A	—	C
Plating Solutions									Silver Bromide	—	C	—	A	—	—	—	—
- Antimony Plating 130°F	—	A	—	—	—	A	—	—	Silver Nitrate	B	A	A	A	A ²	A ¹	—	A
- Arsenic Plating 110°F	—	A	—	—	—	A	—	—	Soap Solutions	A	A	B	D	A ¹	A	A	A
- Brass Plating:									Soda Ash (see Sodium Carbonate)	B	A	A	B	A	A	—	A
- Regular Brass Bath 100°F	—	A	—	B	—	A	—	—	Sodium Acetate	B	B	A	A	A ¹	A	—	D
- High-Speed Brass Bath 110°F	—	A	—	B	—	A	—	—	Sodium Aluminate	—	B	—	—	—	—	—	—
- Bronze Plating:									Sodium Benzoate	A	—	B	A ²	A ²	A ²	—	—
- Cu-Cd Bronze Bath R.T.	—	A	—	—	—	A	—	—	Sodium Bicarbonate	A	A	A	A ²	A ²	A	—	A
- Cu-Sn Bronze Bath 160°F	—	B	—	—	—	A	—	—	Sodium Bisulfate	A	B	B	A ²	A ¹	A	—	A
- Cu-Zn Bronze Bath 100°F	—	A	—	—	—	A	—	—	Sodium Bisulfite	A	C	B	A ²	A ¹	A	—	A
- Cadmium Plating:									Sodium Borate (Borax)	A	—	B	A ²	A ¹	A ²	—	A
- Cyanide Bath 90°F	—	A	—	—	—	A	—	—	Sodium Bromide	B	A	—	A ²	—	—	—	—
- Fluoborate Bath 100°F	—	C	—	—	—	A	—	—	Sodium Carbonate	B	A ¹	A	B ²	A ²	A	—	A
- Chromium Plating:									Sodium Chlorate	A	A	—	B ²	A ¹	A	—	C
- Barrel Chrome Bath 95°F	—	D	—	—	—	A	—	—	Sodium Chloride	A	A ¹	A	A ²	A ²	A	A	A
- Black Chrome Bath 115°F	—	D	—	—	—	A	—	—	Sodium Chromate	—	D	—	—	A ²	—	—	—
- Chromic-Sulfuric Bath 130°F	—	D	—	—	—	A	—	—	Sodium Cyanide	A	A	B	A ²	—	A	—	A
- Fluoride Bath 130°F	—	D	—	—	—	A	—	—	Sodium Ferrocyanide	—	A	—	A	—	A	—	—
- Fluosilicate Bath 95°F	—	D	—	—	—	D	—	—	Sodium Fluoride	A	—	—	A ²	—	A	—	—
- Copper Plating (Cyanide):									Sodium Hydrosulfite	—	—	—	—	—	—	—	C
- Cooper Strike Bath 120°F	—	A	—	—	—	A	—	—	Sodium Hydroxide (20%)	B	A	C	B	A ²	A	A	A ²
- High-Speed Bath 180°F	—	B	—	—	—	A	—	—	Sodium Hydroxide (50%)	A	A	C	B	D	A	A	A ¹
- Rochelle Salt Bath 150°F	—	B	—	—	—	A	—	—	Sodium Hydroxide (80%)	A	D	C	—	D	A	C	A ¹
- Copper Plating (Acid):									Sodium Hypochlorite (100%)	—	D	C	B ²	—	B	D	B
- Copper Fluoborate Bath 120°F	—	C	—	—	—	A	—	—	Sodium Hypochlorite (<20%)	B	D	A	A	C	A	A	B
- Copper Sulfate Bath R.T.	—	A	—	—	—	A	—	—	Sodium Hyposulfate	—	—	—	—	—	—	—	—



Reagent	ABS	Acetal	HDPE	LDPE	PC	PP	Santo- prene	Sili- cone	Reagent	ABS	Acetal	HDPE	LDPE	PC	PP	Santo- prene	Sili- cone
Sodium Metaphosphate	—	B	B	A ¹	—	A ¹	—	A	Tanning Liquors	—	B	—	A ¹	—	A ¹	—	B
Sodium Metasilicate	—	D	—	—	—	A	—	—	Tartaric Acid	—	B	A	A ¹	—	A	A	A
Sodium Nitrate	—	A	B	A ²	—	A	—	D	Tetrachloroethane	—	A	—	—	—	C	D	D
Sodium Perborate	—	B	—	A ¹	—	A	—	B	Tetrachloroethylene	—	A	C	B	D	D	—	D
Sodium Peroxyde	—	D	B	A	A ²	B	—	D	Tetrahydrofuran	—	A	C	C ¹	D	C ²	D	D
Sodium Polyphosphate	—	B	B	A	—	A	—	D	Tin Salts	—	—	—	—	—	A	—	B
Sodium Silicate	—	C	A	A ²	—	A	—	A	Toluene (Toluol)	D	C ¹	D	C ¹	D	C ¹	D	D
Sodium Sulfate	—	B	—	A ²	A ²	A	—	A	Tomato Juice	B	B	A	A ¹	A ¹	A	—	—
Sodium Sulfide	—	B	B	A ²	D	A	—	A	Trichloroacetic Acid	—	—	C	A	D	A	—	D
Sodium Sulfite	—	—	B	B ¹	—	A ²	—	A	Trichloroethane	—	A	D	—	D	C	D	D
Sodium Tetraborate	—	B	B	A ²	—	—	—	A	Trichloroethylene	D	D	D	D	—	C ¹	D	D
Sodium Thiosulfate (hypo)	—	C ¹	—	A ¹	D	A ²	—	A	Trichloropropane	D	A	—	—	—	—	—	—
Sorghum	—	A	—	—	—	—	—	—	Tricresylphosphate	B	C	—	B ¹	—	A ¹	—	C
Soy Sauce	—	A	—	—	—	—	—	—	Triethylamine	—	D	—	—	—	D	—	—
Stannic Chloride	—	C	—	A ²	A ¹	A	—	B	Trisodium Phosphate	B ¹	A	A	A	—	A	—	A
Stannic Fluoborate	—	C	—	—	—	—	—	—	Turpentine	D	A ²	B	D	D	D	D	D
Stannous Chloride	—	—	—	B ²	—	A	—	B	Urea	B	A	A	A	D	A	—	B
Starch	—	A	—	B	—	A ²	—	—	Uric Acid	—	—	—	B	—	—	A	—
Stearic Acid	—	A	A	B ¹	A ¹	A ²	A	B	Urine	—	A	A	A ²	—	A	—	—
Stoddard Solvent	B	A	—	C ²	A ²	C	D	D	Varnish	—	A	B	A	—	A	—	D
Styrene	—	A	—	—	D	—	—	D	Vegetable Juice	B	A	—	—	—	—	—	B
Sugar (Liquids)	B	A	—	—	—	A	—	A	Vinegar	A	B	A	A	A ²	A	—	A
Sulfate (Liquors)	—	D	A	A ²	—	A	—	B	Vinyl Acetate	—	—	D	A	—	B ¹	—	D
Sulfur Chloride	—	D	—	C ¹	—	C ¹	—	C	Vinyl Chloride	D	—	—	—	—	—	—	—
Sulfur Dioxide	D	B	D	B ¹	—	A ¹	—	B	Water, Deionized	—	—	A	—	—	A ²	A	—
Sulfur Dioxide (dry)	—	B	A	A ¹	A ¹	A ¹	—	B	Water, Acid, Mine	B	A ¹	A	A ²	B ²	A	A	B
Sulfur Hexafluoride	—	—	—	B	—	—	—	B	Water, Distilled	B	B	A	A ²	A ²	A	A	C
Sulfur Trioxide	—	—	—	—	—	C	—	B	Water, Fresh	A	A ²	A	A ²	A ²	A	A	B
Sulfur Trioxide (dry)	—	D	—	C ¹	—	D	—	B	Water, Salt	—	A	A	A ²	A ²	A	A	B
Sulfuric Acid (<10%)	B	D	A	A ¹	A ¹	A ²	A	C	Weed Killers	—	A	—	—	—	—	—	A
Sulfuric Acid (10-75%)	B	D	A	A ¹	B ¹	A ¹	B	D	Whey	—	A	—	—	—	—	—	—
Sulfuric Acid (75-100%)	—	—	B	C	D	C ¹	D	D	Whiskey and Wines	C	A	B	C	A ¹	A	—	A
Sulfuric Acid (cold concentrated)	—	—	B	D	—	A ²	D	D	White Liquors (Pulp Mill)	—	D	—	A ²	—	A ¹	—	A
Sulfuric Acid (hot concentrated)	—	—	B	D	D	D	D	D	White Water (Paper Mill)	—	B	—	—	—	A	—	—
Sulfurous Acid	—	C	B	B ²	—	A	—	D	Xylene	D	A	D	B	D	B	D	D
Sulfuryl Chloride	—	A	—	—	—	—	—	—	Zinc Chloride	A	C	A	A ¹	A ²	A	B	B
Tallow	—	A	A	C	—	A ²	—	—	Zinc Hydrosulfite	A	C	—	—	—	—	—	—
Tannic Acid	—	B	A	B ²	C	A	A	B	Zinc Sulfate	A	C	A	A ²	A ²	A	—	A

A : No effect
 B : Minor effect
 C : Moderate effect
 D : Severe effect; not recommended
 — : No data available

Explanation of footnotes:

- 1 - Satisfactory to 72 °F (22 °C)
- 2 - Satisfactory to 120 °F (48 °C)
- 3 - Satisfactory to 90 °F (32 °C)
- 4 - Satisfactory to 200 °F (93 °C)



Cryovial
Dropper

Histosette
Macrosette

Micrewtube
Urisafe

TM

AmPlate	EconoTube	SecurTainer
AmpliTube	EcoTainer 24	SeraNest
BioBlock	Ez-Load	SimFoil
BioDisposer	FitsAll	SimPlate
BioTube	FlexTainer	SlideFile
CapInsert	HistoTainer	SlideFolder
ChillBlock	HydroTainer	SlideTray
ClikLock	Ino-Loop	Slimsette
Combi-Box	Jumbosette	Snaptwist
Combi-Rack	LockMailer	SputEm
CoreDish	MicrewLock	StainTray
CombiStore	Micromesh	StoreBox
CorePicker	Microsette	Swingsette
Corlection	MultiRack	Tricorn
CryoLock	OneHand	UniMailer
CryoStore	PCRRack	UniRack
CulTubes	Pierce-It	Uniset
CytoSep	Q-Swab	UriTainer
DissecTable	QuickLoad	VacuCap
DispoCut	SecuRack	Write-On
DrainRack	Secure-Lock	
EasyDip	SecureSeal	

PCR (Polymerase Chain Reaction) patents are owned by Hoffman- La-Roche Inc., Nutley, NJ

CoreTainer is a registered trademark of Beekley Corporation

Cytospin is a registered trademark of Shandon Lipshaw

Cyto-Tek is a registered trademark of Miles Corporation

CytoPro is a registered trademark of Wescor Inc.

Cytofuge is a registered trademark of Norfolk Scientific Inc.



2588 Bernard-Pilon
Beloeil Quebec
J3G 4S5 Canada

Telephone : 450 464-1723
Fax : 450 464-3394

info@simport.com
www.simport.com



Distributed by:

