Edition Date: 2004-03-15 Revision Date: 2020-08-25

Revised by: Annette Roy, Regulatory

Product Name: Dropette® Catalogue No.: P200-301S

This document replaces any previous version

Product Description: 1.

> > Transfer Pipet: Sterile, disposable pipet

2. Packaging:

> packaged individually / 400 per inner pack / 4000 units per case Case:

3. **Product Specifications:**

- Material:
 - Low Density Polyethylene
- Graduated increments from 0.25ml to 1ml
- ➤ Bulb draw: 2.1ml > Total volume: 3ml > Length: 13.8cm
- ➤ Temperature range : -80°C to +80°C
- ➤ Gamma radiation sterilized at a SAL of 10⁻³; specified dose between 6.5 kGy and 13.5 kGy

4. **Standards and Conformity:**

> ISO 2859-1: Sampling and inspection procedures ➤ FDA: Resin conforms to FDA 21 CFR 177.1520

5. **Quality Assurance:**

- > Clear, no presence of contamination in plastic
- Visual attributes
- > Dimension and volume measurements

6. **Traceability:**

➢ No. Composition: 8 or 9 digits

> The lot number can be found in one or all of these locations:

- 1. On exterior case label
- 2. On label inserted inside the master case
- 3. On the inner bag

Page 1 / 2 Issue Date: 2017-06-15

Document Template: FRM-106 Rev01 Technical Data Sheet

Edition Date: 2004-03-15 **Revision Date:** 2020-08-25

Revised by: Annette Roy, Regulatory

7. Storage Conditions:

- > Store at room temperature in normal warehouse conditions
- Avoid temperature variations and humidity
- Protect from any damage to the packaging

8. Recommended Use:

- > Be cautious when using biohazard material and / or chemical reagents
- > Follow chemical resistance chart recommendations

OWNERSHIP OF MATERIALS:

Materials and information contained in this document are **Simport Scientific**'s copyrighted and are protected by worldwide copyright laws and treaty provisions. They may not be copied, reproduced, modified, published, uploaded, posted, transmitted or distributed in any way.

Document Template: FRM-106 Rev01 Technical Data Sheet
Page 2 / 2

Issue Date: 2017-06-15