Edition Date: 2009-08-25 Revision Date: 2017-08-17

Revised by: Annette Roy, QA Coordinator

Catalogue No.: T214-281B **Product Name: Cryostore™**

This document replaces any previous version

1. **Product Description:**

> Storage Box: Non-sterile, stackable with transparent cover and printed numerical

grid. Each unit contains one vial picker and can accommodate up to 81

tubes.

- > Available colors:
 - Blue
- Compatible with:
 - Simport 2ml 2D Barcoded
 - cryogenic vials
- 2. Packaging:

2 packages of 5 units / 10 units per case Case:

3. **Product Specifications:**

- Material:
 - Polycarbonate
- > Temperature range: -196°C to +121°C
- > Autoclavable at 121°C, for up to 30 minutes
- Dimensions: 133 x 133 x 95mm H (5 ¼ x 5 ¼ x 3 ¾ in. H)
- ➤ Total capacity: 81 tubes

4. **Standards and Conformity:**

> ISO 2859-1: Sampling and inspection procedures

5. **Quality Assurance:**

- ➤ Clear, no presence of contamination in plastic
- Visual attributes
- Gas phase of Liquid Nitrogen resistance

Page 1 / 2 Issue Date: 2017-06-15

Edition Date: 2009-08-25 Revision Date: 2017-08-17

Revised by: Annette Roy, QA Coordinator

6. Traceability:

Lot No. Composition: 8 or 9 digits

> The lot number can be found in one or all of these locations:

- 1. On exterior case label;
- 2. On label inserted inside the master case;
- 3. On the inner bag.

7. **Storage Conditions:**

- Store at room temperature in normal warehouse conditions;
- > Avoid temperature variations and humidity;
- Protect from any possible contamination;
- Protect from any damage to the packaging.

8. **Recommended Use:**

- Follow chemical resistance chart recommendations;
- > For use in automated equipment, follow the equipment manufacturer's instructions;
- > Should be used only in the gas phase of Liquid Nitrogen.

OWNERSHIP OF MATERIALS:

Materials and information contained in this document are **Simport Scientific**'s copyrighted and are protected by worldwide copyright laws and treaty provisions. They may not be copied, reproduced, modified, published, uploaded, posted, transmitted or distributed in any way.

Document Template: FRM-106 Rev01 Technical Data Sheet Page 2 / 2

Issue Date: 2017-06-15