

# Tillo Simport Deep Well Family


All Simport<sup>®</sup> Deepwell Plates 24, 48, 96 and 384 are high performance plates fulfilling highest requirements of all manual and automated applications.

- Conform to SBS/ANSI
- · Great chemical stability
- Certificed DNase/Rnase and Pyrogen Free
- · Maximum sustainable centrifuge force 4000 g
- · Height difference from center to 4 angles is less than 0.4 mm







# Round Well




Well Shape Volume of 1.0 ml


# Square Well

























# Square Well




















### **Impermeable Mat Covers for Deep Well Plates**

Designed to fit the Simport Deep Well Collection, these mat covers are made of a specially formulated plastic ensuring great flexibility. They allow for maximum sample volume in each well. They are resistant to DMSO and biological buffers.

They should be used within a temperature range of -80 °C to +80 °C.

Cat. No. T110-25 Wells 96 Round Pre-Slit No To be used in

conjunction

with 96 round plates Qty/Pk

Qty/Cs 24

 $\bullet$   $\Phi$   $\Phi$   $\Phi$   $\Phi$   $\Phi$   $\Phi$   $\Phi$   $\Phi$  Cat. No. T110-61

Wells 96 Round

Pre-Slit Yes

To be used in conjunction

with T110-1, T110-4 and T110-4V

Qty/Pk 10

Qty/Cs 50

 $\Theta\Theta\Theta\Theta\Theta\Theta\Theta\Theta\Theta\Theta\Theta$ 

Cat. No. T110-26


Wells 96 Square Pre-Slit No

To be used in

conjunction

with 96 square plates

Qty/Pk Qty/Cs 24



Cat. No. T110-63

Wells 96 Round

Pre-Slit Yes

To be used in coniunction

with T110-8

Qty/Pk 10

Qty/Cs 50

^ <del>Ó Ó Ó Ó Ó Ó Ó Ö Ö Ö</del> 000000000000

Cat. No. T110-55

Wells 96 Square

Pre-Slit No


To be used in

conjunction

with 96 square plates

Qty/Pk 10

Qty/Cs 50



Cat. No. T110-65

Wells 24 Square


Pre-Slit No To be used in

conjunction

with T110-23 and T110-28

Qty/Pk 10

Qty/Cs 50



Cat. No. T110-57

Wells 96 Square Pre-Slit Yes

To be used in

conjunction

with 96 square plates

Qty/Pk 10

Qty/Cs 50



Cat. No. T110-67

Wells 48 Square


Pre-Slit No

To be used in conjunction

with T110-29

Qty/Pk 10

Qty/Cs 50



Cat. No. T110-59

Wells 96 Square


Pre-Slit Yes

To be used in

conjunction with 96 square plates

Qty/Pk 10

Qty/Cs 50



Cat. No. T110-69

Wells 384 Square


Pre-Slit No

To be used in

conjunction with T110-49

Qty/Pk 10

Qty/Cs 50



# Sealing Film

### **SecureSeal™ Heat Sealing Films**

100% leak-proof heat sealing technology. Effectively used for long-distance transportation. DMSO resistant.


> T329-5B Cat. No.

170~175 °C x 4~5 seconds Temperature / Time

Size/Thickness mm 125 x 84, 0.18 Description

can be punctured

Quantity Pk / 600



T329-5D Cat. No.

160~165 °C x 3~4 seconds Temperature / Time

Size/Thickness mm 125 x 78, 0.03

Description Used with heat sealing machine; thick,

could be printed

Quantity Pk / 100



SecureSeal™ is economically priced and has the differential advantage of perforated end tabs and a multiple split backing which allow for easy and accurate positioning and secure sealing. Use T329-9 Amplate<sup>™</sup> Roller for a perfect seal.

T329-3 Non-sterile & T329-4 Sterile


Temperature / Time -40 °C +120 °C Size/Thickness mm

The polyester-based film with acrylic adhesive is Description

inert and thus compatible with almost all

microplate procedures.

**Quantity** Pk / 100 Cs / 1000



### T329-9 AMPLATE™ Roller

Ensure a perfect seal when using either SecureSeal\* Thermal sealing film or foil on PCR plates. Roller made of medium-hard rubber. Heavy-duty handle with comfortable grip reducing fatigue. Durable construction.





Cat. No	Size	Qty/Pk
T329-9	10.16 cm (4 in.)	1



## Visit our website to see the collection of Deep Well Bioblock™



2588 Bernard-Pilon Beloeil, Quebec J3G 4S5 Canada

**T - 450 464-1723** F - 450 464-3394 info@simport.com www.simport.com