Edition Date: 2004-01-19 Revision Date: 2019-07-19

Revised by: Annette Roy, QA Coordinator

Product Name: Histosette® II Catalogue No.: M485-XSL Series

This document replaces any previous version

1. **Product Description:**

> Tissue Cassette in plastic sleeve with Separate Lid: Disposable and non-sterile

> Available Colors:

- White, Pink, Green, Yellow, Blue, Peach, Tan, Gray, Lilac, Orange and Aqua
- Fluorescent Pink, Green and Yellow also available, minimum order quantity required

2. Packaging:

Case: 10 QuickLoad[™] plastic sleeves of 75 cassettes and 10 bags of 75 lids / 750 units per case

3. **Product Specifications:**

Material:

· Cassettes and lid: Acetal resin

• Sleeve: PVC Plastic ➤ Writing surface angle: 45°

Temperature range: -80°C to +30°C

4. **Standards and Conformity:**

> ISO 2859-1: Sampling and inspection procedures > FDA: Resin conforms to FDA 21 CFR 177.2470 > CONEG / RoHS: Plastics and colorants are in conformity with CONEG / RoHS standards for heavy metals

> REACH (SVHC): Plastic is in conformity to REACH standards

> LATEX: Material is Latex Free **≻** CE: Product is CE marked

5. **Quality Assurance:**

- Clear, no presence of contamination in plastic
- Visual attributes
- ➤ Lid closure verification

Page 1 / 2 Issue Date: 2017-06-15

Document Template: FRM-106 Rev01 Technical Data Sheet

Edition Date: 2004-01-19 **Revision Date:** 2019-07-19

Revised by: Annette Roy, QA Coordinator

6. Traceability:

Lot No. Composition: 8 or 9 digits

> The lot number can be found in one or all of these locations:

- 1. On exterior case label
- 2. On label inserted inside the master case
- 3. On the inner bag

7. Storage Conditions:

- > Store at room temperature in normal warehouse conditions
- > Avoid temperature variations and humidity
- > Protect from any possible contamination
- Protect from any damage to the packaging

8. Recommended Use:

- Verify proper lid closure of the cassette before using
- > Avoid picric acid, prolonged use in this acid will cause degradation
- > Follow chemical resistance chart recommendations
- > For use in automated equipment, follow the equipment manufacturer's instructions

OWNERSHIP OF MATERIALS:

Materials and information contained in this document are **Simport Scientific**'s copyrighted and are protected by worldwide copyright laws and treaty provisions. They may not be copied, reproduced, modified, published, uploaded, posted, transmitted or distributed in any way.

Document Template: FRM-106 Rev01 Technical Data Sheet
Page 2 / 2

Issue Date: 2017-06-15