

Scientific m. Technical Data Sheet

Edition Date: 2022-03-09
Revision Date: None

Revised by: Christine Laforge RT, Technical Representative

Product Name: SnapTwist Micrewtube® Catalogue No.: T342-5T

This document replaces any previous version

1. Product Description:

➤ 1.5 ml SnapTwist Micrewtube®: Non-sterile, Disposable Conical bottom tube with

molded ridges to fit one-hand racks.

Caps sold separately.

> Compatible with:

- T343 Cap Series
- T360 racks

2. Packaging:

Case: 1 000 units per bag

3. Product Specifications:

- Material:
 - Polypropylene
- Certified RNase, DNase, Pyrogen and DNA Free
- > Temperature range: -196°C to +121°C
- > Autoclavable at 121°C, for up to 30 minutes
- Centrifuge resistant at up to 20 000 g

4. Standards and Conformity:

ISO 2859-1: Sampling and inspection proceduresFDA: Resin conforms to FDA 21 CFR 177.1520

> USP: Resin conforms to USP Class VI

> CONEG / RoHS: Plastics and colorants are in conformity with

CONEG / RoHS standards for heavy metals

REACH (SVHC): Plastic is in conformity to REACH standards

LATEX: Material is Latex FreeBSE / TSE: Material is BSE / TSE Free

Document Template: FRM-106 Rev01 Technical Data Sheet

Issue Date: 2017-06-15

Edition Date: 2022-03-09
Revision Date: None

Revised by: Christine Laforge RT, Technical Representative

5. Quality Assurance:

- Clear, no presence of contamination in plastic
- Visual attributes
- Volume measurements
- Closure verification
- Gas phase of Liquid Nitrogen resistance

6. Traceability:

Lot No. Composition: 8 or 9 digits

> The lot number can be found in one or all of these locations:

- 1. On exterior case label
- 2. On label inserted inside the master case
- 3. On the inner bag

7. Storage Conditions:

- > Store at room temperature in normal warehouse conditions
- Avoid temperature variations and humidity
- Protect from any possible contamination
- Protect from any damage to the packaging

8. Recommended Use:

- > Verify proper cap closure when using biohazard material and / or chemical reagents
- > Follow chemical resistance chart recommendations
- > For use in automated equipment, follow the equipment manufacturer's instructions
- Should be used only in the gas phase of Liquid Nitrogen

OWNERSHIP OF MATERIALS:

Materials and information contained in this document are **Simport Scientific**'s copyrighted and are protected by worldwide copyright laws and treaty provisions. They may not be copied, reproduced, modified, published, uploaded, posted, transmitted or distributed in any way.

Issue Date: 2017-06-15

Document Template: FRM-106 Rev01 Technical Data Sheet