

Edition Date: 2022-04-12

Edited by: Annette Roy, Regulatory

and Technical Support

Revision Date : 2022-07-14

Revised by: Christine Laforge RT,

Technical Representative

Product Name: MicrewTube™ Cap Catalogue No.: T366LSL Series

This document replaces any previous version

1. Product Description:

> MicrewTube™ Cap: Non-sterile, cap with lip seal and loop, for

MicrewTube™ Tubes sold separately.

> Available colors:

• Natural, Amber, Blue, Green, Red, Yellow and White

> Compatible with:

• T365 MacrewTube™ Series

2. Packaging:

Case: 2 packs of 100 / 200 units per package

3. Product Specifications:

Material: Polyethylene cap

➤ Gamma sterilization resistant

Temperature range: -196°C to +100°C

4. Standards and Conformity:

➢ ISO 2859-1: Sampling and inspection procedures➢ FDA: Resin conforms to FDA 21 CFR 177.1520

> USP: Resin conforms to USP Class VI

CONEG: Plastics and colorants are in conformity

with CONEG standards for heavy metals

➤ **REACH (SVHC):** Plastic is in conformity to REACH standards

LATEX: Material is Latex free
BSE / TSE: Material is BSE / TSE free

Document Template: FRM-106 Rev00 Technical Data Sheet

Issue Date: 2016-04-26

Edition Date: 2022-04-12

Edited by: Annette Roy, Regulatory

and Technical Support

Revision Date : 2022-07-14

Revised by: Christine Laforge RT, Technical Representative

5. Quality Assurance:

- > Clear, no presence of contamination in plastic
- Visual attributes
- Dimension measurements
- Closure verification
- Leak proof testing in vacuum at 71.3cm Hg
- Gas phase of Liquid Nitrogen resistance

6. Traceability:

Lot No. Composition: 8 to 9 digits

> The lot number can be found in one or all of these locations:

- 1. On exterior case label
- 2. On label inserted inside the master case
- 3. On the inner bag

7. Storage Conditions:

- Store at room temperature in normal warehouse conditions
- Protect from any possible contamination
- Protect from any damage to the packaging

8. Recommended Use:

- Verify proper cap closure when using biohazard material and / or chemical reagents
- > Follow chemical resistance chart recommendations
- > For use in automated equipment, follow the equipment manufacturer's instructions
- Should be used only in the gas phase of Liquid Nitrogen

OWNERSHIP OF MATERIALS:

Materials and information contained in this document are **Simport Scientific**'s copyrighted and are protected by worldwide copyright laws and treaty provisions. They may not be copied, reproduced, modified, published, uploaded, posted, transmitted or distributed in any way.

Document Template: FRM-106 Rev00 Technical Data Sheet

Issue Date: 2016-04-26