

# Scientific m. Technical Data Sheet

Edition Date: 2022-03-09
Revision Date: None

**Revised by:** Christine Laforge RT, Technical Representative

Product Name: SnapTwist Micrewtube® Catalogue No.: T342-5T

This document replaces any previous version

# 1. Product Description:

> 1.5 ml SnapTwist Micrewtube®: Non-sterile, Disposable Conical bottom tube with

molded ridges to fit one-hand racks.

Caps sold separately.

#### > Compatible with:

- T343 Cap Series
- T360 racks

### 2. Packaging:

Case: 1 000 units per bag

### 3. Product Specifications:

- ➤ Material:
  - Polypropylene
- Certified RNase, DNase, Pyrogen and DNA Free
- > Temperature range: -90°C to +100°C
- ➤ Not Autoclavable
- Centrifuge resistant at up to 20 000 g

#### 4. Standards and Conformity:

ISO 2859-1: Sampling and inspection proceduresFDA: Resin conforms to FDA 21 CFR 177.1520

➤ **USP**: Resin conforms to USP Class VI

> CONEG / RoHS: Plastics and colorants are in conformity with

CONEG / RoHS standards for heavy metals

➤ **REACH (SVHC):** Plastic is in conformity to REACH standards

LATEX: Material is Latex FreeBSE / TSE: Material is BSE / TSE Free

Document Template: FRM-106 Rev01 Technical Data Sheet

Issue Date: 2017-06-15

Edition Date: 2022-03-09
Revision Date: None

**Revised by:** Christine Laforge RT, Technical Representative

## 5. Quality Assurance:

- Clear, no presence of contamination in plastic
- Visual attributes
- Volume measurements
- Closure verification
- Gas phase of Liquid Nitrogen resistance

## 6. Traceability:

**Lot No. Composition:** 8 or 9 digits

#### > The lot number can be found in one or all of these locations:

- 1. On exterior case label
- 2. On label inserted inside the master case
- 3. On the inner bag

# 7. Storage Conditions:

- > Store at room temperature in normal warehouse conditions
- Avoid temperature variations and humidity
- Protect from any possible contamination
- Protect from any damage to the packaging

#### 8. Recommended Use:

- > Verify proper cap closure when using biohazard material and / or chemical reagents
- > Follow chemical resistance chart recommendations
- > For use in automated equipment, follow the equipment manufacturer's instructions
- Should be used only in the gas phase of Liquid Nitrogen

#### **OWNERSHIP OF MATERIALS:**

Materials and information contained in this document are **Simport Scientific**'s copyrighted and are protected by worldwide copyright laws and treaty provisions. They may not be copied, reproduced, modified, published, uploaded, posted, transmitted or distributed in any way.

Issue Date: 2017-06-15

Document Template: FRM-106 Rev01 Technical Data Sheet