

## Scientific inc. Technical Data Sheet

**Edition Date:** 2024-04-11 **Revision Date:** None

**Revised by:** Sylvie Lachance QA/RA Manager

Page 1 / 1

**Product Name: CLIKLOK ™** 

MICROCENTRIFUGE TUBE WITH FLAT CAP

Catalogue No.: T330-6

## Material:

Polypropylene Tube with attached cap **Description:** 

- 0.6 ml tube with attached cap
- Non sterile
- Conical bottom
- Graduated
- Etched surface on side of tube for sample identification
- Caps are pre-attached and not screwed on
- Caps have a loop and a unique ClikLok <sup>™</sup> sealing mechanism
- Available color: Natural Blue, Green, Yellow on request only. Minimum quantity apply.

## **Packaging:**

Case: 1 bag of 500 units

## **Standards and Conformity:**

Temperature range: -80°C to +121°C

Autoclavable: +121°C for up to 30 minutes

USP: Plastic conforms to USP Class VI

CONEG / RoHS: Plastics comply

RNase, DNase, DNA and Pyrogen free: certified REACH: Plastic comply ISO 2859-1: Sampling and inspection LATEX: Plastic is Latex free

Centrifugation: up to 20 000g BSE/TSE: Plastic is BSE / TSE Free

**Recommended Use:** Designed for General laboratory use. Disposables for single use only. Verify proper cap closure when using biohazard material and / or chemical reagents. Follow chemical resistance chart recommendations.

**Storage Conditions:** Store at room temperature in normal warehouse conditions. Avoid temperature variations and humidity. Protect from any possible contamination and any damage to the packaging.

**Disclaimer:** The information contained in this document shall not constitute a representation or warranty of the suitability for any specific purpose. To the best of our knowledge, the information contained is reliable and true based on our internal and external testing as well as statements supplied to us by third party suppliers.

Document Template: FRM-106 Rev02 Technical Data Sheet

Issue Date: 2021-08-19